



*The Industry's only employee owned company*

New This Year  
**The quietest  
aeration systems  
on the market!**

Fountains  
Lake Dyes  
Diffused Aeration  
Water Treatments

**2025**

**Lake and Pond Management Catalog**

# From the Owners



SINCE 1970

2024 was our team's first year as an employee-owned company. It was an exciting year full of positive changes as every individual in the company embodied increased pride and ownership.

The team has been hard at work making sure we are doing everything possible to best serve our customers.

When it comes to purchasing products, we know you have a choice and we appreciate and take pride in being your supplier of choice. We do not take that for granted. Thank you for your business and for putting your trust in us.

### 2025 is going to be a great year!

Economic predictions are strong and the future is bright. We have lots of new products launching this year that we are excited about and we are excited to share them with you. Some of these are game-changers for the industry such as Sound Shield for aeration, which drastically reduces the loudness of compressors (page 24), and our innovative approach to Recreational Swim Ponds and Wetland Filtration with our Pit-Viper Diffuser System. Rec Ponds just got a lot less time and labor intensive! See these in our Pond and Water Feature catalog.

We are here to help you in any way you need – let's work together for your best year yet!  
We wish you all the best for 2025.

Blessings,

Paul Cole, President and CEO



*"faith as small as a mustard seed can move mountains"*  
– Matthew 17:20



## IMPORTANT INFORMATION

### EasyPro Authorized Distributor and Dealer Program and Enforced MAP Policy

EasyPro has in place one of the strongest and most enforceable Unilateral Distributor and Dealer Authorization Program in the industry in conjunction with an actively enforceable MAP (Minimum Advertised Price) Policy, which allows us to protect the quality and value of the EasyPro Brand.

Authorized supply chain partners are confidently able to profitably capitalize on selling the added value of their services, product knowledge, and warranty services that unauthorized sellers will not be able to provide.

For more details about this program, email us at [asp@easypro.com](mailto:asp@easypro.com).



## Pond & Water Feature Catalog

EasyPro offers a large selection of pond and water feature products. See our ever-expanding selection of garden fountains, pond and waterfall pumps, pond kits, waterfall/stream kits, aeration systems, compressors, water treatments and so much more! New this year - recreational swim ponds!

We have a separate catalog devoted to ponds and water features for pond and water garden enthusiasts.

**Contact us via phone or website to view or request copies of our catalogs!**



**800-448-3873**

# Catalog Symbols



**RETAIL READY**  
Our most popular pond items packaged and ready for retail



**MOTOR FREIGHT**  
Certain items ship motor freight only due to size or content



**MADE IN THE USA!**  
We are proud to offer as many USA-made items as possible



**DISCOUNTS**  
Buy it by the case and receive discounts!



**ECO-FRIENDLY**  
Environmentally safe products, good for use with fish & plants



**PRICE DROP**  
Lower prices on select products



**MAP (Minimum Advertised Price) Protection**

This symbol indicates MAP Protected products. Look for the green shield next to the List Price on all affected products. Contact us for the complete 2025 MAP price list.

## Get it NOW!



### Digital Promotion

EasyPro.com • Social Media Sharable "How To" Articles



### Promotional Materials

Catalogs • Guides  
Sell Sheets • Brochures



### Branded Promotions

EasyPro® Branded Materials:  
Banners • Displays

## In Your Resource Portal

We're making it faster and easier than ever for you to access EasyPro dealer resources!

We understand that quick and easy access to business resources is vital. The EasyPro Resource Portal is your new go-to hub for:

- Order forms
- Product images
- Product videos
- Social media drag and drop ads
- "How To" Series articles
- Promotional materials
- Sell sheets
- Brochures
- Handouts
- Project calculators

**Free Sales Tools!**

Visit the EasyPro Portal today!



### Digital Promotion - see more on page 90



Access a library of new and refreshed ready-to-use EasyPro® product posts for your social media accounts! We even help with suggested wording that you can copy/paste right into your own business posts.

Educate your customers about products and pond related issues by sharing the many "How To" Series articles available.



### Promotional Materials - see more on page 90


Access PDF versions of the current EasyPro® catalogs along with data/sell sheets, and guides like the Effective Pond Management Brochure that educate and inspire you and your customers.




The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. Installing diffused aeration in a pond or lake is the single most valuable water management and water maintenance strategy that can be implemented. The movement of oxygenated water from the bottom up provides many benefits to the water. As ponds age, organic muck load and total oxygen demands rise.

**Diffused aeration gets to the heart of the matter!** Oxygen is supplied by an on-shore compressor and delivered to diffusers placed on the bottom of the pond. The diffusers produce a cycling action of air bubbles that supplies the oxygen where it's needed most.

## Stratified Without Aeration



## De-Stratified With Aeration



### 1 Aeration



Pages 138-141

### 2 Water Treatments



Pages 135-137

### 3 Weed & Algae Controls



Page 144

See our full line of aeration products water treatments, algaecides and herbicides in our Lake and Pond Management Catalog.

# ARCHWAY BIO™

*Creating enjoyable waters...naturally.*

Archway Bio is the division of EasyPro Pond Products that handles all the water treatment production. EasyPro is a full line blending, packaging and labeling company offering a wide selection of treatments under our own brand as well as offering private label and bulk treatment options. Our products are widely used in the pond, lake, septic and waste water fields by customers around the world.

EasyPro offers a wider selection of treatment options under our own brand name as well as bulk products for applicators and those using large quantities of material. In addition, we offer private labeling of water treatments (minimum order quantities apply), concentrates and custom blends for customers wanting unique product offerings. Please call us for more information.

## 1 Existing EasyPro branded products

For the re-seller looking for finished products, we provide an established brand with an extensive line of shelf-ready products.



## 2 Private Label

For distributors, mail order catalog companies, internet marketing companies or any other re-seller that wants completed finished products. You provide your brand and we'll package it with custom labels.




## 3 Bulk Product

For companies that cannot manufacture. Buy in bulk to repackage and label at your facility.



## 4 Concentrates & Raw Ingredients

For manufacturers that have the ability to blend, package and label products at their own facility



## 5 Customized Products & Packaging

For companies wanting unique product appearance and size. Choice of liquid/powder, tablets/packets and containers



## Pond-Vive L

### Liquid lake and pond bacteria

#### A convenient alternative to Pond-Vive in a liquid

- Similar formula to Pond-Vive powder, can be used to treat golf course ponds, farm ponds, municipal areas and similar applications
- Works to remove ammonia, nitrates, phosphates & sludge
- Application rate is one gallon per surface acre weekly for four weeks, then every two to four weeks for maintenance
- Two gallons will treat 1/4 acre pond for 10-16 weeks

Available in  
**55 gallon drum & 250 gallon tote**  
for large bodies of water.

See page 9

#### DOSAGE RATES

**Initial Dose:** One gallon per surface acre every week for four weeks, then maintenance dose.

**Maintenance Dose:** One gallon per surface acre every two weeks

**Problem Ponds:** One gallon per surface acre every week until desired results, then maintenance dose.



*"We've tried many bacteria products over the years and found great success in Archway Bio's liquid pond bacteria for many of our high profile pond sites. Overall pond clarity and water quality parameters have been beyond our expectations".*

Cory J Zickert, Wisconsin Lake & Pond Resource



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
PB128	Pond-Vive L, one gallon bottle	4	434998	10 lbs.	\$49.99

# Pond-Vive Beneficial Bacteria



SINCE 1970

**Our Best Seller!**



## Pond-Vive

The natural, biological way to revive your pond. A blend of enzymes and beneficial bacteria, with a concentration level of five billion colony-forming units per gram!

A proprietary blend of enzymes and beneficial bacteria formulated to help improve water quality and reduce sludge in ponds, lakes and other water bodies. Pond-Vive works best when used in conjunction with aeration.

- Reduce sludge buildup and eliminate pond odors
- Improve water clarity and reduce oxygen demand
- Eliminate excess nutrients
- Enzymes - four strains which break down waste into an easier digestible form for the bacteria — speeds up the process!
- Easy to use eight ounce water soluble packets or loose powder
- Reduces ammonia, nitrite, nitrate and phosphate
- Barley straw additive
- Cold weather bacteria strains, for results in temperatures as low as 38°F

**Pro Tip** For even better results!

Use with Water Conditioner on page 8. The Clarifier settles particles to the bottom and the Pond-Vive eliminates them.

Available in several sizes from 5 pound pails for retail to 100 pound bulk drums



### DOSAGE RATES

For best results Pond-Vive should be added every two weeks when water temperatures are above 55°F (can be added at colder temperatures but results will be diminished). The amount needed depends on the condition of the pond.

**Newer ponds with little "muck"**  
Apply 4 lbs. per surface acre every two weeks

**Older ponds with high levels of "muck"**  
Apply 6 lbs. per surface acre every two weeks

For best results the initial application should be doubled to jump start the process.

### Example — One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

A 25 lb. pail extends months treated by 2.5 times

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
<b>Water Soluble Packets —</b>					
PB5X	10 Eight ounce water soluble packets (5 lbs.)	4	462991	6 lbs.	\$89.99
PB10X	20 Eight ounce water soluble packets (10 lbs.)	4	9104990	11 lbs.	\$149.99
PB25X	50 Eight ounce water soluble packets (25 lbs.)	2	6244991	29 lbs.	\$349.99
PBX-50B	100 Eight ounce water soluble packets (50 lbs.)	—	7440997	53 lbs.	\$629.99
<b>Loose Powder —</b>					
PB25XL	25 lb. Bucket (with 8 oz. scoop)	2	7225399	29 lbs.	\$321.99
PB50XL	50 lb. Bucket (with 8 oz. scoop)	2	7412993	53 lbs.	\$589.99
PB100XL	100 lb. Fiber drum (with 8 oz. scoop)	—	2818992	105 lbs.	\$1169.99



PB100XL



800-448-3873



SINCE 1970

# Sludge Remover Bacteria

## Sludge Remover Pellets

Great for spot treating around docks, beaches or partially treating large ponds

Sludge Remover bacteria is designed specifically to remove organic sludge from the bottom of lakes and ponds. Sludge is the result of fish waste, dead algae or plant material, uneaten fish food, leaves and other debris. The pellets, when introduced to the water, sink, dissolve and begin to remove bottom organic sludge — often several inches per year.

Simply toss pellets or blocks in the water for easy application!

- Diminishes bottom sludge buildup
- Removes pond odors caused by stagnant water and decaying material
- Sinking pellets for precise and effective placement when spot treating
- Enhances water clarity and reduces murky water caused by organic wastes
- Helps lower oxygen demand in the pond
- Reduces problem causing nitrate and phosphates
- Fish, family and animal safe



Available in several sizes from 5 pound pails for retail to 50 pound boxes

### DOSAGE RATES

#### Spot Treatment

One ounce of pellets covers approx. 200 - 250 square feet of shoreline or beach area — apply every two weeks

#### Full Pond Treatment

Two 8 ounce scoops per 1/4 acre every two weeks

#### Example — One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

A 25 lb. pail extends months treated by 2.5 times



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
<b>3 Gram Pellets —</b>					
ABB05X	Sludge Remover pellets, 5 lb. pail	4	355997	6 lbs.	\$79.99
ABB10X	Sludge Remover pellets, 10 lb. pail	4	197992	11 lbs.	\$139.99
ABB25X	Sludge Remover pellets, 25 lb. pail	2	2230999	29 lbs.	\$329.99
ABB-50B	Sludge Remover pellets, 50 lb. box	—	8433997	53 lbs.	\$619.99



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
<b>1 Ounce Blocks —</b>					
ABL05	Sludge Remover blocks, 5 lb. pail	4	262292	6 lbs.	\$88.99
ABL10	Sludge Remover blocks, 10 lb. pail	4	9107091	11 lbs.	\$152.99
ABL25	Sludge Remover blocks, 25 lb. pail	2	3248498	29 lbs.	\$354.99
SBB-50B	Sludge Remover blocks, 50 lb. box	—	5468996	53 lbs.	\$669.99





## Super Concentrated Water Clarifier

Helps clear murky, turbid water by attracting suspended particles together, settling them to the bottom

- Works great when used with Pond-Vive, the clarifier settles the organic particles to the bottom where they are consumed by the Pond-Vive
- One gallon treats 250,000 gallons of pond water, ponds with high levels of suspended solids can be treated at double dosage or a second application
- For best results mix recommended amount with pond water and spray evenly over pond surface

**Pro Tip** For even better results!

Use with Pond-Vive on pages 5 & 6. The Clarifier settles particles to the bottom and the Pond-Vive eliminates them.



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
WC128	Water Clarifier, 1 gallon	4	273491	10 lbs.	\$104.99



Contact us for pallet pricing on 45 lb. pails

## EasyPro Phosphate Binder

A critical step in effective pond management & maintenance

This all natural powder formulation provides a non-chemical alternative to using aluminum sulphate (ALUM), to bind problem causing phosphates in pond water. It will also buffer pH, provide approximately 70 beneficial trace minerals, provide minor flocculation (settling) of mud and clay particles and aid in reducing ammonia.

- Improve clarity
- Reduce phosphates
- Stimulate biological activity
- Works great with bacteria

### DOSAGE RATE<sup>†</sup>

3-5 pounds per acre-foot of water to lower phosphate levels.



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
NPB15	Phosphate Binder, 15 lb. pail	4	377693	17 lbs.	\$110.99
NPB45	Phosphate Binder, 45 lb. pail	12	5149994	50 lbs.	\$199.99
NPB2200	Phosphate Binder, SuperSak	1	15024992	2250 lbs.	\$6699.99

<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.

**New!**



## EutroSORB<sup>®</sup> WC Liquid Phosphate Binder

Targets phosphorus in water bodies that have excess amounts

A proprietary solution developed specifically for rapid and stable inactivation of phosphorus from the water column of a variety of water bodies such as lakes, reservoirs, ponds, rivers, streams, canals, ditches, etc. EutroSORB<sup>®</sup> WC is a high performance, water-soluble phosphate binder that does not stain equipment or features.

- Easy to use formulation
- Does not require a slurry mix prior to application
- Does not impact water chemistry
- Safe for fish, invertebrates, and personnel
- No irrigation restrictions
- Minimal product use for noticeable results

### DOSAGE RATE<sup>†</sup>

1 quart per surface acre once monthly for 5 months through the warm season



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
ESWC	EutroSORB WC 2.5 gallon bottle	1	855993	17 lbs.	\$69.99

<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.



SINCE 1970

# Bulk Water Treatments

## Pond-Vive Bacteria 8 oz. Packets

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk 8 oz. water soluble packets



Part #	Size	Stocking Code	Ship Weight	List Price
PBX-50B	8 oz. packets	2440998	53 lbs.	\$629.99

## Pond-Vive Bacteria Loose Powder

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk loose powder includes 8 oz. scoop



Part #	Size	Stocking Code	Ship Weight	List Price
PB50XL	Loose powder 50#	3412993	53 lbs.	\$589.99
PB100XL	Loose powder 100#	5818994	106 lbs	\$1169.99

## Pond-Vive L Liquid Bacteria



55 Gallon drum or 250 gallon tote



Part #	Stocking Code	Ship Weight	List Price
PB-55G	81349991	490 lbs.	\$1799.99
PB-250T	53224993	2100 lbs.	\$4299.99

## Sludge Remover Bacteria 3 gr. Pellets



50 lb. box bulk 3 gram pellets



Part #	Stocking Code	Ship Weight	List Price
ABB-50B	3433997	53 lbs.	\$619.99

## Sludge Remover Bacteria 1 oz. Blocks



50 lb. box bulk 1 oz. blocks



Part #	Stocking Code	Ship Weight	List Price
SBB-50B	2468998	53 lbs.	\$669.99



30 & 55  
Gallon drums

## Concentrated Lake Dye

Blue, Black and Serenity Blue Dyes available in bulk!

- One quart is equal to one gallon of other dyes on the market
- This is a non-toxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algacides



Part #	Description	Stocking Code	Approx. Ship Weight	List Price
ECPD-30G	Blue - 30 Gallon Drum	41959997	300 lbs.	\$2799.99
ECPD-55G	Blue - 55 Gallon Drum	63499997	500 lbs.	\$4999.99
ECPDBK-30G	Black - 30 Gallon Drum	42309992	300 lbs.	\$3299.99
ECPDBK-55G	Black - 55 Gallon Drum	34199997	500 lbs.	\$5999.99
ECPDSB-30G	Serenity Blue - 30 Gallon Drum	42099999	300 lbs.	\$2999.99
ECPDSB-55G	Serenity Blue - 55 Gallon Drum	63709991	500 lbs.	\$5299.99

## Oxygen Based Pond Cleaner

Oxygen based pond cleaners have long been used in decorative ponds and water features to clean rocks, waterfalls and streams. This same great formula is also available in larger sizes for use in earthen ponds and lakes.



- Works immediately upon application
- Lifts debris to pond surface where it can be removed
- For spot treating use 2-3 pounds per 1000 square feet, for pond application use 12-15 pounds per acre-foot of water — a double dose can be used for problem situations
- Treat no more than 1/3 of the pond at a time
- Allow 48 hours between consecutive applications



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
OXY25	Oxy cleaner, 25 lb. pail	2	797493	28 lbs.	\$129.99

## Barley Pellets

100% natural product from concentrated barley straw

- Safe for use with aquatic life and pets
- Typically apply every six to eight weeks
- Fast acting - steady and extended release

### DOSAGE RATE

3-5 pounds per acre-foot of water to lower phosphate levels.



Part #	Description	Stocking Code	Ship Weight	List Price
EBP40	Barley pellets, 40 lb. bag	459993	41 lbs.	\$79.99
EBP2000	SuperSak bulk barley pellets, 2000 lbs.	62249998	2050 lbs.	\$2999.99

## Septic and Drain 2-in-1 Treatment

A natural bacteria product for treating residential septic systems and household drains

- Billions of enzyme producing bacteria work to accelerate the breakdown of common household wastes such as cooking greases, vegetable oils, fruit/vegetable wastes, sugars, starches, proteins, human wastes, toilet tissue and hair
- Helps keep septic systems operating efficiently when used regularly
- Pre-measured dissolvable packets that dissolve in minutes
- No messy powders or liquids
- Helps prevent costly and unpleasant system backups
- One year supply for 1000 gallon septic systems
- Reduces odors in drain lines and garbage disposals

### Septic - One ounce water soluble packets:

For a 1000 gallon residential septic system — simply flush one packet per month to maintain a healthy septic system. Dosage can be increased for neglected systems.



### Quick & Easy Septic Treatment

Simply drop one (unopened) water soluble packet into toilet. It will dissolve in minutes. Flush toilet to force product into septic tank. Keep remaining product out of the reach of children.



### Household Drains

Drop one (unopened) water soluble packet into one gallon of warm water. Stir solution before applying. Keep remaining product out of the reach of children.



Pour one to two cups of solution down each sink, shower and garbage disposal drain. This will simultaneously treat your septic tank and restore slow flowing drains.

### One ounce septic treatment





Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
SEP12	Septic treatment, one year supply	24	212743	1 lb.	\$16.99

## 32" Weed Rake

No need to worry which side lands up when you throw this rake out into the pond as there are teeth on both sides.

**New Improved Design**



- Now with a cross-bar to keep the rope in place
- 17 - 3" long teeth on each side of the rake
- Baked on, powder coat finish
- Includes 25' of rope

Part #	Description	Stocking Code	Ship Weight	List Price
EPR	32" Weed rake	7112498	6 lbs.	\$149.99



## 36" Deluxe Lake Rake

Aluminum rake comes with a two piece, 11', rustproof, powder coated aluminum handle; detachable polyethylene float and a 20' length of rope. Use it to skim floating aquatic vegetation and algae from the pond surface or remove float to use on pond bottom.

- Strong and lightweight aluminum construction
- Two 5 1/2' heavy duty, well constructed aluminum powder coated handles with permanent 5" vinyl grip
- 36" aluminum head with 4" teeth
- 30" removable styrene floater for shoreline cleanup
- 20' of 5/16" nylon rope



Part #	Description	Stocking Code	Ship Weight	List Price
LR36	36" Deluxe lake rake	6144498	10 lbs.	\$169.99

## Aquatic Weed Cutter

28" wide aquatic weed cutter makes short work of cleaning up weed infested beaches and shorelines

- The reversible, double sided, serrated blade quickly cuts through even the thickest weeds
- The 11' long, two piece handle disassembles for easy storage
- Rust proof aluminum construction



Part #	Description	Stocking Code	Ship Weight	List Price
AWE	28" Aquatic weed cutter	3157242	7 lbs.	\$184.99

## Folding, Telescoping Pond Net

Great all-around pond net for skimming leaves, catching fish, etc.

**New Stronger Design**

- Aluminum frame and handle are light weight and very strong
- Net measures 13" x 18" x 16" deep mesh and is flat along the front making it easier to catch fish
- 27" - 47" telescoping handle is super strong and folds for storage.
- Soft, 1/4" fish safe mesh



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
EPFN	Telescoping pond net	6	737496	3 lbs.	\$49.99



## Identifying Aquatic Weeds & Algae

### Algae

Filamentous algae is most common, growing in mats and strings. Planktonic algae causes green water, it has millions of cells that cloud together. Chara is weed-like, it grows like a carpet along the bottom.

### Cattails & Other Emergent Plants

Emergent plants grow around the perimeter of a pond in shallow water with all or most of their foliage above water. Examples are Cattails, Bulrush, Reeds, Purple Loose Strife, Pennywort and Pickerelwood.

### Pondweeds

The pondweed family has over a dozen varieties with these four being the most common: Sago, Clasp Leaf, Curly Leaf, Large Leaf

### Elodea

This plant grows in thick clumps and is usually not a big problem, the leaves are in whorls of three around the stem.

### Duckweed and Watermeal

Duckweed is hard to control, it forms a thin layer over the surface in calm ponds. It will not grow well in moving water so use of a surface aerator will help in controlling growth.

### Water Lilies

Water Lilies can become a problem in many ponds, they grow off of a large central root system (much like poplar trees). Some growth is great for shade and cover for fish, but when left unchecked they will over populate quickly.

### Eurasian Watermilfoil

Spreads very easy since fragments of plant can re-root and grow. Do not try to remove by raking.

### Other Less Common Weeds

Include Naiad, Coontail, Bladderwort, Hydrilla, Parrot Feather and Water Hyacinth



Filamentous Algae



Planktonic Algae



Chara Algae



Cattails



Sago



Clasp Leaf



Curly Leaf



Large Leaf



Elodea



Duckweed



Watermeal



Water Lilies



Eurasian Watermilfoil




Coontail



Naiad




Bladderwort



Hydrilla



Parrot Feather



Water Hyacinth



# Aquatic Weed Control

Many states restrict the shipment of EPA registered chemicals into the state. At this time most products that are not EPA registered are not restricted. Please look next to each product to see if it is EPA registered. If it is, please consult the information below to see if it can be shipped into your state:

- AK, CA, CT, ID, HI, ME, MA, NH, NJ, NY, RI, VT & WA restrict the shipment of products into their states. Products can be bought from within the state but not shipped in.
- No products may be shipped into Canada. These products are labeled for sale in US and do not meet Canadian registration or label requirements.
- GreenClean (GC20, GC50) can be purchased in NY but you must obtain a permit to apply in that state, all other states OK. GreenClean Pro (GC50PRO) is restricted in MA.

## The following chart shows which treatments work best on each aquatic plant<sup>†</sup>

E = Excellent Control • G = Good Control

Product	Most Algae	Emergents & Cattails	Water Lilies	Duckweed	Elodea	Pondweed Family	Naiads	Milfoil	Coontail	Bladderwort	Hydrilla	Parrot Feather	Water Hyacinth
Aquathol® Super K						E	G	G	G		G	E	
Clear Cast		E	G									E	G
Clipper™/Propeller®				E		E	E	E	E		E		
Citrine-Plus®	E										G		
EarthTec®	E												
Glyphosate® 5.4		E	G										
GreenClean® Pro	G												
Harpoon®					E	G	E	G	E		E		E
Hydrothol®	G				G	E	E	G	G		G		
Komeen® Descend	G			G	E	G	E	G	E		E		G
Nautique®	G (Chara)			G	E	E	E	E	E		E		E
Navigate®			G					E	G	G			G
Navitrol® DPF			E					E		E		G	
Reward®/Tribune™		G		G	G	G	G	G	G	G	G	G	E
SeClear G	E												
Sonar®			G	E	G	G	G	E	G	G	G	E	
Weedtrine® D				G	G	G	G	G	G	G	G		

## General restrictions on use of treated water<sup>†</sup>

Number of Days Restricted (always refer to current product label for specific requirements)

Product	Active Ingredient	EPA Registered	% of Active Ingredient	Human			Animal Safe to Drink	Irrigation		
				Safe to Drink	Safe to Swim	Safe for Fish Consumption		Turf	Forage	Food Crops
AquaShade®	Acid Blue 9 Acid Blue 23	Yes	12.6% 1.04%	+	0	0	0	0	0	0
Aquathol® Liquid	Dipotassium Salt of Endothall	Yes	40.3%	*	0	0	0	0*	0*	0*
Aquathol® Super K	Dipotassium Salt of Endothall	Yes	63%	*	0	0	0	0*	0*	0*
Clearcast®	Amonium Salt of Imazamox	Yes	12.1%	*	*	*	*	*	*	*
Clipper™/Propeller®	Flumioxazin	Yes	51%	0	0	0	0	0-3	*	5
Citrine-Plus® Granular	Copper Ethanolamine Complex (3.7% Copper)	Yes	10.7%	0	0	0	0	0	0	0
Citrine-Plus® Liquid	Copper Ethanolamine Complex (9% Copper)	Yes	27.9%	0	0	0	0	0	0	0
Citrine® Ultra	Copper Ethanolamine Complex (9% Copper)	Yes	27.8%	0	0	0	0	0	0	0
EarthTec®	Copper Sulfate Pentahydrate	Yes	19.8%	0	0	0	0	0	0	0
EasyPro® Liquid Blue Dye	Acid Blue 9	No	50%	+	0	0	0	0	0	0
Glyphosate® 5.4	Glyphosate	Yes	53.8%	*	*	*	*	*	*	*
GreenClean® Pro	Sodium Carbonate Peroxyhydrate	Yes	85%	+	0	0	0	0	0	0
Harpoon®	Copper Ethylenediamine Complex (3.41% Copper)	Yes	9.87%	0	0	0	0	0	0	0
Hydrothol® 191 Granular	Mono (N,N-dimethylalkylamine) salt of endothall	Yes	11.2%	0	0	0	0	0*	0*	0*
Komeen® Descend	Copper Ethylenediamine Complex (22.9% Copper)	Yes	22.9%	0	0	0	0	0*	0*	0*
Nautique®	Copper Ethylenediamine Complex (9.1% Copper) Copper Triethanolamine Complex	Yes	13.2% 14.9%	0	0	0	0	0	0	0
Navigate®	Butoxyethyl Ester of 2, 4-D	Yes	27.6%	*	1	0	*	*	0	*
Navitrol® DPF	Triclopyr	Yes	14%	*	*	0	*	120*	*	120*
Reward®/Tribune™	Diquat DiBromide	Yes	37.3%	1-3	0	0	1	1-3	*	5
SeClear G	Copper Sulfate Pentahydrate	Yes	58.9%	0	0	0	0	0	0	0
Sonar®	Fluridone	Yes	41.7%	0	0	0	0	14-30	14-30	14-30
Weedtrine® D	Diquat DiBromide	Yes	8.5%	1-3	0	0	1	1-3	1-3	5

**NOTICE: Copper sulfate is not included in this chart nor is it recommended due to problems with copper buildup in sediments and toxicity to aquatic organisms.**

Permits may be required to apply these products. Consult appropriate local agencies for more information.

In cases where restrictions are not given in above chart, consult your State Conservation Commission or Fish and Game Department for specific restrictions. Chemical manufacturers and manufacturer's representatives can also supply you with specific recommendations based upon water usage. \*See label for restriction information + Not for use in potable water

<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.



The use of fish safe dye is a common part of an overall pond maintenance program. Pond dyes may be poured directly into the pond and upon complete dispersal, these dyes are non-staining and are fish, pet and wildlife safe. No water restrictions are associated with the use of pond dye.

## Concentrated Pond Dye — Liquid

These concentrated dyes will save you in shipping costs

- One quart is equal to one gallon of other dyes on the market
- This is a nontoxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algaecides
- Black dye creates a more reflective surface appearance while the blue dye creates "Caribbean" blue water. Serenity dye is a mix of blue and black

### Liquid Dosage Rate<sup>†</sup>

One quart treats one acre of water 4' deep (approx. one million gallons)



Half and full pallet discounts available - contact us for high volume needs

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
ECPD	Blue Pond Dye, 1 quart	No	12	820995	3 lbs.	\$29.99
ECPDBK	Black Pond Dye, 1 quart	No	12	822394	3 lbs.	\$31.99
ECPDSB	Serenity Pond Dye, 1 quart	No	12	321692	3 lbs.	\$30.99



## Concentrated Pond Dye — Powder



- Dry powder dye is cheaper to ship than liquid
- Four - 4 ounce water soluble packets (WSP) per pouch, simply toss into pond for easy application
- Safe for use with fish and aquatic life
- Three WSPs (water soluble packets) will treat one acre, 3'-4' deep
- Each WSP is double sealed in water soluble film

### Great Value

- Buy a case of 5 pouches (20 WSPs) - Treats 6.66 surface acres, 4' deep

### Best Value

- Buy a master case of 20 pouches (80 WSPs) - Treats 26.6 surface acres, 4' deep

### WSP Dosage Rate<sup>†</sup>

Each four ounce water soluble packet treats 1/3 acre, 3'- 4' deep



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
PD4P	Blue Pond Dye (dry), 4pk pouch	No	5	327298	2 lbs.	\$38.99
PD4PBK	Black Pond Dye (dry), 4pk pouch	No	5	730094	2 lbs.	\$42.99
PD4PSB	Serenity Pond Dye (dry), 4pk pouch	No	5	128698	2 lbs.	\$40.99



## Aquashade<sup>®</sup>

E.P.A. registered pond dye that helps reduce aquatic plant growth by restricting sunlight into the pond, inhibiting photosynthesis in young bottom growing plants. Apply early in season for best results.

- Registered with the E.P.A. for weed and algae prevention
- One gallon treats one acre, 4' deep
- Safe for use with fish and aquatic life

### Liquid Dosage Rate<sup>†</sup>

One gal. treats one acre of water 4' deep (approx. one million gallons)



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQ10	Aquashade, 1 gallon liquid	Yes	4	363992	12 lbs.	\$79.99



<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.

## Algaecides



Filamentous Algae

**Filamentous** algae is made up of long strands of algae cells joined end to end. Often referred to as “string algae”, this unsightly nuisance forms large mats on the surface, grows like moss on rocks, logs or other underwater structures and is very prolific.



Chara Algae

**Chara** is a bottom growing algae that resembles a plant like form.

Often mistaken for an aquatic plant, Chara grows in dense patches but is not rooted to the bottom. A strong, musky odor and gritty texture is observed when the plant is examined out of the water. Usually found in clear, often spring fed ponds.



Planktonic Algae

**Planktonic** algae or “pea soup algae” is caused by microscopic algae cells free floating in water. Mild cases may cause pond to have greenish tinge to it while a severe bloom will block visibility into the water.

Fortunately most types of algae are fairly easy to control. The products on these two pages are all fish safe and will provide effective control of algae when used according to the label. Unfortunately algae can be quick to return after a treatment. Ducks, herons and other wildlife can easily transport it between bodies of water. Repeated applications throughout a season may be necessary.



### EarthTec® Liquid

Highly soluble, liquid formula disperses itself! Environmentally responsible algae control for lakes, ponds, fountains and water features.

**Dosage Rate<sup>†</sup>**  
0.33 to 5.43 gallons  
per acre-foot

Earthtec® kills algae quickly and maintains control for up to 30 days. Liquid formula is easy to apply - simply pour and walk away!

- Fast, visible results, usually within 24 hours and provides durational control for up to 30 days
- EarthTec® can be applied bi-monthly as preventative treatment
- Liquid formula is self-dispersing in bodies of water up to three acres. For larger bodies of water, pour in multiple places.
- Product does not settle out and remains in solution to prevent algae regrowth until product is depleted
- Certified to NSF ANSI 60 standard as a drinking water additive
- Not for use in water housing copper-sensitive fish, such as koi and trout



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
ETEC1	EarthTec Algaecide - 1 gallon	Yes**	4	244996	12 lbs.	\$59.99
ETEC25*	EarthTec Algaecide - 2.5 gallons	Yes**	2	697492	26 lbs.	\$129.99

\*Must ship as hazardous material with additional charges via UPS or motor freight. \*\*EPA Registered in every state as an algaecide



### Komeen® Descend

Sprays like a liquid, stays in place like a granule

**Dosage Rate<sup>†</sup>**  
1.25 to 3.3 gallons  
per acre-foot

MicroCRYSTAL Technology makes Komeen Descend the first of its kind in aquatics. It sprays like a liquid, but stays in place like a granule for improved contact exposure time and better results.

- MicroCRYSTAL Technology
- Low PPE
- No irrigation restrictions
- Effective control on vallisneria, hydrilla, pondweeds, etc. and filamentous and macro algae
- Easy to handle
- Not for use in water housing copper-sensitive fish, such as koi and trout

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
KOMD25	Komeen Descend - 2.5 gallons	Yes	1	379994	27 lbs.	\$99.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

†Always refer to label for exact manufacturer's dosage rates and instructions.

## Citrine-Plus® Liquid

Strong algaecide and herbicide formulation provides fast results on most types of algae.

- A chelated copper algaecide that is safer to use than copper sulfate
- Use for surface or suspended algae
- Apply by sprayer to surface, for best results use with activator on page 18
- Larger containers up to 250 gallon totes available. Please inquire.
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



### Dosage Rate†

0.6 to 3 gallons per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
CPL	1 gallon	4	952796	12 lbs.	\$65.99

## Citrine® Ultra Liquid

Powerful results on tough-to-kill algae

- Ideal for thick walled filamentous algae, colonial planktonic algae and Chara
- No water use restrictions
- Dilute and apply by sprayer for best results
- Surfactant/activator mixed in already — no need for additional mixing
- Available in 2.5 gallon containers
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



### Dosage Rate†

0.6 to 3 gallons per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
CPLU25*	50 lb. bag	2	567673	26 lbs.	\$84.59

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## Citrine® Plus Granular

Controls bottom-growing algae and Hydrilla

- The granular form of Citrine®
- Rapid sinking granules for targeted delivery
- For bottom filamentous algae: 20 to 60 pounds per surface acre
- For chara: 30 to 90 pounds per surface acre
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



### Dosage Rate†

20 to 90 pounds per surface acre



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
CPG1	12 lb. jug	4	654395	14 lbs.	\$67.99
CPG3	30 lb. bag	3	3111196	32 lbs.	\$138.99

## SeClear G Algaecide & Water Quality Enhancer®

Algaecide and water quality enhancer® for use in ponds, lakes and reservoirs

- Controls surface and bottom algae
- Excellent for controlling Chara and Hydrilla
- Broadcast as a granule or dissolve and spray
- Not for use in water housing copper-sensitive fish, such as koi and trout
- EPA registered



### Dosage Rate†

Filamentous Algae  
15 to 20 lbs. per surface acre  
Chara and Starry Stonewort  
35 to 50 lbs. per acre



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
SCG20	20 lb. bag	1	2143997	24 lbs.	\$179.99
SCG50	50 lb. bag	1	7319998	52 lbs.	\$399.99

†Always refer to label for exact manufacturer's dosage rates and instructions.

## GreenClean PRO Granular

- Concentrated - twice the active ingredient as regular GreenClean!
- For use in ponds 1/4 acre or larger due to concentrated formula
- Use approximately 8-25 pounds per acre-foot as a preventative every two to four weeks
- EPA registered



**Dosage Rate<sup>†</sup>**  
**One bag treats up to 34 acre-feet**



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
GC50PRO*	1 gallon	—	5135596	52 lbs.	\$169.49

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## Tribune™ Fast-acting aquatic herbicide

- This herbicide/algaeicide is rapidly absorbed by the treated aquatic vegetation to desiccate (dehydrate) plant tissue on contact
- Effective on a wide variety of submersed, emergent and floating aquatic plants.
- Stops plant photosynthesis within minutes depending on conditions
- Applied by sprayer (should not be applied to turbid waters)
- Should be used with an activator (page 18) for best results
- Active ingredient is 37.3% diquat dibromide
- EPA registered



**Dosage Rate<sup>†</sup>**  
**1 to 2 gallons per acre**



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
TRIB25*	2.5 gallon	2	3156414	26 lbs.	\$195.52

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## GreenClean Granular

- EPA registered, non-copper algaeicide
- Works through oxidation to provide fast results
- Organic certified by OMRI (Organic Materials Review Institute). No harm to fish or environment when used at recommended rates, no water use restrictions
- Algae can be killed within 24 - 48 hours of application, starts working in minutes

**Fast Acting!**



**Dosage Rate<sup>†</sup>**  
**As Preventative**  
**16 to 50 lbs. per acre-foot**  
**As Treatment**  
**50 to 180 lbs. per acre-foot**

Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
GC20	20 lbs.	4	474993	24 lbs.	\$99.99
GC50	50 lbs.	3	3129747	55 lbs.	\$172.99

## Trace (Activator/Surfactant)

**Improves the effectiveness of liquid algaeicides and herbicides**

- Trace is a liquid additive for use along with liquid herbicides and algaeicides to enhance their effectiveness.
- The surfactant in this product eliminates beading, providing a uniform spray solution. This ensures maximum contact with the plant's foliage. The low viscosity oil in these products breaks down the waxy coating on leaf surfaces for improved penetration and coverage.



**Dosage Rate<sup>†</sup>**  
**Mix three ounces per gallon of water in sprayer**



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
NVT128	1 gallon	1	839992	11 lbs.	\$49.99

\*Restricted into CA, ID, WA and Canada

†Always refer to label for exact manufacturer's dosage rates and instructions.

**New!**

## Navigate® Granular

For selective control of unwanted aquatic plants

- A 2, 4-D based herbicide for control of water lilies, coontail, Eurasian milfoil, parrot feather, watershield and bladderwort.
- Granular form makes it ideal for spot treating
- Formulated on specially treated granules for controlled release in the water
- Granules sink quickly to lake or pond bottoms and release the weed controlling active ingredient into the critical root zone area for plant absorption
- Slight water restrictions (see chart page 13)
- EPA registered



**Dosage Rate<sup>†</sup>**  
28 to 56 pound  
per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
NV50	50 lb. bag	—	6327997	52 lbs.	\$409.99

## Glyphosate 5.4

Systemic aquatic herbicide that kills aquatic weeds to the roots. Glyphosate-based liquid formula to kill emergent pond weeds.

- Non-selective
- For use on shoreline weeds
- Fish safe aquatic herbicide
- No water use restrictions after use
- Best used with an aquatic surfactant (see Trace on page 17) and sprayed directly on leaves
- EPA registered



**Dosage Rate<sup>†</sup>**

Mix 6 to 10 ounces per gallon of water in sprayer with surfactant



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
GLYG*	1 gallon	1	550393	12 lbs.	\$62.99
GLY25*	2.5 gallons	1	7103197	24 lbs.	\$128.99

\*Cannot be shipped to Alaska, California, Connecticut, Hawaii, New Jersey, New York

## Nautique® Liquid

Fast-acting, economical contact pond herbicide

- Nautique's copper ions inhibit plant photosynthesis, cutting off the food source of undesired plants and providing rapid results
- Dual chelated copper product controls eel grass, water celery, hydrilla, naiads, chara, elodea, sago, American thin leaf pondweed and more!
- Available in 1 and 2.5 gallon containers
- Tank mix and apply with sprayer
- No restrictions on water usage
- Not for use in water housing copper-sensitive fish, such as koi and trout
- Not EPA registered



**Dosage Rate<sup>†</sup>**  
1.5 to 3 gallons  
per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
NAU10	1 gallon	4	875994	12 lbs.	\$94.99
NAU25*	2.5 gallons	2	8175996	24 lbs.	\$219.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## Clearcast®

The industry standard for cattail control.

- Industry standard for cattail control any time of the year
- Provides true systemic activity by killing the entire plant, including root system
- Controls floating, emergent and shoreline weeds, while leaving desirable plant species unaffected

**New!**



**Dosage Rate<sup>†</sup>**

Per Surface Acre: Cattails 32 oz. to 64 oz.,  
submersed weeds .25 to .5 gallon



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
CCAQ	1 quart	1	\$159.99	2 lbs.	\$199.99
CCAG	1 gallon	1	\$471.99	11 lbs.	\$589.99

†Always refer to label for exact manufacturer's dosage rates and instructions.

## Hydrothol® Granular Contact Herbicide

- Fast acting herbicide is effective on a variety of aquatic weeds including milfoil, coontail, hydrilla, sago pondweed, leafy pondweed, curly leaf pondweed and others.
- Hydrothol® should only be used for spot treating
- Use Aquathol® early in the season when plants are young and easier to treat - see page 20
- Slight water restrictions (see chart page 13)
- EPA registered



**Dosage Rate<sup>†</sup>**  
108 to 270 pounds  
per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
HYD20	20 lb. bag	2	3111997	22 lbs.	\$139.99
HYD40*	40 lb. box	—	3214394	43 lbs.	\$267.99

\*40 lb. box contains two 20 lb. bags

## Reward® Concentrated Broad range weed control

A fast acting 37.3% diquat dibromide herbicide that desiccates plant tissue on contact. Reward® stops plant photosynthesis within minutes depending on conditions. Effective on a wide variety of submersed, emergent and floating aquatic plants.

- This liquid herbicide is applied by sprayer and should not be applied to turbid waters
- There is very little risk of environmental damage since Reward's concentration rapidly decreases as it is absorbed into the aquatic vegetation
- Should be used with activator (page 17) for best results
- EPA registered



**Dosage Rate<sup>†</sup>**  
1 to 2 gallons  
per acre



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
REW10	1 gallon	4	6159997	12 lbs.	\$199.99
REW25*	2.5 gallons	2	5335991	26 lbs.	\$419.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## Harpoon® Granular Contact Herbicide

- Treat from the bottom up! Harpoon® sinks down to effectively control bottom-growing copper sensitive aquatic species.
- Ideal for sites where water use cannot be restricted. Treated water can be used immediately for irrigation, animal consumption, swimming or fishing.
- Controls hydrilla, naiads, coontail, elodea, water hyacinth and others. In waters with low alkalinity, may also control Eurasian watermilfoil, sago, curly-leaf and select other weeds in the pondweed family
- Can be applied as a spot treatment or large scale treatment
- EPA registered



**Dosage Rate<sup>†</sup>**  
40 to 240 pounds  
per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
HARP40	40 lb. bag	—	6151994	43 lbs.	\$189.99

## Weedtrine® D Fast acting, broad range weed control

This 8.53% diquat dibromide product is a non-volatile herbicide for use in controlling submersed and floating aquatic weeds. Absorption and herbicidal action of Weedtrine D is usually quite rapid.

- Broad range herbicide that controls duckweed, coontail, elodea, naiad, pondweed and milfoil
- Applied with common sprayers, use with activator (page 17)
- Results often begin to show in as little as three days, five day water restriction



**Dosage Rate<sup>†</sup>**  
Per Acre: Duckweed 5 to 7 gallons,  
submersed weeds 5 to 10 gallons



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
WTD	1 Gallon	4	883192	12 lbs.	\$103.99

†Always refer to label for exact manufacturer's dosage rates and instructions.

## Aquathol® K and Aquathol® Super K

Available in liquid and concentrated granular forms

- Excellent for spot treatment of hydrilla, pondweed and Eurasian watermilfoil
- Aquathol® Super K granular form — 10 or 20 pound containers
- Granular herbicide utilizing Culigel® super absorbent polymer technology.
- Six times more concentrated than regular Aquathol®.
- Aquathol® K liquid form — 1 or 2.5 gallon jugs
- EPA registered



**Dosage Rate<sup>†</sup>**  
Granular: 3.3 to 22 lbs. per acre-foot



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
AQU10	Granular, 10 lbs.	4	7319994	12 lbs.	\$399.99
AQU20*	Granular, 20 lbs.	2	8559995	23 lbs.	\$699.99
AQUL10	Liquid, 1 gallon	4	5139996	12 lbs.	\$174.99
AQUL25*	Liquid, 2.5 gallon	2	4303993	25 lbs.	\$379.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## Sonar® A.S.

Specialty herbicide that controls a broad range of aquatic weeds

41.7% fluridone product is perfect for whole pond and lake treatments. A selective systemic aquatic herbicide for management of aquatic vegetation in fresh water bodies. Maintain the recommended concentration in contact with the target plants for a minimum of 45 days.

- Apply early in the season, prior to or just after plant growth begins. Sonar is absorbed by the plants and inhibits the weed's ability to make food, causing it to die
- Very effective on duckweed and milfoil
- Treatments last for several seasons in many cases, depending on plants



**Dosage Rate<sup>†</sup>**  
32 ounces treats up to one acre

- Complete kill can take 30 to 90 days
- EPA registered



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
SOB	8 oz.	6	5343995	1 lb.	\$429.99
SOP	16 oz.	6	8559996	2 lbs.	\$699.99
SOQ	32 oz.	6	51039993	4 lbs.	\$1299.99
SOG	1 gallon	4	62639997	12 lbs.	\$3299.99

## Propeller®

Fast acting, contact aquatic herbicide

- Controls selected submersed, emergent and floating aquatic weeds. It is most effective when applied to young, actively growing weeds in water with a pH of less than 8.5.
- A new treatment option at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil and water lettuce
- Non-corrosive, fine granule – mix with water to apply. Active ingredient is 51% Flumioxazin.
- EPA registered



**Dosage Rate<sup>†</sup>**  
6 to 12 oz. per acre for duckweed/watermeal  
1.1 to 2.1 lbs. per acre-foot for submersed plants

**While supplies last**



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
PRP1	1 lb.	4	481135	2 lbs.	\$98.69
PRP5	5 lbs.	4	4317698	6 lbs.	\$383.49

No shipment to AK, CA, CT, ID, HI, ME, MA, NH, NY, RI, VT, WA & Canada

## Clipper™

Fast and selective control of tough invasive & nuisance plants

This 51% Flumioxazin product is very versatile and has been showing excellent results in aquatic environments on a variety of plants. Fast, effective, and breaks down quickly in the water to leave no accumulation in the sediment — making it less of an environmental concern than other, more persistent herbicides.

- Intended to provide aquatic plant managers with new treatment options at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil, water lettuce and several types of submersed weeds
- Non corrosive, dry powder - mix with water to apply



**Dosage Rate<sup>†</sup>**  
Use 1.1 lbs. per acre-foot for duckweed/watermeal control



Part #	Size	Case Qty.	Stocking Code	Ship Weight	List Price
CLIP5	5 lbs.	—	2319994	6 lbs.	\$399.99

\*Always refer to label for exact manufacturer's dosage rates and instructions.

## Diffused Aeration Experts!

As one of the country's largest manufacturers of diffused aeration systems, EasyPro has the products and the experience to help you with nearly any aeration project. From oil fracking ponds to wastewater lagoons to backyard recreational ponds and lakes, we have solutions for a huge range of applications.



Not only does EasyPro build our aeration systems here in the USA, we source all major components of our systems from USA made products! From our aeration cabinets — to our weighted airline — to our self-sinking diffuser bases, we strive to use "USA-made parts whenever possible!



## Let us help you select the proper system



### Google Earth™ Designs


On the following pages are numerous complete aeration systems for a wide range of ponds. If you are unsure which one is best for you or if you have unique requirements please send us your information and we will do a Google Earth layout for you. We need from you:

1. Physical address - please note, newer ponds may not yet show up on Google
2. Depth of pond - important for determining diffuser locations
3. Where power is available and what type of power ( 115v/230v )

Fill out our online Aeration System Request form (under the Resources tab at [easypro.com](http://easypro.com)) or send this information to: [aeration@easypro.com](mailto:aeration@easypro.com) and we will be happy to design a system for you!

### Custom Systems

Custom systems are our specialty! When one of our many standard systems doesn't fit your application, we can build a custom system to meet your exact needs. The type of compressor, number of diffusers, size/length of tubing and cabinet options are all able to be adjusted based on your needs. We welcome the opportunity to create systems for unique and challenging applications!




Google and the Google logo are registered trademarks of Google, Inc., used with permission.


The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. Installing diffused aeration in a pond or lake is the single most valuable water management and water maintenance strategy that can be implemented. The movement of oxygenated water from the bottom up provides many benefits to the water. As ponds age, organic muck load and total oxygen demands rise.

**Diffused aeration gets to the heart of the matter!** Oxygen is supplied by an on-shore compressor and delivered to diffusers placed on the bottom of the pond. The diffusers produce a cycling action of air bubbles that supplies the oxygen where it's needed most.

## Stratified Without Aeration



## De-Stratified With Aeration



## Selecting EasyPro® Diffused Aeration Systems

On the following pages you will find EasyPro diffused aeration systems in complete kits. From basic kits to deluxe kits to custom kits, we have a wide range of aeration options. *Look for compressors and systems with Gast Sound Shield pre-installed for the quietest systems on the market!*



### Basic Aeration Systems

All the components necessary to aerate a pond. A compressor, tubing, diffuser(s) and fittings are sized to work together for a working aeration system. These kits will require additional weather protection for the compressor, but the kit as a whole provides a complete system.



### Sentinel Deluxe Aeration Systems

Sentinel systems are designed for convenience and reliability. These systems contain a compressor mounted in a deluxe cabinet with sound proofing, tubing, diffuser(s) and fittings. All components are sized to work together for an effective aeration system.

**Customizable Systems - Adding Tubing, Diffusers and Cabinets** Customize a Basic or Deluxe system if tubing or diffuser types need to be adjusted. Kits designed to be customized are designated in the part number by “A” or “LD”. “A” kits are systems without tubing\*. “LD” kits are systems without diffusers. Custom tubing lengths, choosing a preferred diffuser type or adding a cabinet/enclosure can be done by starting with one of these kits and making appropriate adjustments. See chart on page 23. \*PA34-2 kits do not have tubing either



Tubing  
see page 52



Diffusers  
see pages 54-55



Cabinets & Enclosures  
see pages 56-58

EasyPro Pond Products is a leader in the field of lake and pond management. Combined, our sales staff has over 150 years of lake and pond management experience — we can assist you in developing a management plan for nearly any application, from small farm ponds to large lakes.

We offer everything you need to monitor, treat and maintain earthen ponds and lakes. From testing equipment to weed/algae treatments to aeration systems, our experienced staff is happy to help with any management need.

**Have questions? Call the aeration experts at 800-448-3873!**

The amount of surface area an aeration system will effectively cover is greatly dependent on two factors - depth and shape.


## Depth

The diagram to the right shows how much surface area is effectively aerated per air diffuser at various depths:

### Example

Our PA34 pond aerator would aerate only 1/4 of an acre if operated in 5' deep water, while aerating up to 1 1/2 acres if operating in 16' - 20' of water.

Ponds that are irregular or odd shaped will also reduce size of aeration area — call our technical assistance department for additional help.




*The deeper an air diffuser is located, the more "boiling action" it will create and a larger area will be aerated.*

## Shape

Pond shape affects the amount of diffusers needed. Irregular shaped ponds require multiple diffusers to adequately aerate entire water column.

*A unique shaped pond or lake will require more diffusers to cover the same surface area.*



## EasyPro Aeration Systems Overview

We offer many configurations of aeration systems to ensure that you can order the exact system that you need for your application.

The chart on the right shows a simplified view of the ending letters of our aeration kit part numbers and what components are contained in each kit.

These kits are located on pages 28-39.

Base Kit Ends In:	Includes Compressor	Includes Diffuser	Includes Tubing	Includes Ground Cabinet	Includes Post Mount Cabinet	Includes Manifold/Outlet Assembly
A	YES	YES	—	—	—	YES
AD	YES	YES	—	YES	—	YES
ADLD	YES	—	—	YES	—	YES
ADP	YES	YES	—	—	YES	YES
ADPLD	YES	—	—	—	YES	YES
ALD	YES	—	—	—	—	YES
D	YES	YES	YES	YES	—	YES
DLD	YES	—	YES	YES	—	YES
DP	YES	YES	YES	—	YES	YES
DPLD	YES	—	YES	—	YES	YES
LD	YES	—	—	—	—	YES
WLD	YES	—	YES	—	—	YES

# QUIET LIKE YOU'VE NEVER HEARD BEFORE



Noise reduction  
technology

Exclusive to  
EasyPro® Aeration



Stratus™ Compressor  
with Sound Shield



Industry  
Norm

Whisper  
30 dB(A)

Refrigerator  
50 dB(A)

Normal  
Conversation  
60 dB(A)

Household  
Vacuum  
75 dB(A)

Machinery  
in Factory  
100 dB(A)

Chainsaw  
110 dB(A)

## THE INDUSTRY'S QUIETEST!

EasyPro® Aeration powered by Stratus™ SRC Compressors  
and quieted by GAST Sound Shield technology.

Hear the  
Difference!



Game changing > 50% reduction in perceived loudness  
compared to competitors' compressors



Unchanged reliability and proven performance



All EasyPro® Sentinel Aeration Kits with Stratus™ SRC Compressors  
now include Sound Shield and cabinet with sound proofing.  
Kits are available to easily retrofit existing Stratus™ SRC Compressors.





# Rocking Piston Compressors with Sound Shield™

EasyPro's best selling Stratus™ SRC Series "Gen 2" Rocking Piston Compressors with the addition of Gast's revolutionary Sound Shield technology are the quietest compressors of their class in the industry!

These compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes them ideal for pond aeration systems. Available in 1/4, 1/2, 3/4 and 2 hp models, the Stratus™ SRC Series Compressors are assembled in the USA. Protect your investment while making them even quieter - see our cabinet options on pages 57-58.

## Features

- Universal dual voltage, 1725 RPM (50/60Hz) motor
- Oil-less operation
- Permanently lubricated bearings
- Includes **Stratus™ Smart-Start** technology to start under load
- Superior quality, flexible cup material for increased reliability
- Die-cast body components for overall strength
- Single or double cylinder design
- Inlet/Outlet Size:  
1/4 hp - 3/4 hp: 1/4" fpt  
2 hp: 3/8" fpt
- Maximum psi:  
1/4 hp and 1/2 hp: max 30 psi  
3/4 hp: max 145 psi  
2 hp: max 125 psi



**Units include:** Air inlet filter, rubber feet, 5' power cord

Part #	hp	Amps* /Volts	Cost per 24 Hours**	cfm Air Flow @ Water Depth of:						Stocking Code	Ship Weight	List Price
				0'	10'	20'	30'	40'	50'			
SRC25SS	1/4	1.7/115	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	7596249	17 lbs.	\$794.99
SRC252SS	1/4	0.9/230	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	9596245	21 lbs.	\$794.99
SRC50SS	1/2	3.6/115	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	6761242	22 lbs.	\$1014.99
SRC502SS	1/2	1.8/230	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	2761245	27 lbs.	\$1014.99
SRC34SS	3/4	7.4/115	\$1.10	5.5	5.4	5.2	5.0	4.8	4.6	5975745	26 lbs.	\$1300.99
SRC342SS	3/4	3.8/230	\$1.10	5.5	5.4	5.2	5.0	4.8	4.6	8975748	26 lbs.	\$1300.99
SRC2002SS	2	10.0/230	\$4.96	12	11.7	11.4	11.2	10.8	10.5	43187495	62 lbs.	\$4249.99

\*Amps measured at 10' operating depth

\*\*Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.



## Sound Shield Conversion Kits for Stratus™ Rocking Piston Compressors

Quickly and easily convert a Stratus™ SRC Rocking Piston Compressor to a quieter unit. These Sound Shield Conversion Kits are simple to install and provide the same great results as compressors with Sound Shield pre-installed. Available for 1/4, 1/2 and 2 hp Stratus™ SRC models.



Part #	Description	Fits Compressor	Stocking Code	Ship Weight	List Price
SSU25	Sound Shield Conversion Kit	SRC25 / SRC252	4134997	4 lbs.	\$179.99
SSU50	Sound Shield Conversion Kit	SRC50 / SRC502	3206176	5 lbs.	\$274.89
SSU200	Sound Shield Conversion Kit	SRC2002	3517493	9 lbs.	\$689.99



# Air De-Icing Systems




SINCE 1970

## Diffused Air De-Icing Systems

### Protect your dock investment from costly ice damage

Diffused air de-icing systems are an excellent choice for keeping water open around boat lifts, docks, piers, marinas and other structures needing to be ice-free in the northern climate. A minimum of three foot deep water is needed for diffused air to be effective. Ice damage can be very costly and paying to have docks and boat lifts removed and installed every year has considerable cost. For just a few dollars per month in electric, a diffused air system will maintain open water and prevent these yearly expenses.

Two 60 watt KLC compressors keep the docks and boat lifts shown ice-free for less than \$10 per month!



### Shallow Water Systems for 3'-6' depths

- Low electrical consumption; as low as \$5 per month
- See page 50 for Stratus™ KLC compressor detail
- 1/2" QuickSink tubing and self-weighted diffusers for easy installation and optimal performance



### Deep Water Systems for 7'+ depths

- Energy efficient; as low at \$27 per month
- See pages 42- 44 for Stratus™ SRC compressor detail
- 3/8" QuickSink tubing and self-weighted diffusers for easy installation and optimal performance



**DKDW60 & DKDW100 also available with Sound Shield for the quietest de-icers in their class!** Learn about it on page 24.



Part #	Description	Max. Dock Length	Compressor Part Number	DM2 Diffuser	QuickSink Tubing	Stocking Code	Ship Weight	List Price
DKSW30	Shallow Water Kit	30'	KLC60	2	50'	1543748	46, 27 lbs.	\$724.99
DKSW45	Shallow Water Kit	45'	KLC80	3	100'	5693741	51, 54 lbs.	\$924.99
DKDW60	Deep Water Kit	60'	SRC50	4	150'	41077746	23, 45, 35 lbs.	\$1436.99
DKDW60SS	Deep Water Kit <i>w/ Sound Shield</i>	60'	SRC50	4	150'	41199996	23, 45, 35 lbs.	\$1599.99
DKDW100	Deep Water Kit	100'	SRC75	6	325'	41462136	26, 61, 69 lbs.	\$1949.50
DKDW100SS	Deep Water Kit <i>w/ Sound Shield</i>	100'	SRC34SS	6	325'	61657494	26, 61, 69 lbs.	\$2209.99



For Large-Scale Marine De-Icing Solutions, we have the products and experience to help you with de-icing!



800-448-3873

## Aeration Kits for Shallow Ponds

For ponds 7' deep or less, these linear powered aeration systems are a great choice

- Extremely energy efficient
- Very quiet operation
- Long lasting, oil free design
- Weather resistant enclosures - can be used outdoors, for maximum longevity use additional protection from elements
- **With self-weighted diffusers for easier installation**
- Three year warranty on compressors, five years on tubing/diffusers

Choose from either single or double diffuser system. Single diffuser is ideal for round or regular shaped ponds. Use the dual diffuser system for long and narrow or irregular shaped ponds. Both kits include QuickSink tubing for easy installation.



PA8SWN



PA6SWN

Part #	Description	½" QuickSink Tubing	Stocking Code	Ship Weight	List Price
PA6SWN	Single diffuser system with KLC60 compressor	50'	2412498	22, 27 lbs.	\$549.99
PA8SWN	Double diffuser system with KLC80 compressor	100'	7627744	28, 60 lbs.	\$836.99



### Shallow water diaphragm repair kits

KLC68DK	Diaphragm repair kit for KLC60/KLC80 compressors	—	549127	1 lb.	\$65.49
KLC468F	Filter replacement for KLC60/KLC80 compressors	—	64429	1 lb.	\$5.89

## Aeration Kits for ¼ Acre or Smaller Ponds

### 1/20 hp Diaphragm Air Compressor Kit

This continuous duty pump is ideal for aeration of smaller, shallower ponds. Will operate to a depth of 12', motor draws 1.5 amps and pumps .7 cfm of air.

- PA10W includes air compressor, 50' of ¾" QuickSink Tubing, one DM2 membrane air diffuser manifold with check valve and underlay, fittings and clamps
- PA10WK kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA10W	1/20 hp kit with QuickSink tubing	7449994	22 lbs.	\$599.99
PA10WK	1/20 hp kit with Weatherproof Cabinet	3598489	44 lbs.	\$797.99



With self-weighted diffusers for easier installation

Kits available with cabinet included!



SC25

### 1/8 hp Diaphragm Air Compressor Kit

- Ideal for ponds 12' or deeper where the PA10 (above) will not work
- Will operate up to 30' deep, motor draws 4.2 amps and pumps 1.1 cfm of air
- PA12W includes compressor, 50' of ¾" QuickSink Tubing, one DM2 membrane air diffuser manifold with check valve and underlay, fittings and hose clamps
- PA12WK kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA12W	1/8 hp kit with QuickSink tubing	2599997	32 lbs.	\$799.99
PA12WK	1/8 hp kit with Weatherproof Cabinet	4740989	54 lbs.	\$987.99



# Rocking Piston Aeration



SINCE 1970

Aerate up to **1 acre**

- ¼ acre at 5'-8' deep
- ½ acre at 8'-12' deep
- 1 acre at 12'-16' deep

## PA34 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Sound Shield now included in select Sentinel Kits! Look for the blue shield




## PA34 Complete System

Complete aeration systems available with or without cabinets. See below for customizable systems

### Features

- 1/4 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield**
- Outlet assembly with pressure relief valve
- 100' of ¾" Poly or QuickSink tubing - five year warranty
- One QS1 **self-weighted** rubber membrane diffuser assembly with five year warranty. Approximately 2.3 cfm air flow per diffuser.

**Best Seller!**



PA34W



### D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA34D

Sentinel



OR



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34	SRC25	(1) QS1	¾" Poly	100'	—	8625494	34 lbs.	\$833.99
PA34W	SRC25	(1) QS1	¾" QuickSink	100'	—	1682498	52 lbs.	\$909.99
PA34DP	SRC25	(1) QS1	¾" QuickSink	100'	SC18	41180416	38, 34 lbs.	\$1570.59
PA34D	SRC25	(1) QS1	¾" QuickSink	100'	SC22	51398673	63, 29 lbs.	\$1861.59

All kits 115v, add "2" behind part number for 230v motor

## PA34 Customizable Systems

All PA34 kits contain EasyPro's Stratus™ SRC25 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34WLD	SRC25	—	¾" QuickSink	100'	—	8570904	42 lbs.	\$761.19
PA34DLD	SRC25	—	¾" QuickSink	100'	SC22	51287082	63, 23 lbs.	\$1712.79

All kits 115v, add "2" behind part number for 230v motor

**Many system configurations available. Call for details and pricing.**




SINCE 1970

# Rocking Piston Aeration

## PA34-2 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



1/2 acre at 5'-8' deep  
1 acre at 8'-12' deep  
2 acres at 12'-16' deep

Aerate up to **2** acres

## PA34-2 Complete Systems


Sound Shield now included in select Sentinel Kits! Look for the blue shield



Complete aeration systems available with or without cabinets. See below for customizable systems

### Features

- 1/4 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield**
- Two valve manifold with pressure relief valve
- No tubing included for custom lengths as needed, set up for 3/8" tubing — see page 52
- Two QS1 **self-weighted** rubber membrane diffuser assemblies with five year warranty. Approximately 1.1 cfm air flow per diffuser.



PA34-2



OR



### D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA34-2D

Sentinel

No electricity near your pond?  
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2	SRC25	(2) QS1	—	—	—	2742494	36 lbs.	\$989.99
PA34-2DP	SRC25	(2) QS1	—	—	SC18	41245216	42, 19 lbs.	\$1656.99
PA34-2D	SRC25	(2) QS1	—	—	SC22	31463476	63, 19 lbs.	\$1947.99

All kits 115v, add "2" behind part number for 230v motor



## PA34-2 Customizable Systems

All PA34-2 kits contain EasyPro's Stratus™ SRC25 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2LD	SRC25	—	—	—	—	4519318	36 lbs.	\$692.49
PA34-2LDL	SRC25	—	—	—	SC22	81240296	63 lbs.	\$1650.49

Kit is 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

# Rocking Piston Aeration




SINCE 1970

Aerate up to **2** acres

½ acre at 5'-8' deep  
1 acre at 8'-12' deep  
2 acres at 12'-16' deep

## PA65 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Sound Shield now included in select Sentinel Kits! Look for the blue shield



## PA65 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems

### Features

- 1/2 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield**
- Outlet assembly with two valve manifold and pressure relief valve
- 200' of 3/8" QuickSink tubing - five year warranty
- Two QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

### D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA65D

↑ Sentinel

No electricity near your pond?  
See our remote valve upgrade on page 37.



OR



PA65W



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65W	SRC50	(2) QS2	3/8" QuickSink	200'	—	11094998	25, 70 lbs.	\$1459.99
PA65DP	SRC50	(2) QS2	3/8" QuickSink	200'	SC18	71635217	46, 70 lbs.	\$2176.99
PA65D	SRC50	(2) QS2	3/8" QuickSink	200'	SC22	61853475	69, 70 lbs.	\$2467.99

All kits 115v, add "2" behind part number for 230v motor

## PA65 Customizable Systems

All PA65 kits contain EasyPro's Stratus™ SRC50 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65A	SRC50	(2) QS2	—	—	—	8929994	47 lbs.	\$1239.99
PA65WLD	SRC50	—	3/8" QuickSink	200'	—	2795084	46 lbs.	\$1060.19
PA65ALD	SRC50	—	—	—	—	4630083	25 lbs.	\$840.19
PA65ADP	SRC50	(2) QS2	—	—	SC18	61470215	44, 22 lbs.	\$1956.99
PA65DPLD	SRC50	—	3/8" QuickSink	200'	SC18	51335304	46, 46 lbs.	\$1777.19
PA65ADPLD	SRC50	—	—	—	SC18	41170303	46 lbs.	\$1557.19
PA65AD	SRC50	(2) QS2	—	—	SC22	31688472	69, 22 lbs.	\$2247.99
PA65DLD	SRC50	—	3/8" QuickSink	200'	SC22	21553568	69, 46 lbs.	\$2068.19
PA65ADLD	SRC50	—	—	—	SC22	81388564	69 lbs.	\$1848.19

All kits 115v, add "2" behind part number for 230v motor

**Many system configurations available. Call for details and pricing.**




SINCE 1970

# Rocking Piston Aeration

## PA66 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



3/4 acre at 5'-8' deep  
1 1/2 acre at 8'-12' deep  
3 acres at 12'-16' deep

Aerate up to  
**3** acres

## PA66 Complete Systems

Sound Shield now included in select Sentinel Kits! Look for the blue shield



Learn about it on page 42

Complete aeration systems available with or without cabinets. See below for customizable systems

### Features

- 1/2 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield**
- Outlet assembly with three valve manifold and pressure relief valve
- 300' of 3/8" QuickSink tubing - five year warranty
- Three QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 1.5 cfm air flow per diffuser



PA66W



OR



### D and DP Deluxe Sentinel Systems Contain:

- Your choice of lockable 18" ground/post mount or 22" ground cabinet - each with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA66D



No electricity near your pond?  
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66W	SRC50	(3) QS2	3/8" QuickSink	300'	—	71342493	38, 25, 69 lbs.	\$1789.99
PA66DP	SRC50	(3) QS2	3/8" QuickSink	300'	SC18	41887967	46, 33, 69 lbs.	\$2513.99
PA66D	SRC50	(3) QS2	3/8" QuickSink	300'	SC22	72106225	69, 33, 69 lbs.	\$2804.99

All kits 115v, add "2" behind part number for 230v motor



## PA66 Customizable Systems

All PA66 kits contain EasyPro's Stratus™ SRC50 Compressor.  
See page 25 for chart showing an overview of all customizable systems and components included.  
Kits with cabinets include pre-installed sound proofing  
Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66A	SRC50	(3) QS2	—	—	—	71094994	33, 25 lbs.	\$1459.99
PA66WLD	SRC50	—	3/8" QuickSink	300'	—	2892636	25, 69 lbs.	\$1190.19
PA66ALD	SRC50	—	—	—	—	9645131	25 lbs.	\$860.19
PA66ADP	SRC50	(3) QS2	—	—	SC18	71640463	46, 33 lbs.	\$2183.99
PA66DPLD	SRC50	—	3/8" QuickSink	300'	SC18	31438106	46, 69 lbs.	\$1914.19
PA66ADPLD	SRC50	—	—	—	SC18	61190602	46 lbs.	\$1584.19
PA66AD	SRC50	(3) QS2	—	—	SC22	21858725	69, 33 lbs.	\$2474.99
PA66DLD	SRC50	—	3/8" QuickSink	300'	SC22	51656369	69, 69 lbs.	\$2205.19
PA66ADLD	SRC50	—	—	—	SC22	61408864	69 lbs.	\$1875.19

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

# Rocking Piston Aeration




SINCE 1970

Aerate up to **3** acres

¾ acre at 5'-8' deep  
1½ acre at 8'-12' deep  
3 acres at 12'-16' deep

## PA83 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Sound Shield now included in select Sentinel Kits! Look for the blue shield



## PA83 Complete Systems

Complete aeration systems available with or without cabinets. See below for customizable systems

### Features

- 3/4 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield**
- Outlet assembly with three valve manifold and pressure relief valve
- 300' of ¾" QuickSink tubing - five year warranty
- Three QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.1 cfm air flow per diffuser

### D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**

*No electricity near your pond?  
See our remote valve upgrade on page 37.*



PA83D

Sentinel

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83W	SRC75	(3) QS2	¾" QuickSink	300'	—	81544994	26, 69, 33 lbs.	\$2059.99
PA83D	SRC34SS	(3) QS2	¾" QuickSink	300'	SC22	82446727	70, 69, 33 lbs.	\$3258.99

All kits 115v, add "2" behind part number for 230v motor



## PA83 Customizable Systems

All PA83 kits contain EasyPro's Stratus™ SRC75 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83A	SRC75	(3) QS2	—	—	—	81259994	26, 33 lbs.	\$1679.99
PA83WLD	SRC75	—	¾" QuickSink	300'	—	71095131	69, 26 lbs.	\$1460.19
PA83ALD	SRC75	—	—	—	—	5810139	26 lbs.	\$1080.19
PA83AD	SRC75	(3) QS2	—	—	SC22	82161728	70, 33 lbs.	\$2878.99
PA83DLD	SRC75	—	¾" QuickSink	300'	SC22	71996864	70, 69 lbs.	\$2659.19
PA83ADLD	SRC75	—	—	—	SC22	41711863	70 lbs.	\$2279.19

All kits 115v, add "2" behind part number for 230v motor

**Many system configurations available. Call for details and pricing.**




SINCE 1970

# Rocking Piston Aeration

## PA86 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



1 acre at 5'-8' deep  
2 acre at 8'-12' deep  
4 acres at 12'-16' deep

Aerate up to  
**4** acres

## PA86 Complete Systems

Sound Shield now included in select Sentinel Kits! Look for the blue shield



Complete aeration systems available with or without cabinets. See below for customizable systems

### Features

- 3/4 hp Stratus™ SRC Gen 2 Compressor **with Sound Shield**
- Outlet assembly with three valve manifold and pressure relief valve
- 600' of 3/8" QuickSink tubing - five year warranty
- Four QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 1.5 cfm air flow per diffuser

### D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**

*No electricity near your pond?*

*See our remote valve upgrade on page 37.*



PA86W



PA86D

Sentinel

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86W	SRC75	(4) QS2	3/8" QuickSink	600'	—	21942494	33, 44, 69, 69 lbs.	\$2589.99
PA86D	SRC34SS	(4) QS2	3/8" QuickSink	600'	SC22	82839727	73, 44, 69, 69 lbs.	\$3782.99

All kits 115v, add "2" behind part number for 230v motor



## PA86 Customizable Systems

All PA86 kits contain EasyPro's Stratus™ SRC75 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86A	SRC75	(4) QS2	—	—	—	71454998	33, 44 lbs.	\$1939.99
PA86WLD	SRC75	—	3/8" QuickSink	600'	—	31342681	33, 69, 69 lbs.	\$1790.29
PA86ALD	SRC75	—	—	—	—	5855182	33 lbs.	\$1140.29
PA86AD	SRC75	(4) QS2	—	—	SC22	235222	73, 44 lbs.	\$3132.99
PA86DLD	SRC75	—	3/8" QuickSink	600'	SC22	2239.91	73, 69, 69 lbs.	\$2983.29
PA86ADLD	SRC75	—	—	—	SC22	175241	73 lbs.	\$2333.29

All kits 115v, add "2" behind part number for 230v motor



**Many system configurations available. Call for details and pricing.**


# Rotary Vane Aeration



SINCE 1970

## PA50 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



Aerate up to  
**2** acres

½ acre at 5'-8' deep  
1 acre at 8'-12' deep  
2 acres at 12'-16' deep

## PA50 Complete Systems

Complete aeration systems available with or without cabinets.  
See below for customizable systems

### Features

- 1/4 hp Stratus™ Rotary Vane Compressor with one year warranty
- Outlet assembly with two valve manifold and pressure relief valve
- 200' of ½" QuickSink Tubing - five year warranty
- Two QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

### D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA50D

Sentinel



PA50W

Stratus

No electricity near your pond?  
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA50	RV33	(2) QS2	½" Poly	200'	—	51207491	72 lbs.	\$1609.99
PA50W	RV33	(2) QS2	½" QuickSink	200'	—	21447498	65, 49, 49 lbs.	\$1929.99
PA50D	RV33	(2) QS2	½" QuickSink	200'	SC22	22095726	84, 25, 46, 46 lbs.	\$2790.99

All kits 115v, add "2" behind part number for 230v motor



## PA50 Customizable Systems

All PA50 kits contain EasyPro's Stratus™ RV33 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight (lbs.)	List Price
PA50A	RV33	(2) QS2	—	—	—	71177491	62 lbs.	\$1569.99
PA50WLD	RV33	—	½" QuickSink	200'	—	61147583	38, 49, 49 lbs.	\$1530.19
PA50AD	RV33	(2) QS2	—	—	SC22	51825727	84, 25 lbs.	\$2430.99
PA50DLD	RV33	—	½" QuickSink	200'	SC22	71795814	84, 46, 46 lbs.	\$2391.19
PA50ADLD	RV33	—	—	—	SC22	31525817	84 lbs.	\$2031.19

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.




SINCE 1970

# Rotary Vane Aeration

## PA75 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



1 acre at 5'-8' deep  
2 acre at 8'-12' deep  
4 acres at 12'-16' deep

Aerate up to  
**4** acres

## PA75 Complete Systems

Complete aeration systems available with or without cabinets.  
See below for customizable systems



PA75W



### Features

- 3/4 hp Stratus™ Rotary Vane Compressor with one year warranty
- Outlet assembly with four valve manifold and pressure relief valve
- 600' of 1/2" QuickSink Tubing - five year warranty
- Four QS2 **self-weighted** rubber membrane diffuser assemblies. Approximately 2.4 cfm air flow per diffuser

### D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA75D



No electricity near your pond?  
See our remote valve upgrade on page 37.

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA75W	RV75	(4) QS2	1/2" QuickSink	600'	—	82557494	6@49, 44, 65 lbs.	\$3409.99
PA75D	RV75	(4) QS2	1/2" QuickSink	600'	SC22	43207976	470 lbs.	\$4273.99

All kits 115v, add "2" behind part number for 230v motor



## PA75 Customizable Systems

All PA75 kits contain EasyPro's Stratus™ RV75 Compressor.  
See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight (lbs.)	List Price
PA75A	RV75	(4) QS2	—	—	—	61739994	65, 44 lbs.	\$2319.99
PA75WLD	RV75	—	1/2" QuickSink	600'	—	41977034	6@49, 65 lbs.	\$2636.09
PA75AD	RV75	(4) QS2	—	—	SC22	62390471	180 lbs.	\$3183.99
PA75DLD	RV75	—	1/2" QuickSink	600'	SC22	52627514	430 lbs.	\$3500.09
PA75ADLD	RV75	—	—	—	SC22	41810012	140 lbs.	\$2410.09

All kits 115v, add "2" behind part number for 230v motor



Many system configurations available. Call for details and pricing.

EASYPRO.COM




# Rotary Vane Aeration



SINCE 1970

## PA100 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



Aerate up to  
**6** acres

1 ½ acre at 5'-8' deep  
3 acre at 8'-12' deep  
6 acres at 12'-16' deep

## PA100 Complete Systems

Complete aeration systems available with or without cabinets.  
See below for customizable systems

### Features

- 1 hp Stratus™ Rotary Vane Compressor with one year warranty
- Outlet assembly with six valve manifold and pressure relief valve
- 800' of ½" QuickSink tubing - five year warranty
- Six QS2 self-weighted rubber membrane diffuser assemblies. Approximately 2.2 cfm air flow per diffuser

### D Deluxe Sentinel Systems Contain:

- 22" ground cabinet with five year warranty
- Compressor, airlines, plumbing, pressure gauge and cooling fan and electrical outlet are pre-installed
- Includes pre-installed outlet assembly with pressure relief valve and pressure gauge
- **Cabinet now includes pre-installed sound proofing**



PA100D

**Sentinel**



PA100W



*No electricity near your pond?  
See our remote valve upgrade on page 37.*



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100W	RV100	(6) QS2	½" QuickSink	800'	—	83434991	8@49, 2@33, 68 lbs.	\$4579.99
PA100D	RV100	(6) QS2	½" QuickSink	800'	SC22	44071222	600 lbs.	\$5424.99

All kits 115v, add "2" behind part number for 230v motor

## PA100 Customizable Systems

All PA50 kits contain EasyPro's Stratus™ RV33 Compressor.

See page 25 for chart showing an overview of all customizable systems and components included.

Kits with cabinets include pre-installed sound proofing

Customize your choice of base kit (shown here) with tubing (page 52), diffusers (page 54), and cabinets (pages 56-57).



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100A	RV100	(6) QS2	—	—	—	52420996	68, 2@33 lbs.	\$3227.99
PA100WLD	RV100	—	½" QuickSink	800'	—	92564299	8@49, 68 lbs.	\$3419.09
PA100AD	RV100	(6) QS2	—	—	SC22	63057227	230 lbs.	\$4072.99
PA100DL	RV100	—	½" QuickSink	800'	SC22	43200528	540 lbs.	\$4264.09
PA100ADLD	RV100	—	—	—	SC22	12186521	150 lbs.	\$2912.09

All kits 115v, add "2" behind part number for 230v motor




**Many system configurations available. Call for details and pricing.**

## Remote Access Valve Assemblies

- In some situations it is easier to locate a compressor near an existing power supply that is far away from the pond and extend the tubing rather than run power to pond's edge.
- Typically a single, larger diameter, poly tubing will carry all the air from the compressor down to the edge of the pond where the valve assembly will be located. This prevents having to run multiple smaller lines between compressor and shore.
- These assemblies are simply an "adder" to the kit cost. A single line set up coming off the compressor is included along with a modified valve assembly for installation by the pond.

Simply order the correct remote valve part number shown below along with your desired aeration kit. Then add the cost shown below to the kit cost for total package price.



### Rocking Piston Systems\* Add-Ons

Part #	Order With	Stocking Code	List Price
<b>RPA62</b>	Two or three valve outlets - set up for 5/8" line	733741	\$44.99
<b>RPA75</b>	Four to six valve outlets - set up for 3/4" line	333746	\$44.99

*Single line systems (PA34) do not need modification for remote operation*

### Rotary Vane Systems\* Add-Ons


Part #	Order With	Stocking Code	List Price
<b>RVA10</b>	Two valve (PA50) outlets, set up for 1" line	141996	\$55.99
<b>RVA12</b>	Four to six valve outlets - set up for 1 1/4" line	741993	\$55.99

*\*For dual compressor systems, use quantity of two for remote valve assembly price adder.*

## Valve Boxes

- Use these handy boxes to conceal the valve underground and yet have easy access
- Box is black in color, lids are green

Part #	Size	Stocking Code	Ship Weight	List Price
<b>VB10</b>	10" diameter x 10" deep	433323	2 lbs.	\$42.99
<b>VB14</b>	14" x 19" x 12" deep	643998	15 lbs.	\$54.99



EasyPro offers an unlimited number of options for aerating large bodies of water. Typically we prefer to use multiple smaller systems around the perimeter of a lake but in some cases, one or two large compressor stations are utilized and then air is pumped all around the lake from those points. EasyPro offers stock aeration systems for lakes up to 20 acres and custom aeration for larger lakes. Custom systems can run up to 100+ diffusers from a single compressor. These systems are custom designed for each application rather than sold in "kit" form due to the complexity and uniqueness of each body of water.

## Rocking Piston Systems

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed.

Two compressors are mounted in the SC28N large cabinet (page 58), allowing up to eight air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Choose from 1/2 or 3/4 hp compressors, see chart below for number of QS2 self-weighted diffusers per system
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, electrical box and sound proofing.
- Cabinets feature dual fans for increased cooling capability
- Includes fittings for either 3/8" or 1/2" QuickSink tubing. Purchase tubing separately on page 52.
- **Now includes pre-installed sound proofing**

Power cords available from cabinets for plug-n-go operation. Contact us for details

Sound Shield now included in select Sentinel Kits! Look for the blue shield



DCS systems include QuickSink Self-Weighted Diffusers




Part #	Compressors	Voltage	Qty. Diffusers/Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS64AD	(2) 1/2 hp, SRC50SS	115	4	9	343854	185 lbs.	\$4568.59
DCS64AD2	(2) 1/2 hp, SRC502SS	230	4	9	345746	185 lbs.	\$4593.89
DCS66AD	(2) 1/2 hp, SRC50SS	115	6	9	381100	209 lbs.	\$5065.29
DCS66AD2	(2) 1/2 hp, SRC502SS	230	6	9	382992	209 lbs.	\$5090.49
DCS86AD	(2) 3/4 hp, SRC34SS	115	6	13	434062	227 lbs.	\$5771.39
DCS86AD2	(2) 3/4 hp, SRC342SS	230	6	13	435954	227 lbs.	\$5796.59
DCS88AD	(2) 3/4 hp, SRC34SS	115	8	13	471017	250 lbs.	\$6264.19
DCS88AD2	(2) 3/4 hp, SSRC342SS	230	8	13	472909	250 lbs.	\$6289.39



## Need Large Lake Aeration? We Can Help!

Let us help you determine which products work best for your needs. We will put together a complete aeration quote for you. Due to the complex nature, please allow extra time when designing these projects.



## High Pressure Rocking Piston Systems

**New high-pressure 2 hp rocking piston aeration system! It's a rugged, reliable workhorse and the most powerful rocking piston compressor on the market! With these systems, you can reach deeper depths and achieve longer runs than ever before, all with smaller airlines. If you are facing a job that requires long tubing runs, or has deeper than normal depths, look no further!**

- Includes new 2 hp SRC2002 compressor
- Your choice of (6) or (10) diffusers
- Offers longer tubing run capabilities than any other system
  - 1,500' with 3/8" tubing\*
  - 4,000' with 1/2" tubing\*
  - 20,000' with 5/8" tubing\*
- \*based on 2 cfm per line/the DCS206HP system*
- Cabinets are mounted on equipment base and come complete with compressor, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, electrical box and sound proofing.
- Includes fittings for either 3/8" or 1/2" QuickSink tubing. Purchase tubing separately on page 52
- **Cabinet includes pre-installed sound proofing**

Sound Shield now included in select Sentinel Kits! Look for the blue shield



DCS206HP



Part #	Compressor	Voltage	Qty. Diffusers/Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS206HP	SRC2002SS	230	6	12	35099991	304 lbs.	\$6799.99
DCS210HP	SRC2002SS	230	10	12	25587496	328 lbs.	\$7449.99



## Rotary Vane Systems

These powerful aeration systems are designed for large ponds and lakes where high volumes of air are needed.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Available in 1/4, 3/4 and 1 hp dual compressor systems or custom order with mixed hp sizes in same cabinet
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, electrical box and sound proofing.
- Cabinets feature dual fans for increased cooling capability
- Setup for 1/2" QuickSink tubing. Purchase tubing separately on page 52.
- **Now includes pre-installed sound proofing**

DCS systems include QuickSink Self-Weighted Diffusers



Part #	Compressors	Voltage	Qty. Diffusers/Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS54AD	(2) 1/4 hp, RV33	115	4	9	73423997	217 lbs.	\$4549.19
DCS54AD2	(2) 1/4 hp, RV33	230	4	9	73442916	217 lbs.	\$4574.49
DCS78AD	(2) 3/4 hp, RV75	115	8	20	64713085	304 lbs.	\$6267.99
DCS78AD2	(2) 3/4 hp, RV75	230	8	20	54732004	304 lbs.	\$6293.29
DCS112AD	(2) 1 hp, RV100	115	12	26	45981813	371 lbs.	\$7959.69
DCS112AD2	(2) 1 hp, RV100	230	12	26	46000726	371 lbs.	\$7984.89





## Wind Driven Aerators

Let Mother Nature aerate your pond

Windmill aerators can save \$30-\$50 per month in electric costs, paying for themselves in a few short years. Ideal for aerating remote ponds with no electricity nearby.

- Stable, four leg design
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Includes 48" long anchor stakes
- Includes hinge set
- Can effectively aerate ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 52

Five Year Limited Warranty



Windmill Kits - include 50' of poly tubing, 100' of QuickSink tubing and dual head QuickSink diffuser


Part #	Description	Overall Height	Base Stance	Stocking Code	Ship Weight (lbs.)	List Price
<b>BWM12W</b>	12' four legged Becker Windmill Kit	15'	4'-4" sq	22215723	54, 75, 11, 58, 2@49, 16	\$2858.99
<b>BWM16W</b>	16' four legged Becker Windmill Kit	19'	5'-8" sq	22472246	54, 75, 11, 58, 2@49, 43, 16	\$3189.99
<b>BWM20W</b>	20' four legged Becker Windmill Kit	23'	7'-0" sq	62557497	54, 75, 11, 58, 3@49, 43, 16	\$3299.99
<b>BWM20DLX</b>	20' four legged Becker Windmill Deluxe Kit*	23'	7'-0" sq	62712497	54, 75, 11, 58, 4@49, 43, 25	\$3499.99

\*Deluxe Kit contains 2-way splitter, 50' poly, 200' QuickSink tubing and 2 single head QuickSink diffusers

Windmill Only - customize with diffusers and tubing on pages 52, 54 & 55 (sold separately)



Part #	Description	Overall Height	Base Stance	Stocking Code	Ship Weight (lbs.)	List Price
<b>BWM12</b>	12' four legged Becker Windmill Kit	15'	4'-4" sq	91973149	54, 75, 11, 58, 49	\$2545.99
<b>BWM16</b>	16' four legged Becker Windmill Kit	19'	5'-8" sq	22138996	54, 75, 11, 58, 49, 43	\$2759.99
<b>BWM20</b>	20' four legged Becker Windmill Kit	23'	7'-0" sq	62301747	54, 75, 11, 58, 2@49, 43	\$2969.99



## Windmill Head Only

Already have a windmill tower or want to build your own?

- Available in a kit that includes tubing and diffuser(s), or as head only.
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Can effectively aerate ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 52.

### Windmill Head Kit Includes

- Functional head • QS2 Diffuser • Fittings
- 50' poly tubing • 100' of 1/2" QuickSink tubing

**Five Year  
Limited Warranty**



Part #	Description	Overall Diameter	Stocking Code	Ship Weight (lbs.)	List Price
BWMH	Functional windmill head	72"	41635245	54, 75, 11, 8	\$2109.99
BWMHW	Functional windmill head kit	72"	41782415	54, 75, 11, 49, 16, 8	\$2299.89



## Becker Windmill Parts and Accessories



### Diaphragm Kit

Includes:

- 1 - Replacement diaphragm
- 2 - O-rings
- 2 - Umbrella valves
- 2 - Long threaded alignment studs
- 4 - Short threaded alignment studs

Part #	Stocking Code	Ship Weight	List Price
BWMRK	982493	1 lb.	\$109.99



### Windmill Freeze Control System

- Recommended whenever the windmill is located away from the pond's edge
- If the line starts to freeze, the control valve opens and feeds ethanol alcohol (or rubbing alcohol) into the line to melt the ice, the valve then closes and normal operation resumes

Part #	Stocking Code	Ship Weight	List Price
WMFC	7212462	6 lbs.	\$249.95



### Red Stripe Kit

Add the Red Stripe Kit to your order. It's like putting racing stripes on a classic roadster!

Stickers are pre-cut and easy to apply.



Part #	Stocking Code	Ship Weight	List Price
BWMRED	915493	1 lb.	\$19.99



### Windmill Hinge Set

Hinges install at the base for easier installation. Also useful to lower tower for future maintenance or impending storms.



Part #	Stocking Code	Ship Weight	List Price
BWHS	763742	3 lbs.	\$84.99

### More Windmill Parts & Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
WD1	Aeration Accessory Kit - 50' poly tubing, QS2 diffuser, clamps and tubing connector	3179244	16 lbs.	\$238.99
WD2	Aeration Accessory Kit - 50' poly tubing, 2 - QS1 diffusers, 2 way splitter and clamps	7268497	25 lbs.	\$357.99
L5PVC1	1/2" ID X 1" OD - QuickSink PVC Hose - 100' Roll Boxed	9133423	44 lbs.	\$177.89

See pages 52, 54 and 55 for additional tubing and diffuser options.





**Aerates up to 35' deep!**

## NightAir™ Battery Back Up Solar Aeration Systems

### The Off Grid Solution for Night-time Aeration

- 2 high output solar panels with easy install racking system – over 600 watts!
- 2 deep cycle AGM 200 Ah batteries
- Bluetooth enabled solar controller
- Quiet Quantum™ 24v brushless piston compressor
- 2.2 CFM output at 5 psi
- 2 high output fans on every system for optimal cooling
- Powder coated aluminum cabinet with secure locking system
- OWS Optimal Air™ self-cleaning rubber membrane diffusers with weighted base
- Mounting pole included

#### Warranty:

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
NA1W	NightAir™ I Single Diffuser System	up to .75 acres	1 Dual	100'	79606867	763 lbs.	\$12,395.95
NA2W	NightAir™ II (2) Diffuser System	up to 1.5 acres	2 Single	200'	79761864	815 lbs.	\$12,595.95
NA3W	NightAir™ III (3) Diffuser System	up to 2.5 acres	3 Single	500'	310226862	971 lbs.	\$13,195.95
NA4W	NightAir™ IV (4) Diffuser System	up to 2.5 acres	4 Single	-	710071861	285 lbs.	\$12,995.95



## NitroAir™ 24 v Direct Drive Solar Aeration Systems

### Affordable Solar Aeration without compromising quality!

The same benefits as the Turbo Air system but with a pole mount cabinet vs. an aluminum ground cabinet. This system comes with your choice of either one or two high output solar panels. MaxEnergy™ controller provides significantly longer run times. All-inclusive turn-key kits have everything except for concrete.

- Highest CFM in the industry for a 24v DC Direct Drive Solar System – 3.4 CFM @ 5 psi.
- Replaceable intake filter and maintenance kits available
- 24v DC rocking piston compressor
- Choose one or two solar panels. The + systems have an additional solar panel that extends aeration run time by 3-4 hours per day on clear days.
- Turn-key system including the steel mounting pipe
- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on solar panels
- Additional airline available

**Aerates up to 35' deep!**



Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
NITRO1	NitroAir™ I Aeration System	Up to 1 acre	1 Double	100'	13483639	330 lbs.	\$4495.00
NITRO1X	NitroAir™ I+ Aeration System	Up to 1 acre	1 Double	100'	74022257	350 lbs.	\$5190.00
NITRO2	NitroAir™ II Aeration System	Up to 2.5 acres	2 Singles	200'	73638638	335 lbs.	\$4695.00
NITRO2X	NitroAir™ II+ Aeration System	Up to 2.5 acres	2 Singles	200'	44177252	360 lbs.	\$5390.00





TA3W



**Aerates up to 35' deep!**

## TurboAir™ 24v Direct Drive Solar Aeration Systems

### The Off Grid Solution for Direct Drive Solar Aeration

Two high-output solar panels with the proprietary MaxEnergy™ controller provide significantly longer run times. The all-inclusive kits allow for easy and quick installation – you just add the concrete.

- Highest output rocking piston compressor rated at 3.4 CFM at 5 psi
- Longest run time over all competitors due to 2 high output solar panels providing > 600 watts of power
- Proprietary MaxEnergy™ Solar Controller
- 2 cooling fans to keep the compressor cool and extends compressor life
- Pressure gauge and pressure relief valve on all units.
- Powder coated aluminum cabinet with lifetime warranty
- 2 high output solar panels with aluminum racking and mounting pole

#### Warranty:

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
TA1W	TurboAir™ I Single Diffuser System	up to .75 acres	1 Dual	100'	64671564	410 lbs.	\$5495.95
TA2W	TurboAir™ II (2) Diffuser System	up to 1.5 acres	2 Single	200'	34841563	465 lbs.	\$5695.95
TA3W	TurboAir™ III (3) Diffuser System	up to 2.5 acres	3 Single	500'	25351564	620 lbs.	\$6295.95
SRK	Soundproofing Kit - Includes powder coated fan cover & sound deadening acoustical foam				9280465	10 lbs.	\$329.95



## TurboAir™ XL 24 v Direct Drive Solar Aeration

### Highest CFM in the industry for a Direct Drive Solar System

The TurboAirXL™ 24v direct drive solar aeration system offers the same benefits as the TurboAir™ system but with two compressors and twice the air. This system comes with two high output solar panels. Our MaxEnergy™ controller provides significantly longer run times and our all-inclusive turn-key kits provide everything needed except for concrete.

- Highest CFM in the industry for a 24v DC Direct Drive Solar System – 6.8 CFM @ 5 psi.
- Aerates ponds up to 35' deep
- Replaceable intake filter and maintenance kits available
- 24v DC rocking piston compressor
- **2 year warranty on compressors and electrical components**
- Turn-key system including the steel mounting pipe
- **5 year warranty on all diffusers, bases and airlines**
- **15 year warranty on solar panels**
- Additional airline available
- Solar panel array measures 130" x 80"

**Aerates up to 35' deep!**




Part #	Description	Recommended Pond Size	# of Solar Panels	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
TAXL2	TurboAir™ XL II	Up to 2 Acres	4	2 Quad	400	48325754	620 lbs.	\$9795.00
TAXL3	TurboAir™ XL III	Up to 3.5 Acres	4	4 Double	800	38495752	775 lbs.	\$9995.00
TAXL4	TurboAir™ XL IV	Up to 5 Acres	4	6 Double	1200	79345758	630 lbs.	\$10,995.00





## Rocking Piston Compressors

Stratus™ SRC Series “Gen 2” Rocking Piston Compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes them ideal for pond aeration systems. Available in 1/4, 1/2, 3/4 and 2 hp models, Stratus™ SRC Series Compressors are assembled in the USA.



### Features

- Universal dual voltage, 1725 RPM (60Hz) motor
- Oil-less operation
- Permanently lubricated bearings
- Includes **Stratus™ Smart-Start** technology to start under load
- Superior quality, flexible cup material for increased reliability
- Die-cast body components for overall strength
- Single or double cylinder design
- Inlet/Outlet Size:
  - 1/4 hp - 3/4 hp: 1/4" fpt
  - 2 hp: 3/8" fpt
- Maximum psi:
  - 1/4 hp - 3/4 hp: max 30 psi
  - 2 hp: max 125 psi

**2 Year Warranty**



All Stratus SRC compressors operate under 70dB. (About the volume of normal conversation) And they're even quieter when mounted in cabinets!

### Units include

- Air inlet filter
- Rubber feet
- 5' power cord

See our cabinet options on pages 56-58



Units include: Air inlet filter, rubber feet, 5' power cord

Part #	hp	Amps* /Volts	Cost per 24 Hours**	cfm Air Flow @ Water Depth of:						Stocking Code	Ship Weight	List Price
				0'	10'	20'	30'	40'	50'			
SRC25	1/4	1.7/115	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	7509991	17 lbs.	\$679.99
SRC252	1/4	0.9/230	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	4509994	17 lbs.	\$679.99
SRC50	1/2	3.6/115	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	8637493	22 lbs.	\$849.99
SRC502	1/2	1.8/230	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	3637496	22 lbs.	\$849.99
SRC75	3/4	4.5/115	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	9772492	26 lbs.	\$1029.99
SRC752	3/4	2.3/230	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	2772491	26 lbs.	\$1029.99
SRC2002	2	10/230	\$4.96	12	11.7	11.4	11.2	10.8	10.5	92324993	62 lbs.	\$3099.99

\*Amps measured at 10' operating depth

\*\*Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.



## SRC Compressor Rebuild Kits



SRC50K

- Kits include piston cup, cylinders, O-rings and cup retainer screws
- SRC75K includes valve plates with leaf valves installed



Part #	Stocking Code	Ship Weight	List Price
SRC25K	678741	1 lb.	\$104.99
SRC50K	3144740	1 lb.	\$192.99
SRC75K*	7187497	1 lb.	\$249.99
SRC200K	6318745	1 lb.	\$424.99
SRC34K	4337491	1 lb.	\$449.99

\*Not for use with compressors equipped with Sound Shield



SRC25VP

SRC50VP

- SRC25VP and SRC50VP are complete valve plates with leaf valves installed

Part #	Stocking Code	Ship Weight	List Price
SRC25VP*	5104992	1 lb.	\$139.99
SRC50VP*	3194993	2 lbs.	\$259.99

\*Not for use with compressors equipped with Sound Shield

## SRC Air Filters & Element

GAF2 filters are standard for SRC rocking piston compressors

GAFE replacement filter elements for all SRC models




GAFE

GAF2

Part #	Description	Stocking Code	List Price
GAF2	Complete filter - 1/4" mpt	239746	\$52.99
GAFE	Replacement element	65627	\$7.49

## SRC Shock Mount Foot

- Four per compressor, all SRC models use same feet. 1/4" - 20 threads



Part #	Stocking Code	List Price
SRC50K	23749	\$4.99

## SRC Capacitors

- Start/run capacitors



SRC50CAP

Part #	Description	Stocking Code	List Price
SRC50CAP	1/4 & 1/2 hp	646491	\$61.99
SRC75CAP	3/4 hp	941244	\$54.99

## ERP Compressor Parts & Accessories

### ERP Compressor Rebuild Kits



Rebuilding ERP Compressors Step-By-Step



- Kits include piston ring, gaskets, seals and leaf valves

Part #	Stocking Code	Ship Weight	List Price
ERP25K	150246	1 lb.	\$66.99
ERP50K	596741	1 lb.	\$128.99
ERP75K	8112499	1 lb.	\$149.99



ERP50CAP

### ERP Capacitors

- All models have field changeable start/run capacitors.

Part #	Fits Compressor	Stocking Code	List Price
ERP25CAP	ERP25 - 115 volt	614541	\$19.39
ERP252CAP	ERP252 - 230 volt	916194	\$21.59
ERP50CAP	ERP50 - 115 volt	717922	\$23.89
ERP502CAP	ERP502 - 230 volt	318294	\$24.39
ERP75CAP	ERP75 - 115 volt	622423	\$29.89
ERP752CAP	ERP752 - 230 volt	323922	\$31.89

## ERP Air Filters & Element



ERP12E

ERPF2

### ERP1 & ERPF2 Filter Features

- Good for sound reductions of 2 to 4 dB
- For compressor units up to 7.5 cfm
- Provide excellent filtration in areas of fine dust
- Connections: 1/4" mpt on ERP1 and 3/8" mpt on ERPF2

Part #	Fits Compressor	Stocking Code	List Price
ERP1	Filter - 1/4 & 1/2 hp for ERP25/50	624741	\$32.99
ERPF2	Filter - 3/4 hp for ERP75	924744	\$32.99
ERP12E	Filter element for F1/F2	19748	\$12.99

See page 47 for valved outlets, pressure gauges and relief valves



## Rotary Vane Compressors



- Long lasting, continuous duty compressors offer less depth capabilities than the diaphragm or rocking piston compressors but produce considerably more air per hp
- Medium pressure, oil free compressors are excellent for pond and lake aeration or de-icing
- Carbon vanes self adjust to maintain maximum efficiency and are easily replaced when worn out
- All models have an 18' maximum operating depth,
- Units include air filter and 6' power cord with plug
- Air outlet assemblies are available (see page 47) with two to six valves, allowing one pump to supply up to six air manifolds
- Units available in 115 or 230 volt
- One year warranty



Part #	Description	Volts	Amps	cfm Air Flow @ Water Depth of:				Stocking Code	Ship Weight	List Price
				0'	6'	12'	18'			
RV33	¼ hp Stratus rotary vane	115	5	4.5	4.3	4.0	3.6	1742495	34 lbs.	\$989.99
RV332	¼ hp Stratus rotary vane	230	2.5	4.5	4.3	4.0	3.6	6742496	34 lbs.	\$989.99
RV75	¾ hp Stratus rotary vane	115	12	10.0	9.6	9.2	9.0	51024492	53 lbs.	\$1365.99
RV752	¾ hp Stratus rotary vane	230	6	10.0	9.6	9.2	9.0	41024498	53 lbs.	\$1365.99
RV100	1 hp Stratus rotary vane	115	14	13.5	12.4	11.7	10.4	81312495	58 lbs.	\$1749.99
RV1002	1 hp Stratus rotary vane	230	7	13.5	12.4	11.7	10.4	31312491	58 lbs.	\$1749.99

## Rotary Vane Compressor Parts & Accessories

### Vane Kits for RV33 - 100 Compressors



Rotary vane compressors each have four self-wearing vanes, when worn they no longer catch air resulting in reduction of air flow.

- Kits include four vanes, gasket and two black, internal air filters
- Ship weight - 2 lbs.

Part #	Description	Stocking Code	List Price
RV33V	RV33 repair kit	7119244	\$158.99
RV75V	RV75 repair kit	3154496	\$205.99
RV100V	RV100 repair kit	6239992	\$319.99

### Internal Air Filters

Rotary vane compressors have two internal air filters. Air filter elements are included in repair kits or can be purchased separately. Black plug that holds filter does not come in repair kit. All models use the same plugs and filters.



Part #	Description	Stocking Code	List Price
RVBF	Internal filter	35776	\$7.69
RVBP	Black plug	78474	\$11.29
RVBO	O-ring	93675	\$4.89

### Air Filters & Filter Elements

Fits rotary vane compressors above

AC432 filter has 3/8" female threaded inlet

Ship weight - 1 lb. each.



Part #	Description	Stocking Code	List Price
AC432	3/8" fpt complete filter	634491	\$45.99
AC393	Replacement filter element	512594	\$16.79

### Check Valve for RV Compressors

Installs on the inlet side of the rotary vane compressors

- Installs between compressor and air filter (air filter not included)
- Prevents back flow of water in air lines
- Ship weight 1 lb.

Part #	Fits	Stocking Code	List Price
RVC	RV33	432241	\$42.99
RVC2	RV75, RV100	732243	\$42.99



## Valved Outlet Air Assemblies

- Use when operating two or more pond diffusers from single pump
- Built-in pressure relief valve protects the pump if airlines become kinked, plugged or frozen
- Union coupling allows for quick and easy removal of the pump
- Air flow to each diffuser is controlled by adjustable ball valve
- 2' piece of flexible hose included on each line to dissipate heat and allow for easy tubing connection
- See remote valve assemblies on page 37 for applications where compressor is away from pond's edge

## Rocking Piston Air Outlet Assemblies

- Includes pressure relief valve and swivel union for easy removal from compressor
- 1/4" threaded air inlets - fits all rocking piston compressors
- Set up for 3/8" tubing

Part #	Outlets	Stocking Code	Ship Weight	List Price
ERP1V*	1	126994	2 lbs.	\$35.99
ERP2V	2	779497	3 lbs.	\$105.99
ERP3V	3	996742	5 lbs.	\$128.99
ERP4V	4	3123748	7 lbs.	\$164.99
ERP5V	5	5146991	9 lbs.	\$195.99
ERP6V	6	6164993	10 lbs.	\$219.99

\*Control valve not included with ERP1V




## Rotary Vane Air Outlet Assemblies

- 1/4" threaded air inlets - for RV33 compressors
- 3/8" threaded air inlets - for RV75/RV100 compressors
- Set up for 1/2" tubing



Part #	Outlets	Stocking Code	Ship Weight	List Price
VO2N	2	7103493	4 lbs.	\$137.99
VO4N	4	6161248	6 lbs.	\$214.99
VO6N	6	7218992	8 lbs.	\$291.99



## Liquid Filled Pressure Gauges

- Fits easily onto rocking piston valves or rotary vane outlets
- 1/4" mpt connection
- Use on aeration systems to monitor operating pressure and ensure compressor is not overloaded



Part #	Range	Stocking Code	Ship Weight	List Price
G30L	0-30 psi	417992	1 lb.	\$23.99
G50L	0-50 psi	819497	1 lb.	\$25.99

## Pressure Relief Valves

- Protects your air compressor from excessive back pressure from frozen or kinked airlines, operating too deep, etc.
- 1/4" mpt

Available in

- 10 psi - Rotary vane compressors
- 25 psi - Stratus SRC rocking piston compressors
- 40 psi - Stratus ERP rocking piston compressors



Part #	Psi	Stocking Code	Ship Weight	List Price
PR10	10	611993	1 lb.	\$15.99
PR25	25	211997	1 lb.	\$15.99
PR40	40	911996	1 lb.	\$15.99



## Regenerative Blowers

- The industry choice when high oxygen, low energy consumption and reliable service is needed
- Blowers have only one moving part – the impeller – and since the impeller touches nothing, there is no wear, no seals, no vibrations and no lubrication to be done
- 50 and 60 Hz operation, automatic thermal overload protection, UL approved and CSA certified, can be mounted in any position, lightweight, durable and compact
- Includes inlet air filter and outlet bleed valve
- 6' power cord on all blowers 1 hp and smaller

Larger and three phase blowers are available — please inquire!

Part #	hp	Volts	Amps@ 115v	cfm Air Flow @ Water Depth of:					Max. Depth	Outlet Pipe Size	Stocking Code	Ship Weight	List Price
				20'	30'	40'	50'	60'					
GB11	1/8	115/230	2.0	14	–	–	–	–	29"	1 1/2"	4687991	24 lbs.	\$859.99
GB21	1/8	115/230	3.8	28	19	–	–	–	39"	1 1/2"	7907994	28 lbs.	\$1134.99
GB31N	1/2	115/230	5.6	35	27	19	11	–	52"	1 1/2"	6943993	37 lbs.	\$1179.99
GB41	1	115/230	9.8	73	64	52	28	–	58"	2"	51127995	45 lbs.	\$1409.99
GB415	1 1/2	115/230	20.7	110	102	88	78	64	63"	2"	81567999	65 lbs.	\$1959.99
GB51	2 1/2	115/230	23.6	135	125	111	100	82	65"	2"	41715196	83 lbs.	\$2143.99
GB63	5	230/460-3*	6 @ 460 Volt	188	178	167	157	147	105"	2"	72095998	115 lbs.	\$2619.99



1.5 to 5 hp  
Ship Motor  
Freight

\*5 hp are three phase motors - specify 230 or 460v. All other blowers are also available in three phase.

Please specify 115 or 230 volt when ordering. Blower will be wired 115v if not specified!



## Blower Only

Gast blowers are also available as blower only, no inlet air filter or bleed valve. Ideal for replacement applications where filter and bleed valve already exist. 6' power cord included on 1 hp and smaller units.

Part #	Description	Stocking Code	Ship Weight	List Price
GB11B	1/8 hp blower, no filter or bleed valve	7639994	21 lbs.	\$799.99
GB21B	1/8 hp blower, no filter or bleed valve	4839998	25 lbs.	\$1049.99
GB31BN	1/2 hp blower, no filter or bleed valve	3887992	32 lbs.	\$1109.99
GB41B	1 hp blower, no filter or bleed valve	21047994	38 lbs.	\$1309.99
GB415B	1 1/2 hp blower, no filter or bleed valve	61463995	57 lbs.	\$1829.99
GB51B	2 1/2 hp blower, no filter or bleed valve	41615995	75 lbs.	\$2019.99
GB63B*	5 hp blower, no filter or bleed valve	61895996	104 lbs.	\$2369.99



1.5 to 5 hp  
Ship Motor  
Freight

\*3 Phase only - specify 230 or 460v

## Replacement Air Filters for 1/8 to 5 hp Blowers



Use these high volume air filters as replacements on our Gast blowers (above) or any application requiring high volumes of prefiltered air

### Complete Filter



Part #	Mpt Connection	Fits Blowers hp	Stocking Code	Ship Weight	List Price
SOL3	1 1/4"	1/8, 1/2, 1/2	745496	2 lbs.	\$64.99
SOL5	2"	1	364398	3 lbs.	\$91.99
SOL7	2"	1 1/2, 2 1/2, 5*	5111994	4 lbs.	\$159.99

\*5 hp blowers have two filters



### Replacement Filter Cartridge

Includes canister and foam prefilter

Part #	Stocking Code	Ship Weight	List Price
SOL31	417496	1 lb.	\$24.99
SOL51	728698	1 lb.	\$40.99
SOL71	641994	2 lbs.	\$59.99



## GAST Diaphragm Compressors

Both the DC22 and DC12 come with a one year warranty  
 Brass barbed adapters included on both models for easy connection to 3/8" tubing

### DC22

- Small, continuous duty diaphragm compressor is surprisingly powerful
- The 1/20 hp motor draws only one amp electric but operates up to 12' deep and produces .7 cfm air flow
- Permanently lubricated ball bearing motors designed for years of trouble free service

### DC12

- Oil-less compressor works well for continuous pond aeration
- Higher pressure allows for aeration in ponds up to 35' deep
- Compressor comes with 6' power cord and inlet air filter



DC12



DC22

Part #	Description	Cfm	Voltage	Amps	Stocking Code	Ship Weight	List Price
DC22	1/20 hp diaphragm compressor	.7	115	1	6319493	7 lbs.	\$425.99
DC12	1/8 hp high pressure diaphragm compressor	1.1	115	4.2	8476241	12 lbs.	\$634.99



## DC Diaphragm Compressor Parts & Accessories

### DC22, DC12, Repair Kits

- If your air compressor runs but does not pump air after a couple years of service, chances are the diaphragm has cracked
- Kits include the diaphragm, head gasket and parts needed to rebuild compressor to "like new" performance
- Ship weight - 2 lbs.



Part #	Description	Stocking Code	List Price
RK22	DC22 (1/20 hp) repair kit	679497	\$105.99
DC12RK	DC12 (1/8 hp) repair kit	467496	\$89.99

### Air Filters & Elements

Can also be used on a variety of other units as replacement air filters. Ship weight - 1 lb. each.

DC22F Air filter is one piece, no replaceable element available

ERPF1 is available as complete filter or element only (ERPF12E)



ERPF1



DC22F



ERPF12E

Part #	Description	Stocking Code	List Price
DC22F	Replacement filter - DC22	115746	\$20.99
ERPF1	Complete filter - 1/4" mpt	624741	\$32.99
ERPF12E	Replacement element	19748	\$12.99

Installed by homeowner, Joseph Pesek (IN)



## STRATUS KLC<sup>TM</sup> SERIES



KLC25



KLC40, KLC60 & KLC80



KLC100 & KLC120

## Linear Diaphragm Air Compressors

These compressors combine outstanding performance with great value!

- Ultra quiet operation with very low energy usage
- Long life, even in continuous applications with minimal maintenance
- Operation at deeper than recommended depths will require more frequent replacement of diaphragms

3 Year Warranty

### KLC Diaphragm Repair Kits

Part #	Stocking Code	List Price
KLC25DK	629998	\$39.99
KLC40DK	735997	\$47.99
KLC68DK	349121	\$65.49
KLC100DK*	273421	\$97.89

\*For KLC100 & KLC120

Part #	Watts	Compressor Outlet Size (Nominal)	cfm Air Flow @ Water Depth of:								Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'	10'	12'	14'			
KLC25	23	5/8"	1.3	1	0.8	.06	0.4	0.1	—	—	6172497	7 lbs.	\$229.99
KLC40	36	5/8"	2.1	1.9	1.6	1.3	0.9	0.6	0.2	—	3221245	13 lbs.	\$294.99
KLC60	60	5/8"	3.1	2.8	2.4	2.0	1.6	1.2	0.7	0.3	1258743	15 lbs.	\$344.99
KLC80	70	5/8"	3.7	3.4	3.1	2.8	2.4	2.0	1.5	0.9	9311248	15 lbs.	\$414.99
KLC100	112	5/8"	4.2	4.1	4.0	3.6	3.1	2.5	2.0	1.2	7424496	21 lbs.	\$565.99
KLC120	130	1"	4.9	4.8	4.6	4.3	4.0	3.5	3.0	2.9	1484492	21 lbs.	\$645.99

Recommended operation in shaded area



## Linear Piston Compressors

3 Year Warranty



ML28

ML45

ML60/ML80

ML100/ML120

ML200

### ML Piston Repair Kits

Part #	Stocking Code	List Price
ML28RK	155710	\$71.89
ML45RK	367189	\$86.69
ML60RK	7112062	\$144.59
ML80RK	9122914	\$158.59
ML120RK*	4189716	\$244.79
ML200RK	5376107	\$485.29

\*for ML100 & ML120

- Quiet, energy efficient, weather resistant and durable
- These compressors utilize a small piston instead of a diaphragm to pump air
- UL listed for outdoor use — ideal for pond aeration
- It is not at all uncommon for these motors to operate continuously for up to 8 years — a perfect choice for summer and winter aeration needs
- 5' power cord with 115 volt plug included
- A rubber elbow is included for outlet connection

Part #	Watts	Compressor Outlet Size	cfm Air Flow @ Water Depth of:					Max. Depth	Max. PSI	Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'					
ML28	26	5/8"	1.3	1.2	0.8	0.5	—	6'	2.6	6240241	8 lbs.	\$309.99
ML45	45	3/4"	1.8	1.7	1.5	1.1	—	6'	2.6	5281327	8 lbs.	\$362.99
ML60	60	3/4"	2.5	2.5	2.3	1.4	0.5	8'	3.5	3364247	13 lbs.	\$469.99
ML80	86	3/4"	3.0	2.9	2.8	2.1	1.2	8'	3.5	2379748	14 lbs.	\$489.99
ML100	95	1"	4.6	4.5	4.2	3.7	1.8	9'	4.0	9565745	22 lbs.	\$729.99
ML120	118	1"	5.2	5.1	4.8	4.5	2.6	9'	4.0	4581246	22 lbs.	\$749.99
ML200	215	1"	9.9	9.1	8.4	7.3	6.0	10'	4.4	7929992	28 lbs.	\$1199.99

Recommended operation in shaded area



SINCE 1970

# Linear Aeration Kits

## Need some Koi Loving Care?

Our best selling koi pond filtration for good reason - these kits are reliable, effective and affordable.

- Ensure adequate oxygen and circulation during hot summer months
- De-icing capability during freezing months
- Kits available for water gardens and koi ponds up to 30,000 gallons
- Quiet and energy efficient
- All kits include compressor with 6' power cord, rubber membrane diffuser(s), connectors and 3/8" QuickSink tubing

**3 Year Warranty**



### LA1

**KLC25 Compressor**  
23 watt / 1.3 cfm

Estimated operating cost: \$1.51/mo.\*



### LA2

**KLC40 Compressor**  
36 watt / 2.1 cfm

Estimated operating cost: \$2.37/mo.\*



### LA3

**KLC60 Compressor**  
60 watt / 3.1 cfm

Estimated operating cost: \$3.94/mo.\*



### LA4

**KLC80 Compressor**  
70 watt / 3.7 cfm

Estimated operating cost: \$4.60/mo.\*

Part #	Compressor Part Number	Watts	3/8" Tubing	Air Diffusers Output	Aerates Ponds Up To**	Max. Depth Recommended	Stocking Code	Ship Weight	List Price
LA1	KLC25	23	25'	1	1000-7500 gallons	6'	3212248	15 lbs.	\$282.99
LA2	KLC40	36	50'	2	2000-15000 gallons	6'	3307498	29 lbs.	\$409.99
LA3	KLC60	60	75'	3	3000-22500 gallons	7'	9363747	37 lbs.	\$484.99
LA4	KLC80	70	100'	4	4000-30000 gallons	8'	6446992	45 lbs.	\$595.99



See page 50 for more information on compressors

\*Estimated operating cost based on 24/7 operation at \$.09 per kWh. Actual cost will vary with operating conditions.

\*\*Fish load, filtration capacity and other factors affect actual maximum pond size.

## Deluxe Linear Aeration Kits

**3 Year Warranty**

- Extra Quiet — you can barely hear them from only 5' away
- Energy Efficient — operates for only pennies per day
- Very Reliable — motors can often run constant for up to 8 years
- Oil-less design — provides clean, dry air with minimal maintenance
- UL Listed — for outdoor use
- Each kit includes compressor, 15' of weighted airline and air diffuser

### LA5W

Includes ML28 compressor, 15' of QuickSink weighted tubing and RAD6 air diffuser

### LA10W

Includes ML45 compressor, 15' of QuickSink weighted tubing and RAD12 air diffuser



### LA15W

Includes ML80 compressor, 15' of QuickSink weighted tubing and two RAD1250 air diffusers connected together



Part #	Compressor Part Number	cfm Air Output	Aerates Ponds Up to	Electrical Usage	Warranty	Stocking Code	Ship Weight	List Price
LA5W	ML28	1.0	25'	25 watts	3 years	3235951	13 lbs.	\$314.09
LA10W	ML45	1.6	50'	45 watts	3 years	7288798	18 lbs.	\$383.89
LA15W	ML80	2.8	75'	80 watts	3 years	4396482	24 lbs.	\$526.69

See page 50 for more information on compressors




EASYPRO.COM





## "QuickSink" Weighted PVC Airline



Thick wall PVC hose is guaranteed not to crack or split!  
Works in all temperatures for easy installation even in cold weather!

**5 Year Warranty!**



Large rolls ship motor freight



Part #	Length	Stocking Code	Ship Weight	List Price
<b>3/8" QuickSink Airline (.687" O.D.)</b>				
L3PVC	Cut any length	31134	20 lbs./100'	\$1.50/foot
L3PVC5	50' roll-boxed	344997	10 lbs.	\$59.99
L3PVC1	100' roll-boxed	782493	20 lbs.	\$109.99
L3PVCR	500' Roll	6374991	115 lbs.	\$499.99

<b>1/2" QuickSink Airline (1" O.D.)</b>				
L5PVC	Cut any length	31614	44 lbs./100'	\$2.15/foot
L5PVC1	100' roll-boxed	4133420	44 lbs.	\$177.89
L5PVCR	500' Roll	7644991	245 lbs.	\$859.99

<b>5/8" QuickSink Airline (1.12" O.D.)</b>				
L6PVC	Cut any length	31951	53 lbs./100'	\$2.60/foot
L6PVC1	100' roll-boxed	5149994	53 lbs.	\$199.99
L6PVCR	500' Roll	2689999	290 lbs.	\$919.99

<b>3/4" QuickSink Airline (1.36" O.D.)</b>				
L7PVC	Cut any length	32447	77 lbs./100'	\$3.25/foot
L7PVCR	300' Roll	3637494	260 lbs.	\$849.99

Pallet discounts available - call for details!

## Polyethylene Airline — Non-Weighted



A new and improved poly tubing that is stronger and more flexible than our previous poly tubing. Use between compressor and weighted tubing when compressor is located away from pond's edge

- Can be buried or left exposed
- Available in a variety of roll lengths to minimize fittings



Part #	Size (I.D.)	Roll Length	Stocking Code	Ship Weight	List Price
PT035	3/8"	50	517591	3 lbs.	\$21.99
PT031	3/8"	100	231999	5 lbs.	\$39.99
PT032	3/8"	200	863993	8 lbs.	\$79.99
PT051	1/2"	100	439197	5 lbs.	\$48.99
PT052	1/2"	200	675996	10 lbs.	\$94.99
PT054	1/2"	400	1119992	19 lbs.	\$149.99
PT062	5/8"	200	795996	11 lbs.	\$119.99
PT064	5/8"	400	1183998	22 lbs.	\$229.99



## Stainless Steel Hose Clamps

These clamps have hundreds of uses! Keep plenty on hand for all your air and water plumbing projects!



Part #	Size (I.D.)	Stocking Code	Case Quantity	List Price
HC1	1/4" - 5/8"	71428	100	\$1.89
HC2	3/8" - 7/8"	21423	100	\$1.89
HC3	7/16" - 1"	41641	100	\$2.19
HC34	1/2" - 1 1/4"	91641	100	\$2.19
HC4	3/4" - 1 3/4"	91796	50	\$2.39
HC5	2 1/2" - 3 1/2"	52247	50	\$2.99

## Tubing Fittings Tubing available on page 52

### Couplings



Part #	Size	Stocking Code	List Price
IC1212	5/8" x 5/8"	42274	\$3.49
IC1234	5/8" x 3/4"	53896	\$5.99
IC3434	3/4" x 3/4"	72594	\$3.99

### Male Adapters



Part #	Size	Stocking Code	List Price
PMA12	1/2" mpt x 5/8" barb	62593	\$3.99
PMA34	3/4" mpt x 3/4" barb	83244	\$4.99
PMA3412	3/4" mpt x 5/8" barb	73242	\$4.99

### Brass Male Adapters



Part #	Size	Stocking Code	List Price
BA37	1/4" mpt x 3/8" barb	42247	\$2.99
BA50	1/4" mpt x 1/2" barb	72997	\$3.99

### Couplings



Part #	Size	Stocking Code	List Price
TC3838	3/8" x 3/8"	2976	\$1.39
TC1212	1/2" x 1/2"	41043	\$1.49
TC1238	1/2" x 3/8"	71189	\$1.69

### Male Adapters



Part #	Size	Stocking Code	List Price
TA1238	1/2" mpt x 3/8" barb	81187	\$1.69
TA1212	1/2" mpt x 1/2" barb	71189	\$1.69
TA3438	3/4" mpt x 3/8" barb	61394	\$1.99
TA3412	3/4" mpt x 1/2" barb	31397	\$1.98

## Splitters

### SPL Splitters

- Ideal for water or air
- 1/2" barbed inlets
- 3/8" barbed outlets
- 1/4" ball valves



SPL382



Part #	Size	Stocking Code	Ship Weight	List Price
SPL382	2 valves	829997	1 lb.	\$39.99
SPL383	3 valves	637495	2 lbs.	\$49.99
SPL384	4 valves	344992	3 lbs.	\$59.99

### Larger aluminum block and valves for higher flow applications

- Ideal for water or air
- 1/2" barbed inlets
- 1/2" barbed outlets
- 1/2" ball valves



SPL122



Part #	Size	Stocking Code	Ship Weight	List Price
SPL122	2 valves	137494	2 lbs.	\$49.99
SPL123	3 valves	644997	2 lbs.	\$59.99
SPL124	4 valves	852498	3 lbs.	\$69.99

## Don't see the fittings you need?

The EasyPro Pond & Water Feature catalog has a huge selection of plumbing fittings and accessories. Request a copy on our website [www.easypro.com](http://www.easypro.com) or call us toll free at 800-448-3873



## Aeration Accessory Kit

This kit has 140 of the most commonly used fittings for installing aeration systems including connectors, adapters, stainless steel clamps and more. Each kit also has a nut driver, tubing cutter and Teflon tape all in a convenient storage case.

Part #	Description	Stocking Code	Ship Weight	List Price
PATK	Aeration accessory kit	3204689	8 lbs.	\$289.99



## QuickSink Self-Weighted Diffusers

Same great membrane diffuser performance in a self-sinking design!

- Self-weighted base with powder coated finish
- Sch. 80 PVC air manifold check valve
- Includes inlet air fittings for 3/8", 1/2" or 5/8" tubing; tubing clamps and strain relief
- Built in check valve prevents backflow of water up air line

**Snap Code for Video**

See the QS Diffusers in action here!



Shown assembled with strain relief included for durability



Self-weighted design eliminates need for gravel and reduces installation time!



Part #	Description	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
QS1	Self-weighted single diffuser	.8 - 3	8119998	9 lbs.	\$159.99
QS2	Self-weighted dual diffuser	1.6 - 6	2161243	11 lbs.	\$214.99



## Air Diffuser Manifolds

Self-weighted design for easy installation!

- Polyethylene underlay keeps diffuser from settling into pond bottom
- Available with self-weighted RAD650W diffusers or AS650 alumina air diffusers
- Includes check valve to prevent water from filling air line when not in use, strain relief barb fitting for tubing connection, underlay and clamp



Part #	Number of Diffusers	Recommended Airflow (cfm)	Tubing Connection	Size of Underlay	Stocking Code	Ship Weight	List Price
--------	---------------------	---------------------------	-------------------	------------------	---------------	-------------	------------

### Manifolds with Membrane Diffusers

DM2	2	.8 - 3.4	3/8", 1/2" & 5/8"	11 1/4" x 20"	371246	9 lbs.	\$94.99
DM4	4	1.6 - 6.8	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	7110998	11 lbs.	\$147.99
DM6	6	2.4 - 10.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	8142494	14 lbs.	\$189.99

### Manifolds with Alumina Diffusers

DM2S	2	1.0 - 1.4	3/8", 1/2" & 5/8"	11 1/4" x 20"	886991	8 lbs.	\$115.99
DM4S	4	2.0 - 2.8	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	5147745	9 lbs.	\$196.99
DM6S	6	3.0 - 4.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	4191997	10 lbs.	\$255.99



SINCE 1970

# Air Diffusers

## Improved membrane design!

- Enhanced durability
- Improved efficiency
- Lower maintenance

**New Improved Design**



MD3

Bottom View of MD3

## Membrane Diffusers

A great alternative to air stones in many aeration applications

- Hundreds of "I" slots that open as air pressure builds inside of the diffuser
- Center of the membrane does not have slots and acts as a check valve when air flow stops
- Diffusers have a 3/4" male thread inlet and are 10" in diameter
- Uniform bubble distribution with up to 3 cfm air flow

Part #	Case Quantity	Stocking Code	Ship Weight	List Price
MD3	20	529998	2 lbs.	\$39.99



## Rubber Membrane Air Diffusers

Incredibly strong. Ideal for pond aeration, circulation and destratifying applications

- Unlike air stones these diffusers are easy to clean
- In testing they produce a slightly larger air bubble than air stones which translates into less oxygen transfer into the water, so for fish holding tanks, raceways, fish production ponds, etc. we recommend staying with the air stones below
- Barbed inlets have multiple size barbs, simply cut to fit tubing
- Excellent for ponds and water gardens since they actually produce more circulation and water movement



6" weighted diffuser now available  
Part #RAD650W

Part #	Length	Inlet Air Fitting	Recommended Airflow (cfm)	Maximum Airflow (cfm)	Case Quantity	Stocking Code	Ship Weight	List Price
RAD4	4"	1/4" - 3/8"	.2	1.1	12	610347	1 lb.	\$13.79
RAD6	6"	1/4" - 3/8"	.4	1.7	12	513794	1 lb.	\$18.39
RAD650	6"	1/2" mpt	.4	1.7	12	813792	1 lb.	\$18.39
RAD650W	6"	1/2" mpt weighted	.4	1.7	12	117392	2 lbs.	\$23.19
RAD8	8"	3/8" - 1/2"	.7	2.5	12	617025	1 lb.	\$22.69
RAD850	8"	1/2" mpt	.7	2.5	12	717024	1 lb.	\$22.69
RAD12	12"	3/8" - 1/2"	.9	3.5	6	426846	2 lbs.	\$35.79
RAD1250	12"	1/2" mpt	.9	3.5	6	226848	2 lbs.	\$35.79



## Pro-Glass Alumina Air Stones

Alumina Air Stones – three times stronger than white silica air stones!

- Creates finer bubbles for increased aeration efficiency with no increase in pressure
- Inlet fittings are set into the body of the diffuser, making them much less likely to break or twist loose
- Higher density means self-weighting
- More resistant to ozone

The Best Choice for aquaculture applications!



Manufactured for EasyPro in the USA

Contact us for volume pricing

Part #	Dimensions	Fitting Size	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
AS15	1 1/2" x 1 1/2" x 1 1/2"	3/16" barb	.20	49782	1 lb.	\$13.49
AS325	1 1/2" x 1 1/2" x 3"	1/4" barb	.30	715223	1 lb.	\$20.99
AS337	1 1/2" x 1 1/2" x 3"	3/8" barb	.30	315223	2 lbs.	\$20.99
AS637	1 1/2" x 1 1/2" x 6"	3/8" barb	.50	418845	2 lbs.	\$25.99
AS650	1 1/2" x 1 1/2" x 6"	1/2" npt	.50	518841	2 lbs.	\$25.99
AS937	1 1/2" x 1 1/2" x 9"	3/8" barb	.75	128995	2 lbs.	\$39.99
AS950	1 1/2" x 1 1/2" x 9"	1/2" npt	.75	528996	2 lbs.	\$39.99
AS1237	1 1/2" x 1 1/2" x 12"	3/8" barb	1.0	632628	3 lbs.	\$44.99
AS1250	1 1/2" x 1 1/2" x 12"	1/2" npt	1.0	832629	3 lbs.	\$44.99



EasyPro offers a variety of weatherproof enclosures to protect aeration compressors from the elements. Without protection the life of any air system will be greatly reduced.

## Mock Rock™ Landscape Boulders

These Mock Rock™ Boulders are ideal for concealing air pumps, water pumps, pond filters, UVs, lighting transformers and other equipment.

- Commercial grade construction stands up to the elements, will not fade or crack, recycled material
- All rocks come standard with one vent, additional vents can be ordered if needed



### Three Sizes

**DMBR:** Measures 19" long x 14" wide x 12" high, includes one 3" vent

**DLB1:** Measures 30" long x 23" wide x 18" high, includes one 3" vent

**DLB2<sup>†</sup>:** Measures 56" long x 42" wide x 30" high, includes one 4" vent  
<sup>†</sup>ships motor freight

Part #	Color	Recommended for	Vent Included	Stocking Code	Ship Weight	List Price
<b>DMBR</b>	Brown	Linear compressors, CMC3-ML80	One 3" vent	882422	4 lbs.*	\$109.89
<b>DLB1F</b>	Gray	Compressors up to PA66, small pond filters	One 3" vent	3124422	6 lbs.*	\$165.89
<b>DLB1R</b>	Brown	Compressors up to PA66, small pond filters	One 3" vent	6124424	6 lbs.*	\$165.89
<b>DLB2F</b>	Gray	PA75+ or multiple compressors	One 4" vent	1329998	28 lbs. <sup>†</sup>	\$439.99
<b>DLB2R</b>	Brown	PA75+ or multiple compressors	One 4" vent	9329996	28 lbs. <sup>†</sup>	\$439.99
<b>DLB3S</b>	—	Additional 3" louvered vent installed	—	313346	1 lb.	\$17.79
<b>DLB4S</b>	—	Additional 4" screened vent installed	—	222275	1 lb.	\$29.69

\*Dimensional shipping rate applies †Ships motor freight



## Roto-Molded Cabinets

This polyethylene cabinet is an economical alternative to the steel cabinets

Designed to hold air compressors up to the RV33 (1/4 hp rotary vane) in size. The small foot print makes it easy to hide!

- Ideal for housing all linear compressors, DC22 (PA10), DC12 (PA12), SRC25 (PA34), SRC50 (PA66) and RV33 (PA50)

- Roto-molded in a tan color which blends well into existing landscape
- Built in louvers allow fresh air into cabinet, an optional cooling fan is recommended for large compressors or in hot locations, fan comes installed in opposite hole with louver



SC25F1



SC25SU



Part #	Description	Stocking Code	Ship Weight	List Price
<b>SC25</b>	Cabinet, 15" w x 25" l x 15" h	2179992	22 lbs.	\$239.99
<b>SC25F1</b>	Cabinet with 115v fan installed	3224997	24 lbs.	\$299.99
<b>SC25F2</b>	Cabinet with 230v fan installed	9232498	24 lbs.	\$309.99
<b>SC25SU</b>	Sound proofing for SC25 (installed)	265248	—	\$86.99



## Post Mounted Lockable Cabinets

### Top and front wall open for easy access and service

- 11½" w x 18" l x 11 ½" t - will hold all linear compressors and the DC12, DC22, SRC25, SRC50 compressors
- 18 gauge galvanized steel with powder coat finish
- Three 1¼" knock outs for airlines plus one for power source
- All cabinets come complete with mounting bracket, cooling fan and electrical box
- Also available with a raised base for use on the ground when pole mounting is not an option
- 5' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 13 amp max. / 230v 15 amp max.



SC18



Sound proofing option available — high quality acoustical foam reduces motor sound considerably



Part #	Description	Stocking Code	Ship Weight	List Price
SC18	Pole mount cabinet with 115v fan	4307498	19 lbs.	\$409.99
SC182	Pole mount cabinet with 230v fan	6329995	19 lbs.	\$439.99
SC18G	Ground mount cabinet with 115v fan	5329992	22 lbs.	\$439.99
SC18G2	Ground mount cabinet with 230v fan	7337496	22 lbs.	\$449.99
SC18SU	Sound proofing upgrade (installed)	857748	–	\$76.99



SC18G

## Lockable Steel Cabinets

### Standard Cabinet

- 16½" w x 22" l x 19" t - will hold all compressors up to RV100 or multiple smaller units with stainless steel lock to protect against vandalism
- Includes compressor mounting base to keep compressor up off floor
- 14 gauge galvanized steel with powder coat paint finish
- Tapered lid - makes front wall shorter allowing easier access to compressor
- Has six 1¼" knockouts for airlines and one knockout for incoming power
- Optional fans recommended on any compressors operating in hot climates and on 3/4 hp and larger in all climates



SC22



Now with 6 foot power cord!

SC22D1



### Deluxe Cabinet

- Standard cabinet above with cooling fan and electrical box installed
- Cooling fan kits include fan, guard, power cord and hardware
- 6' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 15 amp max. / 230v 15 amp max.



Part #	Description	Stocking Code	Ship Weight	List Price
SC22	Standard locking cabinet	6397497	50 lbs.	\$529.99
SC22D1	Deluxe cabinet with electric & 115v fan installed	6512998	53 lbs.	\$683.99
SC22D2	Deluxe cabinet with electric & 230v fan installed	8524995	53 lbs.	\$699.99
SC22SU	Sound proofing for SC22 cabinet (installed)	789994	–	\$119.99



SC28N cabinets are engineered to hold two 1 hp compressors with up to 12 airlines!



SC28N with optional sound proof package and equipment pad

## Large Lockable Steel Cabinets

### Features

These larger cabinets are ideal for lake aeration projects where multiple compressors are used or for applications needing one compressor and a liquid dosing pump.

- 16 gauge galvanized steel with powder coat finish
- 24" w x 28" l x 20" t, includes two motor mounting plates
- Deluxe cabinets include electrical box and dual high volume cooling fan installed
- Locking hinges hold lid open during service and maintenance
- Order equipment pad for dusty applications (bottom air intake on cabinets) or soft/mucky sites to support the weight of the cabinet



SC28ND1  
Inside detail with 115v dual cooling fans



SC28N with optional SMBASE33 equipment pad

Part #	Description	Stocking Code	Ship Weight	List Price
SC28N	Large locking cabinet	4742494	85 lbs.	\$989.99
SC28ND1	Deluxe large cabinet with electric & 115v dual cooling fans installed	3922494	94 lbs.	\$1229.99
SC28ND2	Deluxe large cabinet with electric & 230v dual cooling fans installed	3941998	94 lbs.	\$1255.99
SC28NFK1	Dual cooling fan kit** for SC28N cabinet, 115v	8107243	5 lbs.	\$142.99
SC28NFK2	Dual cooling fan kit** for SC28N cabinet, 230v	9115491	5 lbs.	\$153.99
SC28SU	Sound proofing for SC28N cabinet (installed)	2104995	2 lbs.	\$139.99
SMBASE33	Optional equipment pad, 32" x 32" x 3" thick	884999	18 lbs.	\$99.99

\*\*Fan kits above include fans, guards, power cords and mounting hardware for SC28N cabinet



Large Cabinets Ship Motor Freight

## Lockable Steel Cabinet Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
SCFK1	Cooling fan kit* for SC18, SC22 cabinet, 115v	152498	2 lbs.	\$69.99
SCFK2	Cooling fan kit* for SC18, SC22 cabinet, 230v	758492	2 lbs.	\$77.99

\*Fan kits above include fan, guard, power cord and mounting hardware

SCELK1	Electrical component kit <sup>†</sup> for SC22, 115v	820998	1 lb.	\$27.99
SCELK2	Electrical component kit <sup>†</sup> for SC22, 230v	529246	1 lb.	\$38.99
SCFAN1	Replacement fan for SC18, SC22, SC25, SC28N - 115v	432994	2 lbs.	\$43.99
SCFAN2	Replacement fan for SC18, SC22, SC25, SC28N - 230v	537426	2 lbs.	\$49.89
SCFANG	Replacement fan guard for SC18, SC22, SC25, SC28N	95695	1 lb.	\$7.59
SC28ELK1	Electrical component kit <sup>†</sup> for SC28, 115v	959995	2 lbs.	\$79.99
SC28ELK2	Electrical component kit <sup>†</sup> for SC28, 230v	3112499	2 lbs.	\$149.99

<sup>†</sup>All electrical kits include outlet, pvc and mounting hardware. No power cord included.



SCELK1  
Electrical Outlet



SCFAN1  
Replacement Fan Only



SCFANG  
Replacement Fan Guard

### Dual Cooling Fan kit for SC28N cabinet (New 2020)

SC28NFK1	Dual cooling fan kit** for SC28 cabinet, 115v	8107242	2 lbs.	\$142.99
SC28NFK2	Dual cooling fan kit** for SC28 cabinet, 230v	2115497	2 lbs.	\$153.99

\*\*Fan kits above include fans, power cord and mounting hardware for SC28 cabinet

## Surface Aeration

EasyPro offers a wide variety of fountains and surface aerators. Our volume allows us to sell the best fountains at the lowest prices. A variety of patterns, sizes (ranging from 1/3 to 25 hp) and light packages for night time displays, assures we have a fountain for most every application. Shop and compare – we offer the best selection and lowest prices in the industry.

Surface fountains are a popular choice when decorative looks are desired. Golf courses, parks, office buildings and housing developments are all common places you see fountains used.

Many different spray patterns are available creating aesthetically pleasing looks while creating circulation and aeration. Since fountains float on the surface, circulation does not reach all the way to the bottom in deep applications which reduces their effectiveness.

Fountains create good water movement at the pond's surface and are helpful in keeping pollen, duckweed, watermeal and other surface debris under control.



Surface aeration is available in several styles ranging from high volume to highly decorative. Since water is heavy, the more decorative the spray pattern is the less volume of water is pumped. Here is a brief look at each style of surface aeration:



### High Volume

These units focus on moving the maximum amount of water and not on decorative looks. Fish farms, waste water treatment ponds, retention ponds and other applications requiring maximum water movement with high oxygen transfer will benefit the most from this design. While not the prettiest to look at, these units are by far the best bang for the dollar when water quality management is needed.



### Medium Volume

A modified version of the high volume units above, these fountains use a nozzle to guide the water into a "V" shaped display. Some volume is sacrificed to achieve the higher spray, but overall, decent water movement is produced. A good compromise between high volume and decorative units. These units are a good choice for ponds requiring water quality improvement but also a visually attractive display.



### Decorative

For ponds requiring maximum visual appeal. Instead of a high volume propeller, decorative fountains use an impeller to build pressure and then force the water out through various nozzles to create a tall, visually appealing fountain. These units pump minimal water and create minimal circulation so they should be viewed as mostly decorative. Office buildings, condo associations, parks, zoos are the most common applications. We strongly recommend the use of a diffused aeration system in conjunction with a decorative fountain if water quality management is needed.

## Finally the Perfect Fountain for Small Ponds!



### STARBURST MINI FLOATING POND FOUNTAIN

Designed for ponds as small as 15' in diameter and features built-in, super bright lights and super easy installation.

- Powered by an energy-efficient asynchronous mag drive pump
- Six super bright, cool white LED lights embedded in float
- Spray pattern: 2.5' tall x 6' diameter
- Float diameter: 15"
- Minimum required pond depth: 18"
- Wattage: Fountain 110 watts, Lights 5 watts
- 30' Cord
- One year limited warranty



**BEAUTIFUL** BY DAY  
**STUNNING** BY NIGHT



2.5' tall x 6' diameter  
Recommended for ponds larger than 15' in diameter

Part #	Description	Stocking Code	Ship Weight	List Price
MWF36	Starburst Mini Fountain	4412497	13 lbs.	\$549.99




## AquaFloat™ Floating Fountain Head

- Build your own fountain by simply hooking a pump to this head
- Ideal for use with existing lawn sprinkling pump
- The fountain head has a 24" diameter high density float and a decorative float cover
- The spray nozzle threads on/off for easy cleaning
- Inlet connection is 2" female threads

Build Your Own Fountain!



24"



Rocket Nozzle



Wide Umbrella Nozzle




Narrow Umbrella Nozzle

Fountain Performance Chart					
Rocket Nozzle			Wide Umbrella Nozzle		
Spray Pattern	gpm	Ft. of Head	Spray Pattern	gpm	Ft. of Head
6'h x 3'd	40	10'	4'h x 15'd	62	11'
8'h x 3'd	45	13'	6'h x 20'd	77	14'
10'h x 3'd	51	15'	8'h x 24'd	82	19'
12'h x 3'd	55	16'			
14'h x 3'd	61	20'			
16'h x 3'd	65	23'			

Ft. of head column is the amount of pressure the nozzle requires.

Select a pump that will deliver the gpm @ ft. of head shown

Part #	Description	Stocking Code	Ship Weight	List Price
ACF1N	Fountain head w/rocket nozzle	6172498	14 lbs.	\$229.99
ACF2N	Fountain head w/wide umbrella nozzle	9172497	14 lbs.	\$229.99
ACF3N	Fountain head w/narrow umbrella nozzle	3172496	14 lbs.	\$229.99
ACFRN	Rocket nozzle only	544991	3 lbs.	\$59.99
ACFWU	Wide umbrella nozzle only	444994	3 lbs.	\$59.99
ACFNU	Narrow umbrella nozzle only	144992	3 lbs.	\$59.99





Rocket Nozzle

## AquaFountain™ 1/2 hp & 1 hp Fountains

Beautiful • Reliable • Affordable



Wide Umbrella Nozzle



Narrow Umbrella Nozzle

For over 25 years AquaFountains have proven themselves to be beautiful, reliable and affordable!

- Long lasting, energy efficient motor designed for continuous duty operation, with built in thermal and over current protection
- Floats are made from high density foam and protected by a decorative float cover
- Intake screens are aluminum and prevent leaves, algae, sticks, etc. from plugging pump
- 30" minimum operating depth
- 115v units come with timer and GFI; 230v units include timer only, purchase GFI locally
- Pre-assembled and ready to install

2 Year Warranty

See pages 62-64 for AquaShine™ light kits that turn your fountain into a beautiful night time display



Fountains include rocket and umbrella nozzles. Purchase narrow umbrella separately below.

GFI with timer included on all 115v models  
230v units include timer only panel, without GFI



GFI3

Part #	hp	Power Cord Length/Gauge	Voltage /Amps	Rocket Spray Dimensions	Wide Umbrella Dimensions	Stocking Code	Ship Weight	List Price
--------	----	-------------------------	---------------	-------------------------	--------------------------	---------------	-------------	------------



### 1/2 hp, 115v

AF50	1/2	100'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	71394995	59 lbs.	\$1799.99
AF5015	1/2	150'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	51549998	67 lbs.	\$1999.99
AF5020	1/2	200'/10 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	72069245	102 lbs.	\$2669.99



### 1 hp, 115v

AF100	1	100'/12 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	61704996	82 lbs.	\$2199.99
AF10015	1	150'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	52169993	110 lbs.	\$2799.99
AF10020	1	200'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	52386998	125 lbs.	\$3079.99



AF5020  
AF10015  
AF10020  
AF100220  
AF100225

### 1 hp, 230v

AF1002*	1	100'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	81704996	78 lbs.	\$2199.99
AF100215*	1	150'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	31782493	90 lbs.	\$2299.99
AF100220*	1	200'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	21937495	98 lbs.	\$2499.99
AF100225*	1	250'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	42092498	106 lbs.	\$2699.99
SCFNU	Narrow umbrella nozzle only					544992	3 lbs.	\$59.99

\*230 volt fountains only have timer. GFI must be purchased locally.

Are you ready for the best value in fountain lighting?



## AquaShine™ Fountain Light Kits

**2 Light Kits**  
for Fountains  
up to 3/4 hp



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

2 x 1 Splitter



x2  
2 Stainless Steel LED Lights  
with 2' Pigtails and 2 Brackets

**3 Light Kits**  
for Fountains  
up to 2 hp



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

3 x 1 Splitter



x3  
3 Stainless Steel LED Lights  
with 2' Pigtails and 3 Brackets

**4 Light Kits**  
for Fountains  
up to 3 hp



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

4 x 1 Splitter



x4  
4 Stainless Steel LED Lights  
with 2' Pigtails and 4 Brackets

**6 Light Kits**  
for 3 hp to 5 hp  
Fountains



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

1 - 2 x 1 Splitter  
2 - 3 x 1 Splitters



x6  
6 Stainless Steel LED Lights  
with 2' Pigtails and 6 Brackets

\*Remote Control not included in Warm White Fountain Light (WFL) kits

Now that we've got your attention, check out pages 63-64! >>>

### Power Cords for AquaShine™ Light Kits

Quick Connect ends allow for easy cord replacement and allow existing light systems to be lengthened. (400' maximum)

LKC5100  
5 pin cord for  
RGBW Color  
Changing Lights



Part #	Description	Length	Quick Connect Pins	Stocking Code	Ship Weight	List Price
LKC5100	100' Power cord for RGBW color changing lights	100'	5	4251876	12 lbs.	\$324.99
LKC5150	150' Power cord for RGBW color changing lights	150'	5	5368122	18 lbs.	\$474.99
LKC5200	200' Power cord for RGBW color changing lights	200'	5	5488245	23 lbs.	\$629.99
LKC2100	100' Power cord for warm white lights	100'	2	2154998	12 lbs.	\$199.99
LKC2150	150' Power cord for warm white lights	150'	2	5216993	18 lbs.	\$279.99
LKC2200	200' Power cord for warm white lights	200'	2	6286744	23 lbs.	\$369.99



### Digital Controllers for AquaShine™ Lights

RGBC4M

Warm White - 2 pin

Part #	Max Lights	Stocking Code	Ship Weight	List Price
WLC4	4	9131741	3 lbs.	\$169.99
WLC6	6	1205375	3 lbs.	\$264.99

RGB Color Changing - 5 pin

Part #	Max Lights	Stocking Code	Ship Weight	List Price
RGBC4M	4	1201499	8 lbs.	\$259.99
RGBC6M	6	6302242	11 lbs.	\$389.99





SINCE 1970

# AquaShine Fountain Lights

## AquaShine™ LED Fountain Lights

## Stainless Steel Color Changing LED Light Kits

Brilliant color changing lights are sure to make your fountain dazzle long after the sun goes down!

- Stainless steel 17 watt lights have both true warm white diodes and color changing diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with remote control makes selecting a color and adjusting the brightness easy.
- Remote control works up to 1000' away!
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- Red, green, blue, warm white, lavender, cyan and yellow-green solid colors plus several pre-programmed sequences with additional colors.
- 2, 3, 4 and 6 light kits available.

**Three year warranty on lights**  
**One year warranty on controller and cord**



Shown with EasyPro AquaFountain & Narrow Umbrella Nozzle sold on page 61

See page 62 for "What's in a Kit", additional power cords and digital controllers



Shown on the Kasco 1 hp Fountain

### 2, 3, 4 and 6 Light Kits designed for use with

- Kasco 1/2-5 hp Fountains - pages 65-67
- EasyPro Aqua Fountains - page 61
- EasyPro Floating Fountain Heads - page 60

*Works well with most common fountains. Slight on-site hardware modification may be needed.*

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
--------	-------------	------------	---------------	-------------	------------

#### Two Light Kits for fountains up to 3/4 hp

<b>RGB2-100</b>	2 RGBW LED Light Kit for fountains up to 3/4 hp	100'	3968747	16, 12 lbs.	\$1249.99
<b>RGB2-150</b>	2 RGBW LED Light Kit for fountains up to 3/4 hp	150'	81084998	16, 18 lbs.	\$1399.99
<b>RGB2-200</b>	2 RGBW LED Light Kit for fountains up to 3/4 hp	200'	31201245	16, 23 lbs.	\$1549.99



#### Three Light Kits for fountains up to 2 hp

<b>RGB3-100</b>	3 RGBW LED Light Kit for fountains up to 2 hp	100'	51239996	18, 12 lbs.	\$1599.99
<b>RGB3-150</b>	3 RGBW LED Light Kit for fountains up to 2 hp	150'	71317493	18, 18 lbs.	\$1699.99
<b>RGB3-200</b>	3 RGBW LED Light Kit for fountains up to 2 hp	200'	51433746	18, 23 lbs.	\$1849.99

#### Four Light Kits for fountains up to 2 hp

<b>RGB4-100</b>	4 RGBW LED Light Kit for fountains up to 2 hp	100'	61472495	20, 12 lbs.	\$1899.99
<b>RGB4-150</b>	4 RGBW LED Light Kit for fountains up to 2 hp	150'	41588743	20, 18 lbs.	\$2049.99
<b>RGB4-200</b>	4 RGBW LED Light Kit for fountains up to 2 hp	200'	21704993	20, 23 lbs.	\$2199.99

#### Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats

<b>RGB6N-100</b>	6 RGBW LED Light Kit for fountains up to 5 hp	100'	82053746	31, 12 lbs.	\$2649.99
<b>RGB6N-150</b>	6 RGBW LED Light Kit for fountains up to 5 hp	150'	92169996	31, 18 lbs.	\$2799.99
<b>RGB6N-200</b>	6 RGBW LED Light Kit for fountains up to 5 hp	200'	82324996	31, 23 lbs.	\$2999.99

## AquaShine™ LED Fountain Lights

## Stainless Steel Warm White LED Light Kits

Radiant warm white LED fountain light kits that bring your fountain to life!

- Stainless steel 11 watt lights with warm white diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with built-in voltage regulator can be used with cords up to 300'.
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- 2, 3, 4 and 6 light kits available.

**Three year warranty on lights.**  
**One year warranty on controller and cord.**



2 Light Kit  
Shown on EasyPro 1 hp AquaFountain



3 Light Kit  
Shown on Kasco 1 hp Fountain



Shown above with EasyPro AquaFountain & Narrow Umbrella Nozzle.

Shown on right with EasyPro Aqua Fountain & Rocket Nozzle.

AquaFountains sold on page 61.



### 2, 3, 4 and 6 Light Kits designed for use with

Kasco 1/2-5 hp Fountains - pages 65-67

EasyPro Aqua Fountains - page 61

EasyPro Floating Fountain Heads - page 60

*Works well with most common fountains.  
Slight on-site hardware modification may be needed.*

- These kits replace our previous SLK fountain lights and feature a number of upgrades.

See page 62 for "What's in a Kit", additional power cords and digital controllers

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
--------	-------------	------------	---------------	-------------	------------

#### Two Light Kits for fountains up to 3/4 hp

<b>WFL2-100</b>	2 Warm White LED Light Kit for fountains up to 3/4 hp	100'	4697498	11, 12 lbs.	\$899.99
<b>WFL2-150</b>	2 Warm White LED Light Kit for fountains up to 3/4 hp	150'	7767243	11, 18 lbs.	\$989.99
<b>WFL2-200</b>	2 Warm White LED Light Kit for fountains up to 3/4 hp	200'	2836992	11, 23 lbs.	\$1079.99

#### Three Light Kits for fountains up to 2 hp

<b>WFL3-100</b>	3 Warm White LED Light Kit for fountains up to 2 hp	100'	5875741	14, 12 lbs.	\$1129.99
<b>WFL3-150</b>	3 Warm White LED Light Kit for fountains up to 2 hp	150'	1960995	14, 18 lbs.	\$1239.99
<b>WFL3-200</b>	3 Warm White LED Light Kit for fountains up to 2 hp	200'	71038493	14, 23 lbs.	\$1339.99

#### Four Light Kits for fountains up to 2 hp

<b>WFL4-100</b>	4 Warm White LED Light Kit for fountains up to 2 hp	100'	21084993	16, 12 lbs.	\$1399.99
<b>WFL4-150</b>	4 Warm White LED Light Kit for fountains up to 2 hp	150'	51162491	16, 18 lbs.	\$1499.99
<b>WFL4-200</b>	4 Warm White LED Light Kit for fountains up to 2 hp	200'	11239995	16, 23 lbs.	\$1599.99

#### Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats

<b>WFL6N-100</b>	6 Warm White LED Light Kit for fountains up to 5 hp	100'	71549997	23, 12 lbs.	\$1999.99
<b>WFL6N-150</b>	6 Warm White LED Light Kit for fountains up to 5 hp	150'	81596491	23, 18 lbs.	\$2059.99
<b>WFL6N-200</b>	6 Warm White LED Light Kit for fountains up to 5 hp	200'	81666244	23, 23 lbs.	\$2149.99





ICE1970

# Kasco 1/2 to 5 hp VFX Aerating Fountains

These Kasco fountains combine decorative good looks along with high oxygen transfer, making them the perfect choice for surface aeration. Kasco fountains are easy to install and energy efficient.

- Outstanding oxygen transfer rates, aesthetically pleasing patterns and low overall operating costs — each unit is fully self contained and floats in place in your pond or lake
- They come complete with motor assembly, float, bottom screen, mooring ropes, power cord and control panel (includes a weatherproof enclosure, GFI protection, a timer for fountain and a photo eye for lights)
- New one piece float on 2 & 5 hp fountains



VFX2400  
Float style varies by hp size



Part #	Description	Cord Length	Voltage	Amps	Min. Water Depth	Approx. gpm	Warranty	Stocking Code	Ship Weight	List Price
--------	-------------	-------------	---------	------	------------------	-------------	----------	---------------	-------------	------------

### 1/2 hp - 5' high x 15' diameter spray pattern

VFX2400	1/2 hp fountain	100'	115	5.6	15"	89	2 Years	21504704	36, 21*	\$1835.00
VFX2400-150	1/2 hp fountain	150'	115	5.6	15"	89	2 Years	41957342	28, 24, 21*	\$2387.00

### 3/4 hp - 5.5' high x 21' diameter spray pattern

VFX3400	3/4 hp fountain	100'	115	7.3	18"	111	2 Years	61617867	41, 21*	\$1973.00
VFX3400-150	3/4 hp fountain	150'	115	7.3	18"	111	2 Years	72088546	32, 24, 21*	\$2547.00
VFX3400H	3/4 hp fountain	100'	230	3.7	18"	111	2 Years	52984804	45, 8, 17*	\$3640.00
VFX3400H-150	3/4 hp fountain**	150'	230	3.7	18"	111	2 Years	83545682	31, 24, 8, 17*	\$4324.00

### 1 hp - 8' high x 26' diameter spray pattern

VFX4400	1 hp fountain**	100'	115	11.3	19"	186	2 Years	72215646	34, 17, 21*	\$2702.00
VFX4400-150	1 hp fountain**	150'	115	11.3	19"	186	2 Years	52665005	34, 40, 21*	\$3250.00
VFX4400-200	1 hp fountain**	200'	115	11.3	19"	186	2 Years	43014327	34, 52, 21*	\$3676.00
VFX4400H	1 hp fountain	100'	230	5.7	19"	186	2 Years	73195547	50, 8, 17*	\$3897.00
VFX4400H-150	1 hp fountain**	150'	230	5.7	19"	186	2 Years	53771184	35, 24, 8, 17*	\$4599.00
VFX4400H-200	1 hp fountain**	200'	230	5.7	19"	186	2 Years	23956502	35, 31, 8, 17*	\$4825.00

### 2 hp - 8' high x 32' diameter spray pattern. Also available with three phase motors. Call for details.

VFX8400H	2 hp fountain**	100'	230	11	20"	336	3 Years	25379203	56, 17, 8, 11, 26*	\$6560.00
VFX8400H-150	2 hp fountain**	150'	230	11	20"	336	3 Years	45519426	56, 24, 8, 11, 26*	\$6731.00
VFX8400H-200	2 hp fountain**	200'	230	11	20"	336	3 Years	35667023	56, 31, 8, 11, 26*	\$6911.00

### 5 hp - 9' high x 34' diameter spray pattern. Also available with three phase motors. Call for details.

VFX5.1H	5 hp fountain**	100'	230	20	26"	800	3 Years	36978203	86, 26, 8, 11, 40*	\$8510.00
VFX5.1H-150	5 hp fountain**	150'	230	20	26"	800	3 Years	47694067	86, 48, 8, 11, 40*	\$9383.00
VFX5.1H-200	5 hp fountain**	200'	230	20	26"	800	3 Years	98245925	86, 60, 8, 11, 40*	\$10,056.00

\*Dimensional rates apply on floats \*\*Power cord includes quick disconnect  
Note: All 5 hp Kasco units and units with 150'+ cords ship factory direct.

See pages 62-64 and page 70 for light kits to turn your fountain into a beautiful night time display





## J Series Decorative Fountains

3/4 to 5 hp — You get multiple spray nozzles with each fountain, allows you to change the look of your fountain as desired. See pages 62-64 and 70 for light kits.

### Kasco

**Authorized Service Center**

EasyPro can handle all Kasco fountain warranty and non-warranty repairs in-house

### Features

- Each J Series fountain comes with five spray nozzles. See chart on page 69 for nozzles included with each model.
- Fountains come complete with motor, float, nozzles, power cord, control panel (with timer/GFI) and mooring ropes
- Operate in as little as 18-26 inches of water (depends on hp)
- All fountains may be shipped small parcel for convenience

### J Series Warranties

- 3/4 and 1 hp : two year warranty
- 2 hp: three year warranty
- 3 and 5 hp: five year warranty



Part #	Description	Cord Length	Voltage	Amps***	Min. Water Depth	Warranty	Stocking Code	Ship Weight	List Price
--------	-------------	-------------	---------	---------	------------------	----------	---------------	-------------	------------

#### 3/4 hp J Series Fountains

JF3400	3/4 hp fountain	100'	115	6.7	18"	2 Years	31785963	42, 21*	\$2178.00
JF3400-150	3/4 hp fountain	150'	115	6.7	18"	2 Years	42250905	34, 24, 21*	\$2745.00
JF3400-200	3/4 hp fountain	200'	115	6.7	18"	2 Years	72459183	34, 31, 21*	\$2999.00
JF3400H	3/4 hp fountain	100'	230	3.3	18"	2 Years	23227526	42, 8, 18*	\$3936.00
JF3400H-150	3/4 hp fountain	150'	230	3.3	18"	2 Years	63796609	34, 24, 8, 18*	\$4630.00
JF3400H-200	3/4 hp fountain	200'	230	3.3	18"	2 Years	73977824	34, 31, 8, 18*	\$4851.00

#### 1 hp J Series Fountains

JF4400	1 hp fountain	100'	115	10.7	19"	2 Years	52457545	37, 17, 21*	\$2997.00
JF4400-150	1 hp fountain	150'	115	10.7	19"	2 Years	52915104	37, 40, 21*	\$3555.00
JF4400-200	1 hp fountain	200'	115	10.7	19"	2 Years	83190627	37, 52, 21*	\$3891.00
JF4400H	1 hp fountain	100'	230	5.3	19"	2 Years	63612927	45, 8, 18*	\$4406.00
JF4400H-150	1 hp fountain**	150'	230	5.3	19"	2 Years	44221367	37, 24, 8, 18*	\$5148.00
JF4400H-200	1 hp fountain**	200'	230	5.3	19"	2 Years	34414066	37, 31, 8, 18*	\$5383.00

#### 2 hp J Series Fountains - Also available with three phase motors. Call for details.

JF8400H	2 hp fountain**	100'	230	10	20"	3 Years	55117626	59, 17, 8, 10, 26*	\$6241.00
JF8400H-150	2 hp fountain**	150'	230	10	20"	3 Years	35220946	59, 24, 8, 10, 26*	\$6367.00
JF8400H-200	2 hp fountain**	200'	230	10	20"	3 Years	35361987	59, 31, 8, 10, 26*	\$6539.00

#### 3 hp J Series Fountains - Also available with three phase motors. Call for details.

JF3.1H	3 hp fountain**	100'	230	13.4	24"	5 Years	65915483	68, 17, 8, 10, 34*	\$7214.00
JF3.1H-150	3 hp fountain**	150'	230	13.4	24"	5 Years	36055706	68, 24, 8, 10, 34*	\$7385.00
JF3.1H-200	3 hp fountain**	200'	230	13.4	24"	5 Years	36621506	68, 60, 8, 10, 34*	\$8075.00

#### 5 hp J Series Fountains - Also available with three phase motors. Call for details.


JF5.1H	5 hp fountain**	100'	230	20	26"	5 Years	56921629	88, 26, 8, 11, 40*	\$8441.00
JF5.1H-150	5 hp fountain**	150'	230	20	26"	5 Years	97731785	88, 48, 8, 11, 40*	\$9429.00
JF5.1H-200	5 hp fountain**	200'	230	20	26"	5 Years	98334485	88, 60, 8, 11, 40*	\$10,164.00

\*Dimensional rates apply on floats \*\*Power cord includes quick disconnect  
 Note: All 3 hp and 5 hp Kasco units and units with 150'+ cords ship factory direct.  
 \*\*\*Amp draw may vary up to 10% depending on nozzle used



## J Series Decorative Fountain Nozzles


Twist and lock nozzles for easy pattern changes



**Balsam - 3 Tier**  
2, 3, 5 hp




**Sequoia**  
3/4, 1 hp



**Spruce**  
2, 3, 5 hp




**Birch**  
3/4, 1, 2, 3, 5 hp




**Redwood**  
2, 3, 5 hp



**Linden - 2 Tier**  
3/4, 1, 2, 3, 5 hp



**Cypress**  
3/4, 1 hp



**Willow**  
3/4, 1 hp

## Nozzles for Kasco J Series Fountains

- Available as 3/4, 1, 2, 3, 5, and 7.5HP units
- Increased flow for dramatically cleaner, defined patterns without increased amp draw
- One piece, tapered float for easier assembly and improved look at the surface
- Twist and lock nozzles for easy pattern changes
- Float pairs perfectly with snap-on clips in Kasco light kits. See light kits on pages 62-64 and page 70.
- Warranties shown in pricing table on page 66



Pattern	3/4 hp Ht. x Dia.	1 hp Ht. x Dia.	2 hp Ht. x Dia.	3 hp Ht. x Dia.	5 hp Ht. x Dia.
<b>Willow</b>	6.5' x 21'	9' x 31'	-	-	-
<b>Sequoia</b>	13' x 8'	18' x 11'	-	-	-
<b>Cypress</b>	7' x 17'	9' x 28'	-	-	-
<b>Linden</b>	9' x 29'	12' x 31'	15.5' x 38'	20.5' x 38'	24.5' x 46'
<b>Birch</b>	7' x 5'	11' x 8'	11' x 10'	16' x 12'	24' x 14'
<b>Balsam</b>	-	-	14' x 32'	19' x 34'	18' x 34'
<b>Spruce</b>	-	-	21' x 10'	26' x 12'	31' x 12'
<b>Redwood</b>	-	-	22' x 6'	27' x 6'	32' x 6'

### Kasco Premium Nozzles for J Series Fountains



**Palm**



**Mighty Oak**



**Magnolia**



**Mahogany**

These nozzles can be purchased separately. Will need to specify year of fountain. Call to order.

## Kasco Surface Aerators

### Summary

- 50' power cord standard, longer lengths available
- Designed for continuous duty operation in fresh or salt water
- Thermal overload protection with automatic reset
- Easy to install/remove, making it great for portable emergency operation
- Warranties: two years on 1/2 - 1 hp, three years on 2 - 5 hp
- Operates in as little as 15" of water
- Control panel not included, see page 70



Part #	Description	Voltage/Amps	Approx. gpm	Min. Operating Depth	Stocking Code	Ship Weight	List Price
AF2400	1/2 hp aerator	115/5.0	600	15"	11043863	31, 20*	\$1273.00
AF3400	3/4 hp aerator	115/6.7	800	18"	41140621	35, 20*	\$1391.00
AF3400H	3/4 hp aerator	230/3.4	800	18"	71192286	36, 20*	\$1454.00
AF4400	1 hp aerator	115/11.3	1200	19"	61343168	45, 20*	\$1638.00
AF4400H	1 hp aerator	230/5.7	1200	19"	21359569	41, 20*	\$1658.00
AF8400H	2 hp aerator	230/11	1400	20"	52876562	53, 50*	\$3508.00
AF3.1H	3 hp aerator	230/13.4	2500	24"	53593245	71, 59*	\$4382.00
AF5.1H	5 hp aerator**	230/20	4500	26"	64804388	80, 26, 59*	\$5859.00


\*Dimensional rates apply on floats \*\*5 hp includes 100' power cord with quick disconnect



## Kasco AquatiClear

**Aquaticlear is a water circulator, reimagined!**  
 This clog-resistant circulator produces continuous water movement to keep docks, marinas, canals, shorelines and other areas free from algae, floating debris and foul odors.

- Unique designs allows floating debris to slip off the guard rather than wrap around the motor shaft or prop
- Easily mount with Horizontal Float Kit or Dock Mount Kit
- 50' power cord standard. Longer cord lengths available.
- Two year warranty



Use with Dock Mount (KACDM) sold below or Flotation Kit (KFK) sold on page 69



Part #	Description	Voltage/Amps	Thrust	Minimum Operating Depth	Stocking Code	Ship Weight	List Price
KAC2400	Kasco 1/2 hp AquatiClear	115/5.4	30 lbs.	30"	7905288	30 lbs.	\$1104.00
KAC3400	Kasco 3/4 hp AquatiClear	115/6.6	36 lbs.	30"	5998766	34 lbs.	\$1218.00
KAC3400H	Kasco 3/4 hp AquatiClear	230/3.3	36 lbs.	30"	4997946	35 lbs.	\$1217.00
KAC4400	Kasco 1 hp AquatiClear	115/9.1	41 lbs.	30"	51148827	37 lbs.	\$1401.00
KAC4400H	Kasco 1 hp AquatiClear	230/4.5	41 lbs.	30"	51186544	37 lbs.	\$1447.00
KACDM	Dock Mount Kit for AquatiClear (1" pipe supplied locally)				4305047	15 lbs.	\$372.00





SINCE 1970

# Surface De-Icing

## Kasco De-icer Water Agitators

### Prevent costly ice damage!

Kasco de-icers are designed to prevent the formation of damaging ice around docks and boats. Thousands of these units are being used in marinas, harbors, waterfront developments and recreational ponds to prevent costly ice damage. De-icers come complete with power cord and two 20' suspension ropes.


**Time and temperature control** – save money in reduced electrical usage! The controller (C20), designed exclusively for Kasco, will only operate when both the timer and thermostat are activated, unlike regular timers which run the motor every day at a set time. This controller will only operate when the temperature requires it. A temperature only controller (C10) is available that operates motor whenever freezing conditions exist.

Kasco de-icers can be used with the optional flotation kits (KFK) to create horizontal circulation. These circulators are excellent for de-icing applications but also have proven very effective for summertime use in preventing stagnant water.

Used in marinas, bays or lake coves, irregular shaped ponds and other similar applications; these circulators are a cost effective way to improve water quality.

A 1/2 hp circulator can effectively circulate water in a one acre pond twelve feet deep. Circulators are an ideal choice for shallow bodies of water where diffused air systems do not work.


### Ideal for fresh or saltwater use



25' power cords standard on 115v de-icers and circulators.

230v units have 50' cord.

Longer cords available.



Use with Dock Mount (KDM) or Flotation Kit (KFK) sold below



Part #	Description	Voltage/Amps	Stocking Code	Ship Weight	List Price
<b>KD12</b>	De-icer, 1/2 hp	115/5.0	7822802	25 lbs.	\$968.00
<b>KD34</b>	De-icer, 3/4 hp	115/6.7	2898456	35 lbs.	\$1057.00
<b>KD34H</b>	De-icer, 3/4 hp	230/3.35	4932452	35 lbs.	\$1097.00
<b>KD44</b>	De-icer, 1 hp	115/11.3	9990257	45 lbs.	\$1165.00
<b>KD44H</b>	De-icer, 1 hp	230/5.7	61029351	45 lbs.	\$1211.00
<b>C10</b>	Temperature only controller	—	397385	3 lbs.	\$118.75
<b>C20</b>	Time and temperature controller	—	5231364	4 lbs.	\$282.15
<b>KDM</b>	Dock mount hardware (1" pipe supplied locally)	—	3305047	14 lbs.	\$372.00
<b>KFK</b>	Flotation kit for circulators/de-icers	—	8425003	19 lbs.	\$500.00



## Kasco Fountain Lighting Packages

Kasco offers several high quality LED lighting packages to complement their line of fountains. A well lit fountain display at night is a sure way to attract attention.

- **RGB Color Lights** — Color changing LED lights in sealed composite fixtures feature nine colors with adjustable brightness, three automatic sequencing modes or rhythmic sequencing following your music. **Now includes snap on clips.**
- **KL3C11/KL6C11 Lights** — Industrial grade composite LED light kits, uses 11 watts per fixture and includes color choices of white, blue, red, yellow or green. Includes disconnect on cords. **Now includes snap on clips.**
- **KL3S19/KL6S19 Lights** — These bright stainless steel LED light kits use 19 watts per fixture and come in white only. This series of lights is certified to UL and CSA standards. Order with or without quick-disconnect cords (see chart below). Includes colored lens caps.

All LED light kits include fixtures, mounting brackets and 100' power cord. Longer cord lengths available, call for pricing.



Part #	Description	Includes Disconnect	Warranty	Stocking Code	Ship Weight	List Price
KL3RGB	Three light LED kit for 1 hp and smaller	Yes	2 Years	71330868	22 lbs.	\$1623.00
KL6RGB	Six light LED kit for 2 hp & 3 hp	Yes	2 Years	82346025	49 lbs.	\$2861.00
KL3C11	Three light LED kit for 1 hp and smaller	Yes	2 Years	4793766	14 lbs.	\$968.00
KL6C11	Six light LED kit for 2 hp and larger	Yes	2 Years	31426803	30 lbs.	\$1740.00
KL3S19	Stainless steel three light LED kit	No	3 Years	51726107	27 lbs.	\$2105.00
KL3S19Q	Stainless steel three light LED kit	Yes	3 Years	71965541	29 lbs.	\$2397.00
KL6S19	Stainless steel six light LED kit	No	3 Years	13087307	54 lbs.	\$3765.00
KL6S19Q	Stainless steel six light LED kit	Yes	3 Years	63326744	56 lbs.	\$4057.00

## Kasco Replacement Power Cords and Control Panels

**Power Cords - No Quick Disconnect** The power cords below are for use on 1 hp and larger fountains

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KC25	25'	16	115v	1/2, 3/4 hp deicers, aerators	172256	4 lbs.	\$85.00
KC50	50'	16	115v	1/2, 3/4 hp deicers, aerators, fountains	3123255	6 lbs.	\$145.00
KC501	50'	14	115v	1 hp deicers, aerators, fountains	8174687	7 lbs.	\$205.50
KC502	50'	14	230v	3/4, 1, 2 hp deicers, aerators, fountains	6174254	7 lbs.	\$205.00
KC100	100'	14	115v	1/2, 3/4 hp deicers, aerators, fountains	4304305	15 lbs.	\$358.00
KC1002	100'	14	230v	3/4, 1 hp deicers, aerators, fountains	8284754	15 lbs.	\$335.00



**The power cords below are for use on 1 hp and larger fountains**

These fountains all have a quick disconnect cord. A 30" stub cord with first half of quick disconnect is included with fountain. The following prices are for second half of the quick disconnect with length of cable shown. Power cords up to 400' available - please inquire.

**Power Cords - With Quick Disconnect**

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KC100A	100'	12	115v	1 hp - 115v units	1494707	17 lbs.	\$582.00
KC100B	100'	12	230v	2, 3, 5 hp - 230v units	6589055	17 lbs.	\$693.00
KC150D	150'	12	230v	1, 2, 3 hp - 230v units	5820254	24 lbs.	\$965.00
KC150E	150'	10	115v	1 hp - 115v, 5 hp (no plug) units	61160257	38 lbs.	\$1365.00

KC100A



**Replacement Power Cord Stubs** - connects to motor, 34" long stub cord with first half of quick disconnect plug

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KCS1	34"	14	115v	115v units	7115603	2 lbs.	\$136.00
KCS2	34"	14	230v	230v units (up to 3 hp)	2115604	2 lbs.	\$136.00
KCS3	34"	12	230v	5 hp units	3239709	2 lbs.	\$282.00

**Control Panels** - with timer and photo eye

Part #	Description	Stocking Code	Ship Weight	List Price
C25	15 amp panel with 115 V GFCI, timer and photo eye	9287827	3 lbs.	\$351.00
C85	20 amp panel with 230 V GFCI, 115 volt outlet, timer and photo eye	61592444	10 lbs.	\$1942.00



C25



SINCE 1970

# Scott Aerator

## scott **Aerator** AquaSweep Muck Blaster

Move algae, debris, muck, and silt with Aquasweep!

Improve water quality while safely removing sediment buildup. AquaSweep products can keep your waterfront, dock area or canal clean from algae, trash and decaying surface debris, and forcefully blast muck, silt and decaying leaves off the bottom. AquaSweep has been the top debris and muck mover in the industry since it launched back in 1994!

- Fully adjusts in any direction — ideal for eliminating problems above and below the water.
- Manually adjust in any direction or use with optional oscillator (below)
- High-velocity water propulsion pushes debris away from swimming areas, docks or boat lifts.
- 50' long cord with a rugged, marine-grade, water-resistant plug (longer lengths available)
- Includes dock mount plate, pole & yoke assembly. Designed to reach depths up to 7'
- Saltwater compatible
- Unconditional 5-year motor warranty



Part #	Description	Approx. Flow	Amps	Stocking Code	Ship Weight	List Price
SAQS05	AquaSweep, 1/2 hp 115v motor	400 gpm	10	71240005	55 lbs.	\$1600.00
SAQS07	AquaSweep, 3/4 hp 115v motor	450 gpm	10.5	61481807	57 lbs.	\$1912.00
SAQS10	AquaSweep, 1 hp 115v motor	500 gpm	11.5	51580234	59 lbs.	\$2039.00



## AquaSweep Oscillator 360

Unlock the potential of AquaSweep with the Oscillator 360!

Use this programmable oscillator to turn your AquaSweep automatically! Program the unit to cover from 20 degrees up to a full 360 degrees of your beach or dock area. Preset to rotate 20 degrees every 20 minutes. Comes with two year warranty.

- Comes complete with stainless steel mounting plate
- Stainless steel pole and yoke assembly designed to reach depths up to 7'
- Includes 50' power cord
- Two year motor warranty

### Maximize Your Coverage Area

**Lake Bottom Coverage**

- 1/2 HP Up to 50 feet in one direction (100 foot diameter)
- 3/4 HP Up to 60 feet in one direction (120 foot diameter)
- 1 HP Up to 75 feet in one direction (150 foot diameter)

**Surface Water Flow**

- 1/2 HP Up to 100 feet in one direction (200 foot diameter)
- 3/4 HP Up to 150 feet in one direction (300 foot diameter)
- 1 HP Up to 200 feet in one direction (400 foot diameter)

Part #	Description	Stocking Code	Ship Weight	List Price
SAQ20	AquaSweep Oscillator 360 upgrade	5840606	55 lbs.	\$934.00





## Amherst Fountain

Add beauty to your water feature while contributing to a healthy aquatic environment through oxygen transfer and water circulation.

- Classic, stately spray pattern provides a very distinct separation of all three tiers, capped by an impressive column reaching heights of over 35 feet.
- Utilizes a stainless steel, oil-free submersible motor - environmentally friendly
- The Amherst Fountain is proudly manufactured in the USA and carries an unconditional, 5-year motor warranty.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Approved for use in saltwater



Part #	hp	Amps/ Volts	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
AMF10	1	11.5/115	44"	52617953	73 lbs.	\$3378.00
AMF102	1	8.2/230	44"	22617957	87 lbs.	\$3378.00
AMF152	1½	10.6/230	54"	73650253	113 lbs.	\$4710.00
AMF302	3	14/230	60"	54788738	215 lbs.	\$6179.00



**WARRANTY:** All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

## scott aerator Display Fountain Lighting

Illuminate your fountain with these quality systems in warm white or color changing RGB options!

- All kits include stainless steel mounting hardware and an all-weather transformer with fully programmable digital timer.
- 100' power cords standard. Longer cords available.

### Night Glo

- Stainless lights, 9 watts each, 1230 lumens
- 2800K warm white
- 12 ga power cord with quick disconnect end for easy installation or removal

### Color Changing RGB

- Stainless lights, 15 watts each
- Long range remote control works up to 1000' away, allowing you to change colors and dim lights.
- Red, white, blue and green solid colors, plus several rotating patterns with additional colors



Part #	Description	Cord Length	Stocking Code	Ship Weight	List Price
SA2WW-10	Night Glo 2 light warm white LED set	100'	1824189	28 lbs.	\$999.99
SA4WW-10	Night Glo 4 light warm white LED set	100'	71397556	36 lbs.	\$1694.00
SA2RGB-10	Color changing 2 light RGB LED set	100'	51131088	28 lbs.	\$1371.00
SA4RGB-10	Color changing 4 light RGB LED set	100'	71566686	36 lbs.	\$1899.00





# scott aerator



**5 Year  
Unconditional  
Warranty**  
on oil-less motors

## Display Fountains

**A great choice for ponds needing aeration and decorative looks!**

- High quality, American made fountains will keep your water sparkling clean while providing healthy aeration
- Most environmentally friendly system on the market
- Large flow rate does a fantastic job moving unwanted debris off of the surface
- Oil free, stainless steel submersible motor
- Industry leading, five year motor warranty
- Designed for 24 hour continuous operation
- Salt water approved
- Easy to install
- Does not include timer or GFI, see GFI3 on bottom of this page
- Designed to be left in water year-round - even in freezing climates



Light kits available on page 72



Part #	hp	Amps/Volts	Spray Dimensions h x w	Minimum Pond Depth	Power Cord*	Stocking Code	Ship Weight	List Price
SAF03	1/3	9/115	5' x 18'	32"	70'	61401207	14, 41 lbs.	\$1808.00
SAF05	1/2	10/115	6½' x 22'	32"	70'	71498086	14, 44 lbs.	\$1933.00
SAF07	3/4	7/230	6½' x 23'	32"	70'	61739882	14, 46 lbs.	\$2245.00
SAF10	1	10.6/230	7' x 25'	36"	100'	41908832	21, 49 lbs.	\$2463.00
SAF20	2	11.5/230	11' x 25'	42"	100'	42792309	21, 72, 3 lbs.	\$3989.00
SAF30	3	14/230	12' x 30'	38"	100'	93212306	21, 82, 3 lbs.	\$4589.00


\*Longer cord lengths available




Part #	Description	Stocking Code	Ship Weight	List Price
GFI3	Control panel with 115v GFCI & timer	8191834	3 lbs.	\$239.79




GFI3



**Cambridge**  
Multi-tiered classic spray pattern  
up to 30' high and 40' wide\*



**Gusher**  
Adjustable vertical column  
spraying up to 25' high and 1' wide\*



**Skyward**  
Cone-shaped pattern  
up to 30' high x 40' wide\*

\* Spray dimensions above are for a 1 hp Triad Fountain. See table below for spray dimensions of all models.

## Triad Fountain Three fountains in one!

A spectacular focal point to your outdoor paradise while simultaneously vastly improving the health of your pond. Three distinct brass nozzles are included and all can be easily changed in minutes — no tools are required!

- Choose from the more traditional geyser style of the "Gusher" nozzle, or a more elegant, cascading pattern such as the "Cambridge" and "Skyward" nozzles.
- All three nozzles provide a dynamic, aesthetically pleasing addition to your pond or lakescape while also helping maintain water clarity and oxygen levels and promoting an overall healthy aquatic environment.
- Manufactured utilizing a stainless steel, oil-free, submersible motor and pump, making it the most environmentally friendly fountain on the market.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Designed for use in fresh or salt water.



TF152 with Skyward Nozzle

### SPRAY PATTERN DIMENSIONS (H x D)

hp	Cambridge	Gusher	Skyward
1	30' x 40'	25' x 1'	30' x 40'
1½	35' x 45'	35' x 1'	40' x 50'
3	40' x 55'	50' x 1'	50' x 70'



1 hp

1.5 hp

3 hp

Gusher Nozzle

.5-1 hp

1.5-3 hp

Skyward Nozzle

all hp's

Cambridge Nozzle

**5 Year**  
**Unconditional**  
**Warranty**  
on oil-less motors

Part #	hp	Amps/ Volts	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
TF10	1	11.5/115	44"	72489306	65 lbs.	\$3212.00
TF102	1	8.2/230	44"	52489307	81 lbs	\$3212.00
TF152	1½	10.6/230	54"	53489058	113 lbs.	\$4502.00
TF302	3	14/230	60"	54788736	215 lbs.	\$6179.00



**WARRANTY:** All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

## The Great Lakes Fountain Five Fountains in ONE!



Add a spectacular focal point to your outdoor paradise! The Great Lakes Fountain includes five individually distinct brass nozzles that can be changed in minutes without tools! It will give you the ultimate range of display choices for an aesthetically pleasing addition to your pond or lake.



Rosewood



Gusher



Tudor



Baystone



Millbrook

### Features

- 3/4 and 1 hp, 60 Hz, single phase motors, both in 115 and 230 volts
- Designed for use in fresh or salt water
- Submersible 100' in length, 12-gauge electric cable included - longer lengths available
- Approved for use in salt water
- Manufactured in the USA
- Components withstand sub-zero conditions without damage

### Worry-free Winterizing

Scott Aerator Company has engineered all its water features to eliminate the need for costly, time-consuming winterizing products and procedures. Just leave your fountain in the water, turn off its power supply and forget about it all winter.


**All components will withstand sub-zero conditions without damage.**



### SPRAY PATTERN DIMENSIONS (H x D)

hp	Gusher	Rosewood	Baystone	Millbrook	Tudor
3/4	30' x 3'	25' x 35'	10' x 25'	12' x 25'	10' x 35'
1	35' x 3'	30' x 40'	14' x 30'	15' x 30'	12' x 40'

Part #	hp	Amps/ Volts	gpm Flow	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
GLF75	3/4	10.9/115	65	34"	72199456	14, 41 lbs.	\$2838.00
GLF752	3/4	6.8/230	65	34"	52199454	14, 44 lbs.	\$2838.00
GLF100	1	11.5/115	75	34"	32537352	14, 46 lbs.	\$3274.00
GLF1002	1	8.2/230	75	34"	72537351	21, 49 lbs.	\$3274.00



### Create a dazzling display

Enhance your Great Lakes Fountain by adding one of the fountain lighting systems from Scott Aerator found on page 72.



Gusher

**WARRANTY:** All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.



## Classic Series Display Fountains

Designed to have minimal maintenance because of their high quality stainless steel water cooled pumps and motors.

Nozzle patterns have been refined and tested and offer outstanding patterns and compare to companies selling similar fountains for 40-50% more money.

- Available as a 1/2, 3/4, 1, 1.5, 2, 3, 5 and 7.5 hp units
- Easy access to the pump and motor for maintenance
- Low profile display heads
- 1/2 hp includes 4 nozzles. 3/4 hp fountains and larger include one nozzle with three different spray patterns
- Industry leading submersible pumps and motors
- Single phase 110v and 230v motors
- Optional quick disconnects available



1/2 - 3 hp Classic Display Design



5 hp & 7.5 hp Classic Series Design

### 1/2 hp Palatial Nozzles



### 3/4 hp - 7.5 hp Classic Series Display Nozzles



### Fountain Lighting Packages



Note: All Outdoor Water Solutions units ship factory direct.



SINCE 1970

## Classic Series Display Fountains

Part #	Description	Voltage/Amps	Power Cord**	Warranty	Stocking Code	Ship Weight (lbs.)	List Price
--------	-------------	--------------	--------------	----------	---------------	--------------------	------------

**1/2 hp – with 36" PolyStyrene-Filled Float, submersible motor and pump, induction tube, 4 nozzles, debris screen and 115v or 230v GFCI/ELCI plug**

<b>OWPD50-100</b>	1/2 hp Palatial Display Fountain*	110/12	100'	2 Years	71468634	55	\$1895.00
<b>OWPD50-150</b>	1/2 hp Palatial Display Fountain*	110/12	150'	2 Years	71546134	65	\$1995.00
<b>OWPD502-100</b>	1/2 hp Palatial Display Fountain*	230/6	100'	2 Years	31468633	65	\$1895.00
<b>OWPD502-150</b>	1/2 hp Palatial Display Fountain*	230/6	150'	2 Years	21546136	65	\$1995.00



**3/4 hp – with ELCI, water cooled motor & pump, 36" Polystyrene-filled float, induction tube, (1) nozzle with (3) display configurations, & SS debris screen**

<b>OWCD752-100</b>	3/4 hp Display Fountain	230/8	100'	2 Years	62088633	24, 50	\$2695.00
<b>OWCD752-150</b>	3/4 hp Display Fountain	230/8	150'	2 Years	12166134	24, 73	\$2795.00
<b>OWCD752-200</b>	3/4 hp Display Fountain	230/8	200'	2 Years	42243631	24, 87	\$2895.00

**1 hp – with ELCI, water cooled motor & pump, 36" Polystyrene-filled float, induction tube, (1) nozzle with (3) display configurations, & SS debris screen**

<b>OWCD12-100</b>	1 hp Display Fountain	230/9.8	100'	2 Years	32321137	24, 60	\$2995.00
<b>OWCD12-150</b>	1 hp Display Fountain	230/9.8	150'	2 Years	72398637	24, 75	\$3095.00
<b>OWCD12-200</b>	1 hp Display Fountain	230/9.8	200'	2 Years	52476132	24, 90	\$3195.00

**1.5 hp – with ELCI, water cooled motor & pump, 36" Polystyrene-filled float, induction tube, (1) nozzle with (3) display configurations, & SS debris screen**

<b>OWCD1.5-100</b>	1.5 hp Display Fountain	230/10	100'	2 Years	53328637	24, 64	\$4295.00
<b>OWCD1.5-150</b>	1.5 hp Display Fountain	230/10	150'	2 Years	83406139	24, 79	\$4395.00
<b>OWCD1.5-200</b>	1.5 hp Display Fountain	230/10	200'	2 Years	83483639	24, 94	\$4495.00

**2 hp – units contain a start/run capacitor box with 230v ELCI plug**

<b>OWCD22-100</b>	2 hp Display Fountain	230/13.2	100'	3 Years	54801138	24, 102	\$6195.00
<b>OWCD22-150</b>	2 hp Display Fountain	230/13.2	150'	3 Years	84878634	24, 117	\$6295.00
<b>OWCD22-200</b>	2 hp Display Fountain	230/13.2	200'	3 Years	54956137	24, 132	\$6395.00

**3 hp – units contain start/run capacitor box with optional control panel**

<b>OWCD32-100</b>	3 hp Display Fountain	230/17	100'	3 Years	55576138	24, 112	\$7195.00
<b>OWCD32-150</b>	3 hp Display Fountain	230/17	150'	3 Years	65653636	24, 127	\$7295.00
<b>OWCD32-200</b>	3 hp Display Fountain	230/17	200'	3 Years	86196135	24, 142	\$7995.00

**5 hp – units contain start/run capacitor box with optional control panel**

<b>OWCD52-100</b>	5 hp Display Fountain	230/27.5	100'	3 Years	76971138	655	\$8995.00
<b>OWCD52-150</b>	5 hp Display Fountain	230/27.5	150'	3 Years	97164883	675	\$9245.00
<b>OWCD52-200</b>	5 hp Display Fountain	230/27.5	200'	3 Years	57823637	695	\$10,095.00

**7.5 hp – units contain start/run capacitor box with optional control panel**

<b>OWCD7.52-100</b>	7.5 hp Display Fountain	230/42	100'	3 Years	610071138	745	\$12,995.00
<b>OWCD7.52-150</b>	7.5 hp Display Fountain	230/42	150'	3 Years	910381135	765	\$13,395.00
<b>OWCD7.52-200</b>	7.5 hp Display Fountain	230/42	200'	3 Years	810691137	785	\$13,795.00

\*Dimensional rates apply on floats \*\*Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.

## Control Panels

Part #	Description	Stocking Code	Ship Weight	List Price
<b>OWCP-2HP</b>	Fountain Control Panel - 2 hp	31487502	7lbs.	\$1750.00
<b>OWCP-3HP</b>	Fountain Control Panel - 3 hp	41487503	7 lbs.	\$1750.00
<b>OWCP-5HP</b>	Fountain Control Panel - 5 hp	61657507	8 lbs.	\$1950.00



## Fountain Lighting Packages

Part #	Description	For Use With	Power Cord**	Warranty	Stocking Code	Ship Weight	List Price
<b>OWRBG2-100</b>	2 RGBW Light Kit	OWS Fountains up to 1.5 hp	100'	2 Years	81270756	12, 16 lbs.	\$1495.00
<b>OWRBG2-150</b>	2 RGBW Light Kit	OWS Fountains up to 1.5 hp	150'	2 Years	81355753	18, 16 lbs.	\$1595.00
<b>OWRBG2-200</b>	2 RGBW Light Kit	OWS Fountains up to 1.5 hp	200'	2 Years	61440753	23, 16 lbs.	\$1695.00
<b>OWRGB4-100</b>	4 RGBW Light Kit	OWS Fountains 1 hp to 3 hp	100'	2 Years	31440752	12, 20 lbs.	\$1695.00
<b>OWRGB4-150</b>	4 RGBW Light Kit	OWS Fountains 1 hp to 3 hp	150'	2 Years	41525757	18, 20 lbs.	\$1795.00
<b>OWRGB4-200</b>	4 RGBW Light Kit	OWS Fountains 1 hp to 3 hp	200'	2 Years	51610758	23, 20 lbs.	\$1895.00
<b>OWLED4-100</b>	4 RGBW Light Kit	OWS Fountains 5 hp & 7.5 hp	100'	2 Years	32521067	100 lbs.	\$2,965.95
<b>OWLED4-150</b>	4 RGBW Light Kit	OWS Fountains 5 hp & 7.5 hp	150'	2 Years	82572063	150 lbs.	\$3,025.95
<b>OWLED4-200</b>	4 RGBW Light Kit	OWS Fountains 5 hp & 7.5 hp	200'	2 Years	72614563	200 lbs.	\$3,075.95



\*\*Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.

Note: All Outdoor Water Solutions units ship factory direct.



## Classic Series Aerating Fountains

Outdoor Water Solutions aerating fountains offer a lot of water movement and high oxygen transfer rates designed to look great while offering beneficial aeration.

- Available as a 1/2, 1, 2, 3 and 5 hp units
- High performance and longevity due to their water cooled motors and specially designed props and nozzles
- Floats are constructed of polyethylene molded plastic with UV inhibitors and filled with non-hygroscopic pressure molded polystyrene foam.
- All models come standard with a stainless steel screen to keep debris out.
- See Pages 78-79 for aerating fountain light options
- Optional 2 hp – 5 hp control panel available. Call for pricing.
- **2 year warranty on the 1/2 and 1 hp models**
- **3 year warranty on the 2, 3 and 5 hp models**



OWSA50-150

### SPRAY DIMENSIONS

**1/2 HP**  
5' High  
10' Diameter

**1 HP**  
8' High  
25' Diameter

**2 HP**  
8' High  
25' Diameter

**3 HP**  
9' High  
30' Diameter

**5 HP**  
11' High  
35' Diameter

Part #	Description	Power Cord**	Voltage/Max Amps	Approx. gpm	Min. Depth	Stocking Code	Ship Weight (lbs.)	List Price
<b>1/2 hp – with 36" polystyrene-filled float, water-cooled stainless steel submersible motor, 100-150ft power cord, aerating nozzle display, debris screen, and 115v or 230v GFCI/ELCI plug</b>								
OWSA50-100	1/2 hp Aerify	100'	115/12	500	18"	21468636	55/26	\$1,895.00
OWSA50-150	1/2 hp Aerify	150'	115/12	500	18"	31546137	65/26	\$1,995.00
OWSA502-100	1/2 hp Aerify	100'	230/6	500	18"	61468638	55/26	\$1,895.00
OWSA502-150	1/2 hp Aerify	150'	230/6	500	18"	71546134	65/26	\$1,995.00
<b>1 hp – with a 1hp water-cooled stainless steel submersible motor, power cable, aerating nozzle, ELCI, 36" polystyrene-filled float, and debris screen</b>								
OWSA12-100	1 hp Aerating Fountain	100'	230/9.8	1000	24"	32088633	49/20/14/26	\$2,695.00
OWSA12-150	1 hp Aerating Fountain	150'	230/9.8	1000	24"	22166136	49/20/14/26	\$2,795.00
OWSA12-200	1 hp Aerating Fountain	200'	230/9.8	1000	24"	52243636	49/20/14/26	\$2,895.00
<b>2 hp – with a water-cooled stainless steel submersible motor, one aerating nozzle, timer, ELCI, debris screen, and motor starter box in an outdoor rated enclosure</b>								
OWSA22-100	2 hp Aerating Fountain*	100'	230/13.2	1200	34"	82708637	63/25/26	\$3,495.00
OWSA22-150	2 hp Aerating Fountain*	150'	230/13.2	1200	34"	72844255	63/25/26	\$3,670.00
OWSA22-200	2 hp Aerating Fountain*	200'	230/13.2	1200	34"	62979884	63/25/26	\$3,845.00
<b>3 hp – with a water-cooled stainless steel submersible motor, one aerating nozzle, timer, ELCI, debris screen, and motor starter box in an outdoor rated enclosure</b>								
OWSA32-100	3 hp Aerating Fountain*	100'	230/17	1400	36"	63561138	75/25/26	\$4,595.00
OWSA32-150	3 hp Aerating Fountain*	150'	230/17	1400	36"	63696759	75/25/26	\$4,770.00
OWSA32-200	3 hp Aerating Fountain*	200'	230/17	1400	36"	53832386	75/25/26	\$4,945.00
<b>5 hp – with a water-cooled stainless steel submersible motor, one aerating nozzle, timer, ELCI, debris screen, and motor starter box in an outdoor rated enclosure</b>								
OWSA52-100	5 hp Aerating Fountain*	100'	230/27.5	1400	48"	85421134	75/25/26	\$6,995.00
OWSA52-150	5 hp Aerating Fountain*	150'	230/27.5	1400	48"	45614888	75/25/26	\$7,245.00
OWSA52-200	5 hp Aerating Fountain*	200'	230/27.5	1400	48"	75808632	75/25/26	\$7,495.00

\*Dimensional rates apply on floats \*\*Power cord lengths offered up to 400 ft. Call for pricing on longer lengths.



Note: All Outdoor Water Solutions units ship factory direct.

## Palatial Display Solar Fountain

High quality direct drive solar fountains designed for shallow or smaller ponds (up to 1 acre) where you want the beauty of a fountain. With four included nozzles, you can pick which style suits your pond the best.

- Operates in as little as 24" of water
- Four nozzles included
- High output DC maintenance-free brushless water cooled motor
- 100' power cord included (up to 400' available)
- Super-efficient MaxEnergy™ solar controller includes with 4 bi-facial solar panels providing longer run times
- Turn-key system includes racking, panels, grounding clamp, mounting pole, debris screen, etc.
- The total panel array measure 130" W x 82" H.
- 2 year fountain warranty. 15 years on the solar panels

**Turn-key system includes racking, panels, grounding clamp, mounting pole, debris screen, etc.**



Part #	Description	Approx. gpm	Solar Panels	# of Nozzles	Stocking Code	Ship Weight	List Price
DSF100	Palatial Solar Fountain	80	4	4	26196862	520 lbs.	\$7995.95



Note: All Outdoor Water Solutions units ship factory direct.



**New!**

## Aerify Aerating Solar Fountains

Perfect for shallow or remote ponds where aeration is needed.

The Aerify Solar fountains are high quality, direct drive solar powered fountains designed for shallow or smaller ponds (up to one acre) where extra aeration is needed while still getting the visual benefits of a fountain.

- High output DC maintenance-free brushless water cooled motor
- Proprietary prop design to maximize GPM and oxygen transfer
- Operates in a minimum of 18" of water
- Pumps up to 500 GPM for optimal aeration
- 100' power cord included (up to 400' available)
- Super-efficient MaxEnergy™ solar controller includes 4 bi-facial solar panels providing longer run times
- Turn-key system includes racking, panels, grounding clamp, mounting pole, debris screen, etc.
- The total panel array measure 130" W x 82" H.
- 2 year warranty on fountain. 15 years on the solar panels.



**• Super-efficient MaxEnergy™ solar controller included with 4 bi-facial solar panels providing longer run times while the proprietary prop design moves up to 500 gpm for optimal aeration!**

Part #	Description	Approx. gpm	Solar Panels	# of Nozzles	Stocking Code	Ship Weight	List Price
ASF100	Aerify Solar Fountain	500	4	1	56196866	515 lbs.	\$7995.95



Note: All Outdoor Water Solutions units ship factory direct.

## Surface Aerators

Outdoor Water Solutions Surface Aerators do a great job in pond aeration, especially if your pond is 3-8' deep or heavily stocked with fish. Guaranteed to boil the water with its patented diffuser system and stainless steel water cooled motor. Also works great for remediation ponds, water treatment plants, lagoons, etc.

- Available in sizes from ½ hp up to 5 hp. Units up to 20 hp available with special order.
- Water cooled motor means no oil and no bearings to replace
- Suitable for use in salt water (Special order) or fresh water
- Styrene filled float for extra stability, superior to hollow floats
- Highest oxygen transfer rates available
- **Warranties: 2 years on the ½-1hp, three years on the 2-5 hp**
- 50' power cord included with the ½, ¾, 1 & 1.5hp models. Lengths up to 400' available
- ½ hp 110v has a GFCI. ½ hp 230v - 5 hp has an ELCI.
- Starter boxes included for 2 - 5+ hp in an outdoor rated enclosure.
- See pages 76-77 for fountain light options.



HVA05, HVA052, HVA342, HVA102, HVA1.52  
½, ¾, 1, 1.5 hp Aerator



HVA22, HVA32  
2 & 3 hp Aerator



HVA52  
5 hp Aerator

Part #	Description	Voltage/ Max Amps	Approx. gpm	Minimum Depth	SOTR/HR	Stocking Code	Ship Weight	List Price
HVA05	1/2 hp Surface Aerator	115/12	500	18"	2.3	71270752	32/24/22	\$1495.00
HVA052	1/2 hp Surface Aerator	230/6	500	18"	2.3	81270753	32/24/22	\$1495.00
HVA342	3/4 hp Surface Aerator*	230/8	500	18"	2.3	91525754	32/24/23	\$1795.00
HVA102	1 hp Surface Aerator	230/9.8	1475	24"	3.2	31695755	45/24/22	\$1995.00
HVA1.52	1.5 hp Surface Aerator*	230/10	1475	24"	3.2	41865756	45/24/22	\$2195.00
HVA22	2.0 hp Surface Aerator**	230/13.2	1700	36"	5.5	53714507	74/24	\$4370.00
HVA32	3.0 hp Surface Aerator**	230/17	2700	36"	6	64394509	82/24	\$5170.00
HVA52	5.0 hp Surface Aerator**	230/27.5	3400	39"	15	76795753	235	\$7995.00

\* ¾ and 1.5 hp available in 230v 3 phase and 460v 3 phase

\*\* 2, 3 and 5 hp available in 230v single phase, 230v 3 phase and 460v 3 phase

Note: All Outdoor Water Solutions units ship factory direct.





## Ice-Away™ Pond and Dock De-Icer

Manufactured to run for years with minimal maintenance. There are no seals to replace, no oil to change as we only use high quality water-cooled motors.

- Patented motor mount/diffuser redirects water flow creating a larger coverage area vs. competitors
- Submersible motor is water cooled. No seals or bearings to fail. Longer life motor
- Designed to move 500 GPM with its higher 3,450 RPM motors
- Computer designed, high speed, foul resistant propeller
- (2) 10' sling ropes provided
- **Two-year warranty**



OWDIPG  
Optional Prop Guard protects from excess trash and debris



OWFK  
Optional Float converts the pond de-icer into a surface aerator

**The Ice-Away™ can cover a larger area of water than the 3/4 hp oil-filled de-icers when installed 10' deep. Customers have Ice-Aways that are still running after 20+ years of service.**

Part #	Description	Voltage	Amps	Power Cord	Stocking Code	Ship Weight	List Price
<b>OWDI50</b>	1/2 hp 115v unit	115	12	25'	8796008	27 lbs.	\$995.00
<b>OWDI50-50</b>	1/2 hp 115v unit	115	12	50'	9866004	32 lbs.	\$1082.50
<b>OWDI50-100</b>	1/2 hp 115v unit	115	12	100'	41006006	40 lbs.	\$1257.50
<b>OWDI502</b>	1/2 hp 230v unit	230	6	25'	3796003	27 lbs.	\$995.00
<b>OWDI502-50</b>	1/2 hp 230v unit	230	6	50'	4866005	32 lbs.	\$1082.50
<b>OWDI502-100</b>	1/2 hp 230v unit	230	6	100'	51006007	40 lbs.	\$1257.50
<b>OWFK</b>	Flotation Kit				6308002	22 lbs.	\$385.00
<b>OWGFI</b>	GFCI - 115v				261603	1 lb.	\$77.00
<b>OWFGFI2</b>	GFCI - 230v				7104007	1 lb.	\$130.00
<b>OWDIPG</b>	Propeller Guard				749603	2 lbs.	\$62.00



Note: All Outdoor Water Solutions units ship factory direct.



## Complete Fish Systems are ideal for classrooms, aquaponics, hydroponics, retail fish sales and more!

Excellent filtration is the key to any fish system, which is why we use EasyPro® Pressurized Bead Filters for the best in mechanical and biological filtration.



RCS2BL

### The Fish System 1

This single tank set up requires less than 6' x 8' of space. Commonly used in retail stores and pond shops, but can also be found in many aquaculture classrooms.

#### System Includes:

- One PT6530 300 gallon fish tank - 65" diameter x 30" deep with pre-drilled drain holes for easy installation
- One EX3600 EasyPro® 3600 gph external pump. This whisper quiet, low-RPM pump is also energy efficient at only 1.4 amps
- One PBF1800 EasyPro® Bead Filter rated for up to 60 pounds of fish. Add the optional backflush blower to make your routine cleaning faster and use less water.
- Includes all necessary fittings, valves, unions, pipe, etc.

#### System 1

Part #	Stocking Code	List Price
RCS2N	41863806	\$2440.69



#### System 1 with Backflush Blower

Part #	Stocking Code	List Price
RCS2BL	32198198	\$2858.69

**Best Seller!**



RCS3N

### The Fish System 2

Dual 300 gallon tanks allow you to keep different species or sizes of fish in the same system. A best selling system due to its increased capacity with minimal additional cost to a single tank setup.

#### System Includes:

- Two PT6530 300 gallon fish tanks - each is 65" diameter x 30" deep with pre-drilled drain holes for easy installation
- One EX4500 EasyPro® 4500 gph external pump. This whisper quiet, low-RPM pump is also energy efficient at only 2.7 amps
- One PBF3600 EasyPro® Bead Filter rated for up to 150 lbs. of fish. Add the optional backflush blower to make your routine cleaning faster and use less water.
- Includes all necessary fittings, valves, unions, pipe, etc.

#### System 2

Part #	Stocking Code	List Price
RCS3N	72820941	\$3681.49



#### System 2 with Backflush Blower

Part #	Stocking Code	List Price
RCS3BL	13155335	\$4099.49



### Round, Flat Bottom Tanks

We've sold these tanks all over the United States and in Canada for a wide variety of applications including aquaculture production, koi display tanks, filtration tanks, holding tanks, etc. Tanks are nestable for reduced shipping cost. Does not contain bottom drain - use bulkhead fittings found in our Pond & Water Feature catalog.

Part #	Diameter	Depth	Capacity	Stocking Code	List Price
PT6530	65"	30"	300 gallon	5631999	\$789.99



# DuraLiner™ 45 & 60 Mil EPDM Liner



SINCE 1970

High quality 45 and 60 mil EPDM liner & accessories with the manufacturing capacity 100% focused on the Pond Market - not the roofing market. Manufacturing is done in an ISO9001 certified factory and all ASTM testing is done to ensure equal or superior quality to existing brands.



The trusted choice of professional landscapers, nurseries, koi pond and water garden installers!

- Easy to shape and form! Stays flexible even in extreme temperatures from -40° to 175°F.
- Weather and UV resistant - will not crack with age.
- Puncture resistant
- Fish and plant friendly
- More consistent throughout the roll & width does not contain the imperfections & blisters like other brands
- Available in pre-cut sizes, custom cut for your project, and by the roll for larger ponds
- 20 year limited warranty



## TECHNICAL SPECIFICATIONS

Physical Property	Test Method	Req. of ASTM D 7465 (Type 1)	EasyPro 45 mil DuraLiner™ Values	Req. of ASTM D 7465 (Type 1)	EasyPro 60 mil DuraLiner™ Values
Thickness (mil)	ASTM D-412	<b>45 mil</b>	<b>45 mil</b>	<b>60 mil</b>	<b>60 mil</b>
Tensile Strength (MPa)	ASTM D-412	9 Min	<b>9.1</b>	9 Min	<b>9.5</b>
Elongation Ultimate (%)	ASTM D-412	300% Min	<b>350%</b>	300% Min	<b>360%</b>
Tear Resistance (kN/m)	ASTM D-624	26.27 Min	<b>27</b>	40.28 Min	<b>41.05</b>
Tensile Set (%)	ASTM D-412	10% Max	<b>7%</b>	10% Max	<b>2.15%</b>
Brittleness Point Max °F (°C)	ASTM D-2137	-49°F (-45°C)	<b>No Cracks</b>	-49°F (-45°C)	<b>No Cracks</b>
Heat Aged* Elongation Ultimate (%)	ASTM D-412	200% Min	<b>275%</b>	200% Min	<b>217%</b>
Heat Aged* Tear Resistance (kN/m)	ASTM D-624	21.9 Min	<b>23.90</b>	37.3 Min	<b>38</b>

\*Heat aged test conducted for 670 hours at 240°

### 50' ROLLS



Part #	Rolled Liner Size	Core Length	Stocking Code	Approx. Ship Weight	List Price
--------	-------------------	-------------	---------------	---------------------	------------

#### 45 mil EPDM DuraLiner

RPL105	10' x 50'	7'	8475009	185 lbs.	\$650.00
RPL155	15' x 50'	7'	9712509	265 lbs.	\$975.00
RPL205	20' x 50'	7'	7950006	350 lbs.	\$1300.00
RPL255	25' x 50'	7'	51187503	430 lbs.	\$1625.00
RPL305	30' x 50'	7'	21425004	510 lbs.	\$1950.00
RPL355	35' x 50'	11'	61662508	600 lbs.	\$2275.00
RPL405	40' x 50'	11'	41900003	685 lbs.	\$2600.00
RPL505	50' x 50'	11'	12375007	850 lbs.	\$3250.00

#### NEW 60 mil EPDM DuraLiner

RPL6-305	30' x 50'	7'	81725007	660 lbs.	\$2250.00
RPL6-405	40' x 50'	11'	92300006	860 lbs.	\$3000.00

### 100' ROLLS



Part #	Rolled Liner Size	Core Length	Stocking Code	Approx. Ship Weight	List Price
--------	-------------------	-------------	---------------	---------------------	------------

#### 45 mil EPDM DuraLiner

RPL051	5' x 100'	7'	9475009	185 lbs.	\$650.00
RPL101	10' x 100'	7'	8950007	350 lbs.	\$1300.00
RPL151	15' x 100'	7'	31425004	510 lbs.	\$1950.00
RPL201	20' x 100'	7'	61900008	675 lbs.	\$2600.00
RPL251	25' x 100'	11'	12375009	850 lbs.	\$3250.00
RPL301	30' x 100'	11'	72850006	1,010 lbs.	\$3900.00
RPL351	35' x 100'	11'	43325007	1,175 lbs.	\$4550.00
RPL401	40' x 100'	11'	93800006	1,335 lbs.	\$5200.00
RPL501	50' x 100'	11'	24750001	1,660 lbs.	\$6500.00

#### NEW 60 mil EPDM DuraLiner

RPL6-151	15' x 100'	7'	61725007	660 lbs.	\$2250.00
RPL6-501	50' x 100'	11'	75750004	2070 lbs.	\$7500.00

### CUT TO LENGTH

Part #	Description	Stocking Code	Ship Weight	List Price
RPL45	45 mil EPDM DuraLiner - Specify width and length	2994	—	\$1.30/sq. ft.
RPL60	60 mil EPDM DuraLiner - Specify width and length	41158	—	\$1.50/sq. ft.



800-448-3873



SINCE 1970

# EasyWeave Liner



Mid Michigan Ponds (MI)



Greenline Inc. (MI)

## EasyWeave Reinforced Woven Polyethylene Pond Liners

Ideal for lining large ponds — up to 75,000 square feet in one piece and custom made to your pond size

These EasyWeave polyethylene liners are engineered to offer great strength in a light weight liner material. The material is UV stabilized to offer years of worry free protection against the damaging rays of the sun. Unlike regular multi-layered liners which simply stack the layers of liner on top of each other, these liners are woven together — this gives the ultimate in strength. Because of the light weight and strength, these liners can be manufactured in sizes up to 75,000 square feet.

### Features

- Designed for easy installation and long life span
- Puncture, abrasion and chemically resistant construction
- High strength HDPE woven core that provides superior dimensional stability
- Outstanding UV, ozone and oxidation resistance
- Unlike standard PVC liners, which need 12" of soil over the entire liner, these liners do not require coverage other than around the edges — this lowers the overall installation cost dramatically!
- Custom made liners require approximately 10-14 days for manufacturing and delivery

45 and 60 mil EPDM Pond Liner and PVC Liners are also available. See our Pond & Water Feature Catalog for additional liner options.



**20 year warranty when under water, 10 year warranty when exposed to direct sunlight**

**Pipe boots are available for sealing around incoming lines below water, contact us for details**

### Liner Panel Size Parameters

Width: 12' width increment standard, 6' increment width available for additional \$150.00 • Length: Any desired length in 1' increments up to 300' long



See our website for video installations

of liner, spec sheets, training and design tips

### Applications

- Aquaculture
- Pond liner
- Soil remediation
- Exposed applications
- Oil and gas
- Irrigation reservoirs and canals
- Water management
- Hydroponic farming
- Fracking

Part #	Thickness	Maximum Panel Size**	Maximum Pallet Size Liner	Square Fee Quantity	Stocking Code	Ship Weight per 1000 sq. ft.	List Price per sq. ft.
<b>WCP24</b>	24 mil	75,000	18,000'	1000' - 10000'	2377	80 lbs.	\$0.59
				10001' - 20000'	9354	80 lbs.	\$0.56
				20000' - 40000'	6328	80 lbs.	\$0.53
				40000'+	—		Call
<b>WCP30</b>	30 mil	65,000	16,000'	1000' - 10000'	9446	93 lbs.	\$0.61
				10001' - 20000'	5422	93 lbs.	\$0.58
				20000' - 40000'	1387	93 lbs.	\$0.55
				40000'+	—		Call

\*\*Liners over 16,000 sq. ft. come as large roll and ship on flat bed truck



Outside Inc. (MI)

## DuraLiner™ Pond Liner Underlayment



- Non-woven geotextile fabric in two widths - 5' and 10' – easy to match up to the EPDM liner
- Provides additional tear and puncture protection from roots, stones or any other sharp objects
  - Can be used on top of liner as well to protect from punctures when adding gravel
  - Provides enhanced soil stability and erosion control

**Now you can order 10' wide product on a 5' wide core!**  
**Contact us for volume pricing on ten rolls or more**



Part #	Description	Stocking Code	Ship Weight	List Price
--------	-------------	---------------	-------------	------------

### 4 oz. DuraLiner Underlayment

FPU	5 oz. 5' or 10' wide x any length	1203	—	\$0.32/sq. ft.
PLU5360	5 oz. 5' wide x 360' roll	6221597	65 lbs.	\$276.99 roll
PLU10360	5 oz. 10' wide x 360' roll	7443185	125 lbs.	\$553.98 roll

### NEW 10 oz. DuraLiner Underlayment

FPU10	10 oz. 5' or 10' wide core x any length	6444	—	\$0.70/sq. ft.
PLU10-5360	10 oz. 5' wide x 360' roll	3487998	130 lbs.	\$609.99 roll
PLU10-10360	10 oz. 10' wide x 360' roll - 10 foot core	8975986	255 lbs.	\$1219.98 roll
PLU10-10360X5	10 oz. 10' wide x 360' roll - 5 foot core	41063987	255 lbs.	\$1329.98 roll

### NEW 15 oz. DuraLiner Rock Pads

RP33	3' x 3'	715994	1 lb.	\$19.99
RP36	3' x 6'	826395	2 lbs.	\$32.99



RP33 / RP36



## Underliner Vent System

Helps to prevent uplifting or floating of pond liners caused by methane gases in organic soils or high water tables

- Provides a strong, secure channel for ground water and gases to freely flow through to designated exits (GE4EO end outlets)
- Prefabricated 6" strip consisting of a molded grid wrapped in geotextile fabric to permit a high flow of water into the molded grid while restraining soil particles
- Easy to install — no heavy equipment or skilled labor needed — Simply roll out in the deepest portion of your pond
- Comes in 150' long rolls, is 6" wide and 1" tall



GE4EO  
4" End Outlet



**Ships from our warehouse — no minimum order!**

Part #	Description	Stocking Code	Ship Weight	List Price
GE6150	Underliner Vent - 6"x150' roll	4338249	24 lbs.	\$409.99
GE4EO	4" End outlet	324258	3 lbs.	\$29.39



## Liner Air Vent

- Use these 1 1/2" vents to release air or water trapped under pond liners
- Includes 1 1/2" bulkhead fitting and pressure relief fitting
- Helps prevent liner from floating up when air (or water) gets trapped underneath

Part #	Description	Stocking Code	Ship Weight	List Price
LAV	Liner air vent	144997	1 lb.	\$59.99

## Fish Shipping Bags

- Most commonly used for hauling live fish
- Bags are made from the finest materials
- Our standard bag is 18" x 34", 3 mil and guaranteed waterproof
- Available in 100 or 250 count box



Part #	Description	Stocking Code	Ship Weight	List Price
OB100	100 count box	855192	12 lbs.	\$73.59
OB250	250 count box	2122478	31 lbs.	\$163.29



## Bander & Bands


Use this handy tool to quickly and securely close your fish shipping bags. For maximum holding power use two bands on each bag.

Part #	Description	Stocking Code	Ship Weight	List Price
BBT	Bag sealing tool	431705	2 lbs.	\$45.29
BB	Bands, 100 per bag	75526	1 lb.	\$7.89



## Game Fish Food

- High quality general purpose fish food designed for feeding trout, bluegill, catfish and other game fish in farm ponds and lakes
- Floating pellets available in 3.0 mm (1/8") for younger fish or 5.0 mm (3/16") for larger fish




Part #	Description	Stocking Code	Ship Weight	List Price
FD18	44 lb. bag 1/8"	841756	2 lbs.	\$54.99
FD316	44 lb. bag 3/16"	741750	6 lbs.	\$54.99



## Pond & Water Garden Thermometer

- Can be used as a floating thermometer (with cap on) or sinking (with cap off)
- Made from ABS plastic and shatterproof lens, reads in both F° and C°
- 3' cord included, twelve per case



P180

## Koi Medic Salinity Meter

- Very accurate, easy to use salinity meter
- Simply turn on and dip into pond, LCD will display salt content
- Includes protective case
- Auto shutoff, drop shock 6', 150 hour battery life, water resistant, low battery warning, 0.00 - 1.00% range 0.01 resolution, includes four 1.5v button cell batteries



KMS

## Eco pH+ Tester

- This simple to use tester gives fast, accurate pH readings, is water resistant and floats if dropped in pond
- Controlling pH levels will help balance water chemistry, enhance fish colors, promote spawning and control CO2 level
- Includes protective case
- Auto shutoff, drop shock, 150 hour battery life, water resistant, low battery warning



KPH

Four 1.5v button cell batteries included

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
P180	Pond & water garden thermometer	12	720244	1 lb.	\$26.99
KMS	Koi Medic salinity meter	—	6111998	2 lbs.	\$139.99
KPH	Eco pH+ tester	—	287993	1 lb.	\$109.99





## 5-in-1 Test Strips

- Tests for nitrate, nitrite, total hardness, total alkalinity and pH
- Fresh water use
- Water should be tested regularly to maintain good water quality
- 50 test strips in each bottle



Part #	Case Quantity	Stocking Code	Ship Weight	List Price
T55	12	918748	1 lb.	\$24.99



## Water Test Kit

Accurate, affordable and easy to use

LaMotte has grouped the most popular water tests into a convenient easy to carry package with nine test kits.



### 9 Test Kit tests for

Ammonia, Nitrite, pH, Alkalinity, Chloride, Hardness, Carbon Dioxide, Temperature, Dissolved Oxygen

Part #	Description	Stocking Code	Ship Weight	List Price
L363302	9 Test Kit	4334557	6 lbs.	\$393.59



## YSI Meters

### Economy Oxygen Meter

The YSI DO200 is designed for quick, accurate oxygen and temperature readings!

- Hand held and easy to use
- Watertight IP67 housing
- Automatic temperature compensation
- Manual salinity compensation
- Low battery indicator with 500 hour battery life
- Screw on cap membranes with low stirring, fast response probe
- Choose a 12' (4 meter) or 30' (10 meter) cable, order separately

Part #	Description	Stocking Code	Ship Weight	List Price
D200	Model DO200 Oxy/Temp metric meter w/o cable or probe	8395993	3 lbs.	\$439.99
D200-4	Oxygen/Temp probe w/12' cable for DO200	3413994	2 lbs.	\$459.99
D200-10	Oxygen/Temp probe w/30' cable for DO200	5429296	3 lbs.	\$476.99

We offer the lowest prices on all YSI products! Contact us for any item not shown!

<b>A</b>		DuraLiner..... 84	<b>R</b>
<b>Aeration &amp; Supplies</b>		Dyes.....9,14	Rock Covers .....56
<b>Aeration Kits</b>		<b>E</b>	
Linear.....26, 27, 50,51		EasyWeave Pond Liner.....85	
Rocking Piston. 24-26, 28-33, 38, 39, 44		<b>F</b>	
Rotary Vane ..... 34-36, 39, 46		Fish Display Systems..... 83	<b>S</b>
Solar ..... 42-43		Fish Food ..... 87	Septic & Wastewater Treatment ..... 10
Wind.....40-41		Fish Shipping Bags..... 87	Solar Aeration Kits ..... 42-43
Aeration, Submerged.. 23-44, 50, 51		Fittings, Tubing..... 53	Sound Shield ..... 24-25
Aeration, Surface ..... 59-81		Floating Fountain Head.....60	Splitters .....53
Air Diffusers ..... 54-55		Fountain Light Kits .... 62-64, 70, 72, 77	Surface Aeration ..... 59-81
Airline, Tubing.....52		Fountains.....59-82	<b>T</b>
Airstones.....55		<b>G</b>	Tank, Fish .....83
Algaecides..... 15, 17		Game Fish Food ..... 87	Thermometer.....87
AquaFloat..... 60		<b>H</b>	Tubing, Airline.....52
AquaFountain .....61		Herbicides ..... 18-20	Tubing, Fittings.....53
Aquaculture Supplies ..... 87-88		Hose Clamps..... 52	<b>U</b>
Aquatic Weed Control..... 17-19		<b>I</b>	Underliner Vent System.....86
Aquatic Weed Rakes/Cutters ..... 11		Identify Aquatic Weeds & Algae.....12	<b>V</b>
<b>B</b>		<b>K</b>	Valve Assemblies, Remote Access .....37
Bacteria .....5-7, 9		Koi Medic Salinity Meter ..... 87	Valve Boxes .....37
Bander & Bands ..... 87		<b>L</b>	Valved Outlet Assemblies .....47
Barley Straw Pellets..... 10		Lamotte Test Kit ..... 88	<b>W</b>
Becker Windmills .....40-41		Landscape Boulders ..... 56	Water Testing ..... 87-88
Blowers, Regenerative ..... 48		Liner, EPDM Rubber ..... 84	Water Treatments .....5-20
<b>C</b>		Liner, EasyWeave..... 85	Windmills.....40-41
Cabinets.....56-58		Liner, Underlayment ..... m86	<b>Y</b>
Compressors, Linear ..... 50		<b>M</b>	YSI Meters.....88
Compressors, Rocking Piston..... 25, 44		Membrane Diffuser Assembly .....54-55	
Compressors with Sound Shield ..... 25		<b>O</b>	
Compressors, Rotary Vane ..... 46		Ordering Information.....93	
Compressors & Parts.....45-47, 49		<b>P</b>	
<b>D</b>		Pond Dyes .....9,14	
De-icers..... 82		Pressure Gauges.....47	
Diaphragm Compressor.....49-50		Pressure Relief Valves .....47	
Diffused Aeration Kits ..... 26-43, 51			
Diffusers.....54-55			



## Branded Promotions

EasyPro® Branded Materials:  
Banners • Displays

## FREE Data Sheets

(Digital Only - in your resource portal)

Available for download any time! We offer a variety of digital sell sheets, SDS sheets and more on [easypro.com](http://easypro.com) or in your **resource portal**. Just download and print to use as handouts. These are a more in-depth look at EasyPro® products and are great resources to share.



**Increase sales and inspire your customers with visual merchandising. Full-color banners are perfect for in-store displays and trade shows!**

## FREE Retractable Banners


34" x 83" • Includes pull-up stand and soft-sided carry case



BN36G  
Water Gardening



BN36F  
Water Features



BN36L  
Lake & Pond Management

## FREE Aisle Banners

16" x 24" • 13 oz. vinyl • with corner grommets



BN1209  
Pond-Vive



BN1210  
Pond Dyes



BN1211  
Sludge Remover



BN1212  
Sentinel Aeration

## FREE Wall Banners

24" x 48" • 13 oz. vinyl • with corner grommets



BN2405 - Lake & Pond Sold Here



Download digital promotional pieces, manuals and SDS sheets from your resource portal





SINCE 1970

# Ordering Information



**Where to Buy** EasyPro Pond Products are available across the U.S. and Canada through our growing network of distributors and dealers. Purchasing EasyPro items through these local suppliers has become the easiest and most cost effective choice for landscape professionals and homeowners. Use the "Where to Buy" section on our website or contact us at 800-448-3873 and we can help you find an EasyPro supplier near you.



## Customer Service

**Technical Assistance** 2024 marked our 54th year in the aquatics business. We feel it is better to spend time helping you properly select products now rather than spend time with you later helping to solve the problems (and expense) of incorrect products! You are welcome to contact us for free design assistance on pond, waterfall, aeration, filtration, etc. Whenever possible, please send us a diagram of your layout to provide us a visual reference. Fax your diagram to 231-834-5537 or email to quotes@easypro.com.

**Large Orders** If you are in need of a large quantity of an item (or items), please provide us a list of items and quantities needed so we can quote you prices.



**Ordering** For your convenience there is a PDF order form in your [resource portal](#) that may be filled out electronically and submitted by email or fax. Place orders in any of the following ways:

**Telephone** Orders by phone can be placed at 231-834-7720 or toll free at 800-448-3873; Monday to Friday; 8am to 5pm Eastern time.

**Fax** Orders by fax can be sent to 231-834-5537

**Email** orders to orders@easypro.com. This email is for orders only. For special project quote requests (ponds, Just-A-Falls, fountains, aeration, etc.) email to quotes@easypro.com. For any other questions, quotes or services, please call us at 800-448-3873.



**Shipping Information Items Less Than 150 Pounds** These items typically ship UPS or Fed-Ex. As shipping fees and calculations change frequently from carriers, we strive to provide economical, on time and secure delivery of product. From time to time additional carrier fees are charged for bulky items (filter material, pond kits, etc.), unpackaged goods (i.e. flex pipe, kink-free tubing, etc.), hazardous goods and other special considerations.

**Large and/or heavy items are shipped motor freight** Last year, we achieved another record by shipping more than **3 million pounds** of freight over truck lines. Because of our large volume, we have negotiated higher discounts with our truck lines from their standard rates. This makes us very competitive when shipping large orders. Motor freight companies charge a residential fee when delivering to a residence.

**Damaged Shipments Please inspect your shipment before signing for it!** Once you sign for your shipment, the carrier will not be liable for shortages or damage. You can refuse a damaged shipment or accept it with clear notification of damage on the bill of lading. Please call us immediately if you refuse a damaged order so we can accept it back from the carrier and reship your order.



**Returns All returns must have an RA#** (Return Authorization Number). This lets us know what is coming back and what to do with it (i.e. credit your account, replace product, etc.). A 10% restock fee will apply to returns unless it is our shipment error. Packages sent to us without an RA# written on them will be refused. All products, including warranty items, must be returned to us shipping prepaid. We will pay the shipping charges on warranty items back to you, but not from you to us. Product over 90 days old is not returnable for credit. Special orders, cut liner and used items are not returnable. **Obtain a Return Authorization ("RA") number** by calling EasyPro at 800-448-3873 or via email at warranty@easypro.com.



## Payment Options

**Credit Cards** We accept VISA, MasterCard, Discover and American Express.



**Money Orders/Checks** Money orders or business checks are accepted as payment.

**Net 30 Account** Companies wishing to set up an account with us need to fill out our credit application. Schools, institutions and governmental agencies are pre-approved with use of a purchase order number. Interest will accrue on all invoices over 30 days. No orders will be shipped to customers with invoices over 60 days old until account is brought current.



**Hours Business Hours** Monday through Friday, 8:00 a.m. to 5:00 p.m. EST **Sales, marketing, shipping and office closed Saturdays and Sundays.**

### We will be closed for the following 2025 holidays

- Good Friday — Friday, April 18
- Memorial Day — Saturday, May 24 and Monday, May 26
- Independence Day (US) — Friday, July 4
- Labor Day — Saturday, August 30 and Monday, September 1
- Thanksgiving (US) - Thursday, November 27 and Friday, November 28
- Christmas - Wednesday, December 24 through Thursday, January 1



**Warranty** EasyPro honors all manufacturers' warranties. Each manufacturer has their own warranty procedure. Some manufacturers allow us to determine warranty for them, while others handle their own warranties. Submersible pumps that have been run out of water, have been altered or have cuts to the power cord will not be covered by warranty. Also, any product not used for its intended purpose, altered, damaged, improperly maintained or neglected will not be covered. Submersible pumps cannot be taken apart, this voids warranty. Shipping costs to us (or to the manufacturer) are not covered by warranty, please insure package when shipping back to us. If product is covered by warranty we will pay shipping costs to ship new/repaired item back to you. Product returned to us for warranty that is deemed in working condition will be shipped back to you at your expense. Be sure your electrical supply is proper before returning pumps to us — each year we get numerous returns that are in good working order only to find the problem was in the electrical supply! A bench fee of \$25.00 will be charged for each pump returned to us that is not broken. Each year we test hundreds of pumps, many of which are fine. This fee covers time and materials used in testing pumps that are in good working order.

**A policy of continuous improvement is our goal, therefore products may change from those shown. All prices are subject to change without notice. We make every effort to maintain printed prices however, due to circumstances out of our control, they may change.**



4385 East 110th  
Grant, MI 49327

231-834-7720  
800-448-3873  
Fax: 231-834-5537

info@easypro.com  
www.easypro.com

Issued January 2025

**Catalog #55WL**

Current Resident or

## Two Specialized Catalogs!



We're proud to offer the largest selection of products in the industry. Whether a small water feature or a large lake, we have products for nearly every application.

We know your time is valuable. So you can focus on the products you need, we publish two catalogs.

- **The Pond & Water Feature catalog** contains products and information on recreational swim ponds, ornamental ponds and water features.
- **The Lake & Pond Management catalog** contains all of our water treatments, fountains, aeration systems and aquaculture supplies.



Please contact us via phone or website to view or request copies of our catalogs!